SURGERY

Official Publication
SOCIETY OF UNIVERSITY SURGEONS
CENTRAL SURGICAL ASSOCIATION
AMERICAN ASSOCIATION OF ENDOCRINE SURGEONS

Editors in Chief

Andrew L. Warshaw
Surgeon-in-Chief
Massachusetts General Hospital
N. Gerald Austen Professor of Surgery
Harvard Medical School
Boston, MA 02114

Michael G. Sarr
Chair, Division of Gastroenterologic and General Surgery
Mayo Clinic and Mayo Foundation
Rochester, MN 55902

Ann Arbor, MI 48109-0474

Editorial Board

Barbara L. Bass,
Baltimore
R. Daniel Beauchamp,
Nashville
Desmond H. Birkett,
Burlington
Kirby I. Bland,
Providence
Murray F. Brennan,
New york
Christoph E. Broelsch,
Hamburg
Gregory B. Bulkley,
Baltimore
John I. Cameron,
Baltimore
Darrell A. Campbell, Jr.,
Ann Arbor
A. Benedict Cosimi,
Boston
John M. Daly,
New York
Clifford W. Deveney,
Portland
Patricia K. Donahoe,
Boston
Quan-Yang Duh,
San Francisco
James S. Economou,
Los Angeles
Victor W. Fazio,
Cleveland
Lewis M. Flint, Jr.,
New Orleans
M. Wayne Flye,
St. Louis
Lazar J. Greenfield,
Ann Arbor
Alden H. Harken,
Denver
Christian Herfarth,
Heidelberg
James W. Holcroft,
Sacramento
Bernard M. Jaffe,
New Orleans
Gordon L. Kauffman, Jr.,
Hershey
Lasalle D. Leffall,Jr.,
Washington
Mark A. Malangoni,
Cleveland
Anthony A. Meyer,
Chapel Hill
Ernest E. Moore,
Denver
Enrique Moreno-Gonzalez,
Madrid
John S. Najarian,
Minneapolis
Jeffrey A. Norton,
San Francisco
Carlos A. Pellegrini,
Seattle
Henry A. Pitt,
Milwaukee
Steven E. Raper,
Philadelphia
Robert S. Rhodes,
Philadelphia
Ori D. Rotstein,
Toronto
Frank W. Sellke,
Boston
Nathaniel J. Soper,
St. Louis
Wiley W. Souba,
Boston
David I. Soybel,
West Roxbury
Thomas E. Starzl,
Pittsburgh
Glenn D. Steele, Jr.,
Chicago
Courtney M. Townsend, Jr.,
Galveston
L. William Traverso,
Seattle
Donald D. Trunkey,
Portland
Jon A. Van Heerden,
Rochester
John Wong,
Hong Kong
Charles J. Yeo,
Baltimore
Michael J. Zinner,
Boston

Volume 124

July-December 1998

MOSBY, INC.

St Louis

SURGERY

VOLUME 124

Copyright © 1998 by

MOSBY, INC.

All rights reserved

Printed in the United States of America

Index to volume 124

AUTHOR INDEX*

A

Abbruzzese J (*see* Lee et al). 1998;124:1115-22
Abbruzzese M (*see* Lee et al). 1998;124:1115-22
Abbruzzese TA, Guzman RJ, Martin RL, Yee C, Zarins CK, Dalman RL. Matrix metalloproteinase inhibition limits arterial enlargement in a rodent arteriovenous fistula model. 1998;124:328-35
AbuRahma AF, Kyer PD III, Robinson PA, Hannay S. The correlation of ultrasonic carotid plaque morphology and carotid plaque hemorrhage: clinical implications. 1998;124:721-8
Adams MB (*see* Johnson et al). 1998;124:729-38
Adrian TE (*see* Fagan et al). 1998;124:254-9
Aiboshi J (*see* Tamura et al). 1998;124:403-8
Akasu T, Sugihara K. Solitary peritoneal metastasis from colon carcinoma. 1998;124:938-40 (Brief clin. rep.)
Åkerström G (*see* Bjerneroth et al). 1998;124:503-9
Åkerström G (*see* Hellman et al). 1998;124:993-9
Åkerström G (*see* Lundgren et al). 1998;124:980-6
Alam H, Kim D, Brun E, Tiollier J, Provido H, Kirkpatrick J. A placental-derived tissue matrix as a bowel wall substitute in rats: preliminary study. 1998;124:87-91
Alber SM (*see* Dickinson et al). 1998;124:284-90
Albo D (*see* O'Mahony et al). 1998;124:388-93
Alexander HR, Bartlett DL, Venzon DJ, Libutti SK, Doppman JL, Fraker DL, Norton JA, Gibril F, Jensen RT. Analysis of factors associated with long-term (five or more years) cure in patients undergoing operation for Zollinger-Ellison syndrome. 1998;124:1160-6
Alexander HR (*see* Libutti et al). 1998;124:1153-9
Alexander HR (*see* Norton et al). 1998;124:1145-52
Alexander HR (*see* Park et al). 1998;124:1056-62
Ali MH, Schlidt SA, Hynes KL, Marcus BC, Gewertz BL. Prolonged hypoxia alters endothelial barrier function. 1998;124:491-7
Amico JA (*see* Carty et al). 1998;124:1106-14
Ammari FF, Khasawneh Z, Salem MK, Mesmar M, Omari H, Masa'deh R. Hydatid disease of the musculoskeletal system. 1998;124:934-7 (Brief clin. rep.)
Anania G (*see* Terrosu et al). 1998;124:839-43
Anderson WF (*see* Hwang et al). 1998;124:143-51
Angele MK, Smail N, Wang P, Cioffi WG, Bland KI, Chaudry IH. L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage. 1998;124:394-402
Apazidis A (*see* Fernandez et al). 1998;124:129-36
Archer S, Meng S, Wu J, Johnson J, Tang R, Hodin R. Butyrate inhibits colon carcinoma cell growth through two distinct pathways. 1998;124:248-53
Armbrust MJ (*see* D'Alessandro et al). 1998;124:604-11
Armstrong N (*see* Knechtle et al). 1998;124:438-47
Armstrong PA, McCarthy MC, Peoples JB. Reduced use of resources by early tracheostomy in ventilator-dependent patients with blunt trauma. 1998;124:763-7
Arnold C (*see* Pinilla et al). 1998;124:799-806
Asano S (*see* Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Ashley SW (*see* Reber et al). 1998;124:561-7
Askari AT (*see* McHenry et al). 1998;124:656-62
Asonuma K (*see* Egawa et al). 1998;124:901-10
Atomi Y (*see* Sugiyama and Atomi). 1998;124:14-21

*July, pp. 1-120; August, pp. 121-476; September, pp. 477-594; October, pp. 595-830; November, pp. 831-946; December, pp. 947-1202.

Averbook BJ, Russo LJ, Mansour EG. A long-term analysis of 620 patients with malignant melanoma at a major referral center. 1998;124:746-56
Avino AJ (*see* Smith et al). 1998;124:1050-5
Azizzadeh A (*see* Fagan et al). 1998;124:254-9

B

Baccarani U (*see* Terrosu et al). 1998;124:839-43
Baer HU (*see* Reber et al). 1998;124:114-5 (Brief clin. rep.)
Baer HU (*see* Z'graggen et al). 1998;124:831-8
Bankey P (*see* Nolan et al). 1998;124:471-6
Baque P (*see* Chazal et al). 1998;124:536-40
Barber AE (*see* Greene et al). 1998;124:568-74
Barbul A (*see* Witte et al). 1998;124:464-70
Bartlett DL (*see* Alexander et al). 1998;124:1160-6
Bartlett DL (*see* Libutti et al). 1998;124:1153-9
Bartlett DL (*see* Park et al). 1998;124:1056-62
Bartlett ST (*see* delaTorre et al). 1998;124:137-42
Bataille N (*see* Montariol et al). 1998;124:6-13
Baumann FG (*see* Fernandez et al). 1998;124:129-36
Baumgartner WA (*see* Tseng et al). 1998;124:298-306
Becker YT (*see* D'Alessandro et al). 1998;124:604-11
Beloqui O (*see* Sangro et al). 1998;124:575-83
Benchimol D (*see* Chazal et al). 1998;124:536-40
Bendinelli C (*see* Miccoli et al). 1998;124:1077-80
Berger DH (*see* O'Mahony et al). 1998;124:388-93
Bergstralh EJ (*see* Hay et al). 1998;124:958-66
Bertagnolli MM (*see* Mahmoud et al). 1998;124:225-31
Betés M (*see* Sangro et al). 1998;124:575-83
Bilbao I (*see* Sangro et al). 1998;124:575-83
Bilinski RT (*see* Mahmoud et al). 1998;124:225-31
Billiar TR (*see* Tzeng et al). 1998;124:278-83
Birch DW (*see* Park et al). 1998;124:816-22
Birkmeyer JD. Outcomes research and surgeons. 1998;124:477-83
Birkmeyer JD, Sharp SM, Finlayson SRG, Fisher ES, Wennberg JE. Variation profiles of common surgical procedures. 1998;124:917-23
Birrer S (*see* Z'graggen et al). 1998;124:831-8
Bjerneroth G, Juhlin C, Gudmundsson S, Rastad J, Åkerström G, Klareskog L. Major histocompatibility complex class II expression and parathyroid autoantibodies in primary hyperparathyroidism. 1998;124:503-9
Bland KI (*see* Angele et al). 1998;124:394-402
Blue AV (*see* Schwartz et al). 1998;124:307-12
Blue ME (*see* Tseng et al). 1998;124:298-306
Bode BP, Reuter N, Conroy JL, Souba WW. Protein kinase C regulates nutrient uptake and growth in hepatoma cells. 1998;124:260-8
Bonadonna G (*see* Edwards et al). 1998;124:197-202
Bonnor RM (*see* Ehlers et al). 1998;124:239-47
Bouchier-Hayes DJ (*see* Da Costa et al). 1998;124:516-25
Bourgeon A (*see* Chazal et al). 1998;124:536-40
Bouyet M (*see* Gershenwald et al). 1998;124:203-10
Bowen C (*see* Dawes et al). 1998;124:685-91
Bowman H (*see* Sosa et al). 1998;124:1028-36
Boyle P (*see* Dickinson et al). 1998;124:284-90
Branton SA (*see* Smith et al). 1998;124:1050-5
Breitfeld PP (*see* Rescorla et al). 1998;124:670-6
Brennan MF (*see* Harrison et al). 1998;124:541-50

Brennan MF (*see* Picardo et al). 1998;124:57-64
Bresadola F (*see* Terrosu et al). 1998;124:839-43
Broadie TA (*see* Howard et al). 1998;124:627-33
Brock MV (*see* Tseng et al). 1998;124:298-306
Broderick T (*see* Connaughton et al). 1998;124:926-8 (Brief clin. rep.)
Broelsch CE (*see* Frilling et al). 1998;124:1000-4
Brun E (*see* Alam et al). 1998;124:87-91
Brunicardi FC (*see* Fagan et al). 1998;124:254-9
Brunt LM. Endoscopic versus radioguided parathyroidectomy. 1998;124:119-20 (Letter reply)
Buchcik R (*see* Willeke et al). 1998;124:484-90
Büchler MW (*see* Friess et al). 1998;124:79-86
Büchler MW (*see* Reber et al). 1998;124:114-5 (Brief clin. rep.)
Buchman TG (*see* DeMeester et al). 1998;124:362-71
Buchwald H. Presidential address: a clash of cultures—personal autonomy versus corporate bondage. 1998;124:595-603 (Pres. address)
Buchwald H (*see* Menchaca et al). 1998;124:692-8
Buckley P (*see* Knechtle et al). 1998;124:438-47
Bulkley GB (*see* Vickers et al). 1998;124:551-60
Burney RE, Jones KR, Peterson M, Christy B, Thompson NW. Surgical correction of primary hyperparathyroidism improves quality of life. 1998;124:987-92

C

Cady B. Beyond risk groups: a new look at differentiated thyroid cancer. 1998;124:947-57
Cain BS (*see* Meldrum et al). 1998;124:291-7
Carmeci C, Thompson DA, Kuang WW, Lightdale N, Furthmayr H, Weigel RJ. Moesin expression is associated with the estrogen receptor–negative breast cancer phenotype. 1998;124:211-7
Carnaille BML (*see* Proye et al). 1998;124:1128-33
Carré A (*see* Proye et al). 1998;124:1128-33
Carty SE, Helm AK, Amico JA, Clarke MR, Foley TP, Watson CG, Mulvihill JJ. The variable penetrance and spectrum of manifestations of multiple endocrine neoplasia type 1. 1998;124:1106-14
Castaneda AA (*see* Mercer et al). 1998;124:864-70
Cecchini GM (*see* Miccoli et al). 1998;124:1077-80
Chan H-M (*see* Chou et al). 1998;124:1-5
Charboneau JW (*see* Harman et al). 1998;124:1011-20
Charlier A (*see* Montariol et al). 1998;124:6-13
Chaudry IH (*see* Angele et al). 1998;124:394-402
Chazal M, Benchimol D, Baque P, Pierrefite V, Milano G, Bourgeon A. Treatment of hepatic metastases of colorectal cancer by electrochemotherapy: an experimental study in the rat. 1998;124:536-40
Chen J (*see* Zenilman et al). 1998;124:855-63
Chijiiwa K (*see* Sato et al). 1998;124:871-6
Chipra S (*see* Schwesinger et al). 1998;124:768-72
Chou F-F, Chan H-M, Huang T-J, Lee C-H, Hsu K-T. Autotransplantation of parathyroid glands into subcutaneous forearm tissue for renal hyperparathyroidism. 1998;124:1-5
Choyke PL (*see* Libutti et al). 1998;124:1153-9
Christy B (*see* Burney et al). 1998;124:987-92
Chun YS, Saji M, Zeiger MA. Overexpression of TTF-1 and PAX-8 restores thyroglobulin gene promoter activity in ARO and WRO cell lines. 1998;124:1100-5
Churchill MR (*see* Mahmoud et al). 1998;124:225-31
Cienfuegos JA (*see* Sangro et al). 1998;124:575-83
Cioffi WG (*see* Angele et al). 1998;124:394-402
Clarke MR (*see* Carty et al). 1998;124:1106-14
Cleveland JC Jr (*see* Meldrum et al). 1998;124:291-7
Cobb JP (*see* DeMeester et al). 1998;124:362-71
Cogbill TH (*see* Serleth et al). 1998;124:100-2 (Brief clin. rep.)
Collins BH (*see* D'Alessandro et al). 1998;124:604-11
Colvin S (*see* Fernandez et al). 1998;124:129-36
Connaughton JC, Poletti L, Broderick T, Sugerman HJ. Rectal duplication cyst with a large perineal hernia presenting as recurrent perineal abscesses. 1998;124:926-8 (Brief clin. rep.)
Conroy JL (*see* Bode et al). 1998;124:260-8
Correa-Rotter R (*see* Sierra et al). 1998;124:1005-10
Coy DH (*see* Fagan et al). 1998;124:254-9
Cradock TV (*see* Kokoska et al). 1998;124:619-26
Crestanello JA, Lingle DM, Millil J, Whitman GJ. Pyruvate improves myocardial tolerance to reperfusion injury by acting as an antioxidant: a chemiluminescence study. 1998;124:92-9
Critical Care Research Group (*see* Dorman et al). 1998;124:73-8
Cross JM (*see* Mercer et al). 1998;124:864-70

D

Da Costa ML, Redmond HP, Bouchier-Hayes DJ. The effect of laparotomy and laparoscopy on the establishment of spontaneous tumor metastases. 1998;124:516-25
Dahms RA (*see* Johnson et al). 1998;124:911-6
D'Alessandro AM, Pirsch JD, Knechtle SJ, Odorico JS, Van der Werf WJ, Collins BH, Becker YT, Kalayoglu M, Armbrust MJ, Sollinger HW. Living unrelated kidney donation: the University of Wisconsin experience. 1998;124:604-11
Dalman RL (*see* Abbruzzese et al). 1998;124:328-35
Danesh B (*see* Zenilman et al). 1998;124:855-63
Dannenberg AJ (*see* Mahmoud et al). 1998;124:225-31
Dardik H. Kinked carotid arteries and everted cervical veins. 1998;124:943 (Letter)
Davies MG (*see* Huynh et al). 1998;124:177-86
Dawes LG, Bowen C, Venta LA, Morrow M. Ductography for nipple discharge: no replacement for ductal excision. 1998;124:685-91
DeBenedetti MK (*see* Yim et al). 1998;124:1037-42
Decoulx M (*see* Proye et al). 1998;124:1128-33
Deeik RK (*see* Fitzgibbons et al). 1998;124:699-706
de-la-Peña A (*see* Sangro et al). 1998;124:575-83
delaTorre A, Schroeder RA, Bartlett ST, Kuo PC. Differential effects of nitric oxide–mediated S-nitrosylation on p50 and c-jun DNA binding. 1998;124:137-42
Deleuran B (*see* Osman et al). 1998;124:584-92
DeMatos P, Tyler D, Seigler HF. Mucosal melanoma of the female genitalia: a clinicopathologic study of forty-three cases at Duke University Medical Center. 1998;124:38-48
DeMeester SL, Cobb JP, Hotchkiss RS, Osborne DF, Karl IE, Tinsley KW, Buchman TG. Stress-induced fractal rearrangement of the endothelial cell cytoskeleton causes apoptosis. 1998;124:362-71
Demeure MJ, Doffek KM, Komorowski RA, Redlich PN, Zhu Y-r, Erickson BA, Ritch PS, Pitt HA, Wilson SD. Molecular metastases in stage I pancreatic cancer: improved survival with adjuvant chemoradiation. 1998;124:663-9
Denham D (*see* Norman and Denham). 1998;124:1088-93
Denham DW, Franz MG, Denham W, Zervos EE, Gower WR Jr, Rosemurgy AS, Norman J. Directed antisense therapy confirms the role of protein kinase C–α in the tumorigenicity of pancreatic cancer. 1998;124:218-24
Denham W (*see* Denham et al). 1998;124:218-24
Dickinson EC, Gorga JC, Garrett M, Tuncer R, Boyle P, Watkins SC, Alber SM, Parizhskaya M, Trucco M, Rowe MI, Ford HR. Immunoglobulin A supplementation abrogates bacterial translocation and preserves the architecture of the intestinal epithelium. 1998;124:284-90
Diebel LN, Tyburski JG, Dulchavsky SA. Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock. 1998;124:642-50
DiGiacomo JC, Schwab CW, Kauder DR, Rotondo MF. The usefulness of remote CT scanning in blunt splenic injuries. 1998;124:941-2 (Letter reply)
Dillon PA (*see* Kokoska et al). 1998;124:619-26
Dinarello CA (*see* Meldrum et al). 1998;124:291-7
Ding X (*see* Fagan et al). 1998;124:254-9
Doffek KM (*see* Demeure et al). 1998;124:663-9
Doherty GM (*see* Lowney et al). 1998;124:1043-9
Doherty GM (*see* Norton et al). 1998;124:1145-52
Doherty GM (*see* Yim et al). 1998;124:1037-42
Dong Y (*see* Knechtle et al). 1998;124:438-47

Donini A (*see* Terrosu et al). 1998;124:839-43
Donnelly MB (*see* Schwartz et al). 1998;124:307-12
Doppman JL (*see* Alexander et al). 1998;124:1160-6
Doppman JL (*see* Norton et al). 1998;124:1145-52
Doppman JL (*see* Park et al). 1998;124:1056-62
Dorman T, Swoboda S, Zarfeshenfard F, Trentler B, Lipsett PA, Critical Care Research Group. Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose. 1998;124:73-8
Duarte R (*see* Friess et al). 1998;124:79-86
Dulchavsky SA (*see* Diebel et al). 1998;124:642-50

E

Edwards MJ, Bonadonna G, Valagussa P, Gamel JW. End points in the analysis of breast cancer survival: relapse versus death from tumor. 1998;124:197-202
Efron DT (*see* Witte et al). 1998;124:464-70
Egawa H, Uemoto S, Inomata Y, Shapiro AMJ, Asonuma K, Kiuchi T, Okajima H, Itou K, Tanaka K. Biliary complications in pediatric living related liver transplantation. 1998;124:901-10
Ehlers RA II, Bonnor RM, Wang X, Hellmich MR, Evers BM. Signal transduction mechanisms in neurotensin-mediated cellular regulation. 1998;124:239-47
Engum SA (*see* Rescorla et al). 1998;124:670-6
Erickson BA (*see* Demeure et al). 1998;124:663-9
Ernst O (*see* Proye et al). 1998;124:1128-33
Erwin CR (*see* Helmrath et al). 1998;124:848-54
Evans D (*see* Lee et al). 1998;124:1115-22
Evans PM, Vogt DP, Mayes JT III, Henderson JM, Walsh RM. Liver resection using total vascular exclusion. 1998;124:807-15
Evers BM (*see* Ehlers et al). 1998;124:239-47
Evers BM (*see* Litvak et al). 1998;124:161-70

F

Fagan SP, Azizzadeh A, Moldovan S, Ray MK, Adrian TE, Ding X, Coy DH, Brunicardi FC. Insulin secretion is inhibited by subtype five somatostatin receptor in the mouse. 1998;124:254-9
Fahey TJ III (*see* Teng et al). 1998;124:1123-7
Farnebo F, Höög A, Sandelin K, Larsson C, Farnebo L-O. Decreased expression of calcium-sensing receptor messenger ribonucleic acids in parathyroid adenomas. 1998;124:1094-9
Farnebo L-O (*see* Farnebo et al). 1998;124:1094-9
Farokhzad OC, Mun EC, Sicklick JK, Smith JA, Matthews JB. Effects of bryostatin 1, a novel anticancer agent, on intestinal transport and barrier function: role of protein kinase C. 1998;124:380-7
Faulhaber PF (*see* Rajput et al). 1998;124:793-8
Fazio VW (*see* Lopez-Kostner et al). 1998;124:612-8
Fechner JH Jr (*see* Knechtle et al). 1998;124:438-47
Fein M, Fuchs K-H, Ritter MP, Freys SM, Heimbucher J, Staab C, Thiede A. Application of the new classification for cancer of the cardia. 1998;124:707-14
Feldman JM (*see* Kirshbom et al). 1998;124:1063-70
Fernandez HA, Kallenbach K, Sehezzi G, Mehrara B, Apazidis A, Baumann FG, Grossi EA, Colvin S, Mignatti P, Galloway AC. Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene transfer. 1998;124:129-36
Ferone T (*see* Martin et al). 1998;124:313-7
Fillinger MF (*see* Nackman et al). 1998;124:353-61
Filoche B (*see* Proye et al). 1998;124:1134-44
Fingerhut A (*see* Montariol et al). 1998;124:6-13
Finlayson SRG (*see* Birkmeyer et al). 1998;124:917-23
Fisher ES (*see* Birkmeyer et al). 1998;124:917-23
Fitze G (*see* Willeke et al). 1998;124:484-90
Fitzgibbons RJ Jr, Deeik RK, Martinez-Serna T. Eight years' experience with the use of a transcystic common bile duct duodenal double-lumen catheter for the treatment of choledocholithiasis. 1998;124:699-706
Flye MW (*see* Genden et al). 1998;124:448-56
Foley TP (*see* Carty et al). 1998;124:1106-14
Fong Y (*see* Picardo et al). 1998;124:57-64
Ford HR (*see* Dickinson et al). 1998;124:284-90
Fox JW (*see* Helmrath et al). 1998;124:848-54
Fraker DL (*see* Alexander et al). 1998;124:1160-6
Fraker DL (*see* Norton et al). 1998;124:1145-52
Fraker DL (*see* Park et al). 1998;124:1056-62
Frantzides CT, Richards C. A study of 362 consecutive laparoscopic Nissen fundoplications. 1998;124:651-5
Franz MG (*see* Denham et al). 1998;124:218-24
Freeman BD, Rubin BG. Bullous pemphigoid after prosthetic vascular graft placement. 1998;124:112-3 (Brief clin. rep.)
Freissmuth M (*see* Hermann et al). 1998;124:894-900
French Associations for Surgical Research (*see* Montariol et al). 1998;124:6-13
Freys SM (*see* Fein et al). 1998;124:707-14
Frezza E (*see* Martin et al). 1998;124:313-7
Friess H, Duarte R, Kleeff J, Fukuda A, Tang W-H, Graber H, Schilling M, Zimmermann A, Korc M, Büchler MW. The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings. 1998;124:79-86
Frilling A, Malago M, Broelsch CE. Use of somatostatin receptor scintigraphy to image extrahepatic metastases of neuroendocrine tumors. 1998;124:1000-4
Frisella MM (*see* Lowney et al). 1998;124:1043-9
Fruchterman TM, Spain DA, Wilson MA, Harris PD, Garrison RN. Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation. 1998;124:782-92
Fuchs K-H (*see* Fein et al). 1998;124:707-14
Fujita M (*see* Ohigashi et al). 1998;124:510-5
Fukuda A (*see* Friess et al). 1998;124:79-86
Furthmayr H (*see* Carmeci et al). 1998;124:211-7
Furukawa H (*see* Ohigashi et al). 1998;124:510-5

G

Gagel R (*see* Lee et al). 1998;124:1115-22
Galloway AC (*see* Fernandez et al). 1998;124:129-36
Galloway AC (*see* Schwartz et al). 1998;124:232-8
Gamel JW (*see* Edwards et al). 1998;124:197-202
Gamino R (*see* Sierra et al). 1998;124:1005-10
Garrett M (*see* Dickinson et al). 1998;124:284-90
Garrison RN (*see* Fruchterman et al). 1998;124:782-92
Gates JD. Kinked carotid arteries and everted cervical veins. 1998;124:943 (Letter reply)
Gebert JF (*see* Willeke et al). 1998;124:484-90
Gelber C (*see* Wheatley et al). 1998;124:171-6
Genden EM, Mackinnon SE, Yu S, Flye MW. Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies. 1998;124:448-56
Gershenwald JE, Tseng C-h, Thompson W, Mansfield PF, Lee JE, Bouyet M, Lee JJ, Ross MI. Improved sentinel lymph node localization in patients with primary melanoma with the use of radiolabeled colloid. 1998;124:203-10
Gesser B (*see* Osman et al). 1998;124:584-92
Gewertz BL (*see* Ali et al). 1998;124:491-7
Ghiatis AA (*see* Schwesinger et al). 1998;124:768-72
Gibril F (*see* Alexander et al). 1998;124:1160-6
Gibril F (*see* Norton et al). 1998;124:1145-52
Gleason TG, Sawyer RG, Pruett TL. Bacterially preexposed T cells impair bacterial elimination by non-Th1/Th2 cell mechanisms in a model of intra-abdominal infection. 1998;124:418-28
Glenn G (*see* Libutti et al). 1998;124:1153-9
Godchaux J (*see* Proye et al). 1998;124:1134-44
Goellner JR (*see* Hay et al). 1998;124:958-66

González O (*see* Sierra et al). 1998;124:1005-10
Gorden PK (*see* Park et al). 1998;124:1056-62
Gordon EM (*see* Hwang et al). 1998;124:143-51
Gorga JC (*see* Dickinson et al). 1998;124:284-90
Gower WR Jr (*see* Denham et al). 1998;124:218-24
Graber H (*see* Friess et al). 1998;124:79-86
Graham AM (*see* Nackman et al). 1998;124:353-61
Grant CS (*see* Harman et al). 1998;124:1011-20
Grant CS (*see* Hay et al). 1998;124:958-66
Grant CS (*see* Smith et al). 1998;124:1050-5
Greene SP, Soucy DM, Song WC, Barber AE, Hagedorn FN, Illner HP, Shires GT. Early isotonic saline resuscitation from uncontrolled hemorrhage in rats. 1998;124:568-74
Grosfeld JL (*see* Rescorla et al). 1998;124:670-6
Gross GWW (*see* Schwesinger et al). 1998;124:768-72
Grossi EA (*see* Fernandez et al). 1998;124:129-36
Gruessner AC (*see* West et al). 1998;124:883-93
Gruessner RWG (*see* West et al). 1998;124:883-93
Grutkoski P (*see* Leuenroth et al). 1998;124:409-17
Gudmundsson S (*see* Bjerneroth et al). 1998;124:503-9
Gundersen SB III (*see* Serleth et al). 1998;124:100-2 (Brief clin. rep.)
Gunter JA (*see* Mercer et al). 1998;124:864-70
Guzman RJ (*see* Abbruzzese et al). 1998;124:328-35

H

Hagedorn FN (*see* Greene et al). 1998;124:568-74
Hagen P-O (*see* Huynh et al). 1998;124:177-86
Hahn M (*see* Willeke et al). 1998;124:484-90
Hall JC, Platell C, Hall JL. Surgery on trial: an account of clinical trials evaluating operations. 1998;124:22-7
Hall JL (*see* Hall et al). 1998;124:22-7
Hamawy MM (*see* Knechtle et al). 1998;124:438-47
Hamba H (*see* Shuto et al). 1998;124:33-7
Hannay S (*see* AbuRahma et al). 1998;124:721-8
Harken AH (*see* Meldrum et al). 1998;124:291-7
Harken AH (*see* Selzman et al). 1998;124:318-27
Harman CR, Grant CS, Hay ID, Hurley DL, van Heerden JA, Thompson GP, Reading CC, Charboneau JW. Indications, technique, and efficacy of alcohol injection of enlarged parathyroid glands in patients with primary hyperparathyroidism. 1998;124:1011-20
Harris PD (*see* Fruchterman et al). 1998;124:782-92
Harrison LE, Wojciechowicz DC, Brennan MF, Paty PB. Phenylacetate inhibits isoprenoid biosynthesis and suppresses growth of human pancreatic carcinoma. 1998;124:541-50
Hashimoto T (*see* Ohigashi et al). 1998;124:510-5
Hata K (*see* Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Hauer MP (*see* Willeke et al). 1998;124:484-90
Hay ID, Grant CS, Bergstralh EJ, Thompson GB, van Heerden JA, Goellner JR. Unilateral total lobectomy: Is it sufficient surgical treatment for patients with AMES low-risk papillary thyroid carcinoma? 1998;124:958-66
Hay ID (*see* Harman et al). 1998;124:1011-20
Hay J-M (*see* Montariol et al). 1998;124:6-13
Hayes P (*see* Pinilla et al). 1998;124:799-806
Heimbucher J (*see* Fein et al). 1998;124:707-14
Hellman P, Skogseid B, Oberg K, Juhlin C, Åkerström G, Rastad J. Primary and reoperative parathyroid operations in hyperparathyroidism of multiple endocrine neoplasia type 1. 1998;124:993-9
Hellmich MR (*see* Ehlers et al). 1998;124:239-47
Hellmich MR (*see* Litvak et al). 1998;124:161-70
Hellmich MR (*see* Papaconstantinou et al). 1998;124:152-60
Helm AK (*see* Carty et al). 1998;124:1106-14
Helmrath MA, Shin CE, Fox JW, Erwin CR, Warner BW. Adaptation after small bowel resection is attenuated by sialoadenectomy: the role for endogenous epidermal growth factor. 1998;124:848-54
Henderson JM (*see* Evans et al). 1998;124:807-15
Herald JA, Young CJ, White GH, Solomon MJ. Endosurgical treatment of synchronous rectal cancer and abdominal aortic aneurysm, without laparotomy. 1998;124:932-3 (Brief clin. rep.)
Herfarth C (*see* Willeke et al). 1998;124:484-90
Hermann M, Roka R, Richter B, Freissmuth M. Early relapse after operation for Graves' disease: postoperative hormone kinetics and outcome after subtotal, near-total, and total thyroidectomy. 1998;124:894-900
Herráiz M (*see* Sangro et al). 1998;124:575-83
Herrera MF (*see* Sierra et al). 1998;124:1005-10
Herrero B (*see* Sierra et al). 1998;124:1005-10
Herrero I (*see* Sangro et al). 1998;124:575-83
Hetta J (*see* Lundgren et al). 1998;124:980-6
Hickey R (*see* Lee et al). 1998;124:1115-22
Hildreth JEK (*see* Vickers et al). 1998;124:551-60
Hiraide A (*see* Shiozaki and Hiraide). 1998;124:593 (Letter reply)
Hiraide A (*see* Yamamura et al). 1998;124:929-31 (Brief clin. rep.)
Hiratsuka M (*see* Ohigashi et al). 1998;124:510-5
Hirohashi K (*see* Shuto et al). 1998;124:33-7
Ho HS, Ueda T, Liu H. The impacts of experimental necrotizing pancreatitis on hepatocellular ion homeostasis and energetics: an in vivo nuclear magnetic resonance study. 1998;124:372-9
Hodin R (*see* Archer et al). 1998;124:248-53
Hoki M (*see* Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Hong X (*see* Knechtle et al). 1998;124:438-47
Höög A (*see* Farnebo et al). 1998;124:1094-9
Hool GR (*see* Lopez-Kostner et al). 1998;124:612-8
Horiuchi T (*see* Uchinami et al). 1998;124:49-56
Hosomi N (*see* Ohigashi et al). 1998;124:510-5
Hotchkiss RS (*see* DeMeester et al). 1998;124:362-71
Howard TJ, Stonerock CE, Sarkar J, Lehman GA, Sherman S, Wiebke EA, Madura JA, Broadie TA. Contemporary treatment strategies for external pancreatic fistulas. 1998;124:627-33
Hsu K-T (*see* Chou et al). 1998;124:1-5
Huang J (*see* Park et al). 1998;124:1056-62
Huang T-J (*see* Chou et al). 1998;124:1-5
Hudson DA, Krige JEJ, Stubbings H. Plantar melanoma: results of treatment in three population groups. 1998;124:877-82
Huglo D (*see* Proye et al). 1998;124:1128-33
Huglo D (*see* Proye et al). 1998;124:1134-44
Hurley DL (*see* Harman et al). 1998;124:1011-20
Huynh TTT, Iaccarino G, Davies MG, Svendsen E, Koch WJ, Hagen P-O. Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts. 1998;124:177-86
Hwang KO (*see* Litvak et al). 1998;124:161-70
Hwang KO (*see* Papaconstantinou et al). 1998;124:152-60
Hwang RF, Gordon EM, Anderson WF, Parekh D. Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene. 1998;124:143-51
Hynes KL (*see* Ali et al). 1998;124:491-7

I

Iaccarino G (*see* Huynh et al). 1998;124:177-86
Iacobucci M (*see* Wheatley et al). 1998;124:171-6
Iglesias J (*see* Turnage et al). 1998;124:457-63
Illner HP (*see* Greene et al). 1998;124:568-74
Imamura H (*see* Shimada et al). 1998;124:526-35
Imaoka S (*see* Ohigashi et al). 1998;124:510-5
Inomata Y (*see* Egawa et al). 1998;124:901-10
Ishikawa O (*see* Ohigashi et al). 1998;124:510-5
Itou K (*see* Egawa et al). 1998;124:901-10

J

Jabs CM, Sigurdsson GH, Neglen P. Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit. 1998;124:65-72
Jacobs DM (*see* Kalb et al). 1998;124:739-45
Jacobsen NO (*see* Osman et al). 1998;124:584-92
Jacobson J (*see* Teng et al). 1998;124:1123-7

Jensen RT (*see* Alexander et al). 1998;124:1160-6
Jensen RT (*see* Norton et al). 1998;124:1145-52
Jensen RT (*see* Park et al). 1998;124:1056-62
Jensen SL (*see* Osman et al). 1998;124:584-92
Jiménez F (*see* Sierra et al). 1998;124:1005-10
Johnson CP, Zhu Y-r, Matt C, Pelz C, Roza AM, Adams MB. Prognostic value of intraoperative blood flow measurements in vascular access surgery. 1998;124:729-38
Johnson EM, Saltzman DA, Suh G, Dahms RA, Leonard AS. Complications and risks of central venous catheter placement in children . 1998;124:911-6
Johnson J (*see* Archer et al). 1998;124:248-53
Johnson JL (*see* Tamura et al). 1998;124:403-8
Johnston MV (*see* Tseng et al). 1998;124:298-306
Jones KR (*see* Burney et al). 1998;124:987-92
Jorgensen LN. Cigarette smoking, herniation, and recurrence. 1998;124:942-3 (Letter reply)
Juhlin C (*see* Bjerneroth et al). 1998;124:503-9
Juhlin C (*see* Hellman et al). 1998;124:993-9

K

Kabuto T (*see* Ohigashi et al). 1998;124:510-5
Kaganoi J (*see* Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Kalayoglu M (*see* D'Alessandro et al). 1998;124:604-11
Kalb DC, Ney AL, Rodriguez JL, Jacobs DM, Van Camp JM, Zera RT, Rockswold GL, West MA. Assessment of the relationship between timing of fixation of the fracture and secondary brain injury in patients with multiple trauma. 1998;124:739-45
Kallenbach K (*see* Fernandez et al). 1998;124:129-36
Kameyama M (*see* Ohigashi et al). 1998;124:510-5
Karakozis S (*see* Zapas et al). 1998;124:715-20
Karl IE (*see* DeMeester et al). 1998;124:362-71
Karpoff HM (*see* Picardo et al). 1998;124:57-64
Kato M (*see* Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Kauder DR (*see* DiGiacomo et al). 1998;124:941-2 (Letter reply)
Kavanagh EG, Kelly JL, Lyons A, Soberg CC, Mannick JA, Lederer JA. Burn injury primes naive CD4+ T cells for an augmented T-helper 1 response. 1998;124:269-77
Kawasaki S (*see* Shimada et al). 1998;124:526-35
Keeping H (*see* Leuenroth et al). 1998;124:409-17
Kelly JL (*see* Kavanagh et al). 1998;124:269-77
Kent KC (*see* Patel et al). 1998;124:343-52
Khasawneh Z (*see* Ammari et al). 1998;124:934-7 (Brief clin. rep.)
Kherani AR (*see* Kirshbom et al). 1998;124:1063-70
Kilgo MS, Pirsch JD, Warner TF, Starling JR. Tertiary hyperparathyroidism after renal transplantation: surgical strategy. 1998;124:677-84
Kim D (*see* Alam et al). 1998;124:87-91
Kim L (*see* Turnage et al). 1998;124:457-63
Kim Y-M (*see* Tzeng et al). 1998;124:278-83
Kimura N (*see* Uchinami et al). 1998;124:49-56
Kinoshita H (*see* Shuto et al). 1998;124:33-7
Kirkpatrick J (*see* Alam et al). 1998;124:87-91
Kirkpatrick JR (*see* Zapas et al). 1998;124:715-20
Kirshbom PM, Kherani AR, Onaitis MW, Feldman JM, Tyler DS. Carcinoids of unknown origin: comparative analysis with foregut, midgut, and hindgut carcinoids. 1998;124:1063-70
Kiuchi T (*see* Egawa et al). 1998;124:901-10
Kiyama T (*see* Witte et al). 1998;124:464-70
Klaiber C (*see* Z'graggen et al). 1998;124:831-8
Klareskog L (*see* Bjerneroth et al). 1998;124:503-9
Kleeff J (*see* Friess et al). 1998;124:79-86
Klingler PJ (*see* Smith et al). 1998;124:1050-5
Knechtle SJ, Fechner JH Jr, Dong Y, Stavrou S, Neville DM Jr, Oberley T, Buckley P, Armstrong N, Rusterholz K, Hong X, Tsuchida M, Hamawy MM. Primate renal transplants using immunotoxin. 1998;124:438-47
Knechtle SJ (*see* D'Alessandro et al). 1998;124:604-11
Ko TC (*see* Litvak et al). 1998;124:161-70
Ko TC (*see* Litvak et al). 1998;124:1071-6
Ko TC (*see* Papaconstantinou et al). 1998;124:152-60
Kobayashi A (*see* Shimada et al). 1998;124:526-35
Koch WJ (*see* Huynh et al). 1998;124:177-86
Kokoska ER, Silen ML, Tracy TF Jr, Dillon PA, Cradock TV, Weber TR. Perforated appendicitis in children: risk factors for the development of complications. 1998;124:619-26
Kokoska ER, Smith GS, Miller TA. Store-operated calcium influx in human gastric cells: role of endogenous prostaglandins. 1998;124:429-37
Komorowski RA (*see* Demeure et al). 1998;124:663-9
Korc M (*see* Friess et al). 1998;124:79-86
Kovesdi I (*see* Tzeng et al). 1998;124:278-83
Krige JEJ (*see* Hudson et al). 1998;124:877-82
Kristensen JU (*see* Osman et al). 1998;124:584-92
Kromhout-Schiro S (*see* Rutledge et al). 1998;124:187-96
Kuang WW (*see* Carmeci et al). 1998;124:211-7
Kubo S (*see* Shuto et al). 1998;124:33-7
Kubota A (*see* Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Kubota D (*see* Shuto et al). 1998;124:33-7
Kumar A. Spontaneous perforation of the common bile duct: a rare cause of acute abdomen in adults. 1998;124:924-5 (Brief clin. rep.)
Kuntz KM (*see* Patel et al). 1998;124:343-52
Kuo PC (*see* delaTorre et al). 1998;124:137-42
Kuroda C (*see* Ohigashi et al). 1998;124:510-5
Kuvshinoff BW (*see* Lieber et al). 1998;124:757-62
Kyer PD III (*see* AbuRahma et al). 1998;124:721-8

L

Lacaine F (*see* Montariol et al). 1998;124:6-13
Lairmore TC (*see* Lowney et al). 1998;124:1043-9
Lairmore TC (*see* Yim et al). 1998;124:1037-42
Lam K-y (*see* Lo and Lam). 1998;124:1081-7
Lange MS (*see* Tseng et al). 1998;124:298-306
Lange RL (*see* McHenry et al). 1998;124:656-62
LaNoue JL (*see* Turnage et al). 1998;124:457-63
Larsen CG (*see* Osman et al). 1998;124:584-92
Larsson C (*see* Farnebo et al). 1998;124:1094-9
Laverty W (*see* Pinilla et al). 1998;124:799-806
Lavery IC (*see* Lopez-Kostner et al). 1998;124:612-8
Laxdal V (*see* Pinilla et al). 1998;124:799-806
Lecomte-Houcke M (*see* Proye et al). 1998;124:1128-33
Lederer JA (*see* Kavanagh et al). 1998;124:269-77
Lee C-H (*see* Chou et al). 1998;124:1-5
Lee C (*see* Leuenroth et al). 1998;124:409-17
Lee J, Evans D, Hickey R, Sherman S, Gagel R, Abbruzzese M, Abbruzzese J. Unknown primary cancer presenting as an adrenal mass: frequency and implications for diagnostic evaluation of adrenal incidentalomas. 1998;124:1115-22
Lee J (*see* Picardo et al). 1998;124:57-64
Lee JE (*see* Gershenwald et al). 1998;124:203-10
Lee JJ (*see* Gershenwald et al). 1998;124:203-10
Lefebvre J (*see* Proye et al). 1998;124:1128-33
Lefebvre J (*see* Proye et al). 1998;124:1134-44
Lehman GA (*see* Howard et al). 1998;124:627-33
Leonard AS (*see* Johnson et al). 1998;124:911-6
Leuenroth S, Lee C, Grutkoski P, Keeping H, Simms HH. Interleukin-8–induced suppression of polymorphonuclear leukocyte apoptosis is mediated by suppressing CD95 (Fas/Apo-1) Fas-1 interactions. 1998;124:409-17
Levine M (*see* Sosa et al). 1998;124:1028-36
Lewis MPN (*see* Reber et al). 1998;124:561-7
Li J (*see* Tzeng et al). 1998;124:278-83
Libutti SK, Choyke PL, Bartlett DL, Vargas H, Walther M, Lubensky I, Glenn G, Linehan WM, Alexander HR. Pancreatic neuroendocrine tumors associated with von Hippel Lindau disease: diagnostic and management recommendations. 1998;124:1153-9
Libutti SK (*see* Alexander et al). 1998;124:1160-6
Libutti SK (*see* Park et al). 1998;124:1056-62
Lieber KA, Standiford SB, Kuvshinoff BW, Ota DM. Surgical management of aberrant sentinel lymph node drainage in cutaneous melanoma. 1998;124:757-62

Lightdale N (*see* Carmeci et al). 1998;124:211-7
Lillemoe KD. Presidential address: SUS—SOS? 1998;124:121-8 (Pres. address)
Linehan WM (*see* Libutti et al). 1998;124:1153-9
Lingle DM (*see* Crestanello et al). 1998;124:92-9
Lipsett PA (*see* Dorman et al). 1998;124:73-8
Litvak DA, Evers BM, Hwang KO, Hellmich MR, Ko TC, Townsend CM Jr. Butyrate-induced differentiation of Caco-2 cells is associated with apoptosis and early induction of $p21^{Waf1/Cip1}$ and $p27^{Kip1}$. 1998;124:161-70
Litvak DA, Papaconstantinou HT, Ko TC, Townsend CM Jr. A novel cytotoxic agent for human carcinoid tumors. 1998;124:1071-6
Liu H (*see* Ho et al). 1998;124:372-9
Lizonova A (*see* Tzeng et al). 1998;124:278-83
Ljunghall S (*see* Lundgren et al). 1998;124:980-6
Lo C-y, Lam K-y. Postoperative hypocalcemia in patients who did or did not undergo parathyroid autotransplantation during thyroidectomy: a comparative study. 1998;124:1081-7
Lo Gerfo P. Local/regional anesthesia for thyroidectomy: evaluation as an outpatient procedure. 1998;124:975-9
Lopez B (*see* Martin et al). 1998;124:313-7
Lopez-Kostner F, Lavery IC, Hool GR, Rybicki LA, Fazio VW. Total mesorectal excision is not necessary for cancers of the upper rectum. 1998;124:612-8
Lovrics P (*see* Park et al). 1998;124:816-22
Lowenstein CJ (*see* Tseng et al). 1998;124:298-306
Lowney JK, Frisella MM, Lairmore TC, Doherty GM. Pancreatic islet cell tumor metastasis in multiple endocrine neoplasia type 1: correlation with primary tumor size. 1998;124:1043-9
Lozano RR (*see* Sierra et al). 1998;124:1005-10
Lubensky I (*see* Libutti et al). 1998;124:1153-9
Lundgren E, Ljunghall S, Åkerström G, Hetta J, Mallmin H, Rastad J. Case-control study on symptoms and signs of "asymptomatic" primary hyperparathyroidism. 1998;124:980-6
Lyerly HK (*see* Wheatley et al). 1998;124:171-6
Lyons A (*see* Kavanagh et al). 1998;124:269-77

M

Mackinnon SE (*see* Genden et al). 1998;124:448-56
Madura JA (*see* Howard et al). 1998;124:627-33
Mahmoud NN, Dannenberg AJ, Mestre J, Bilinski RT, Churchill MR, Martucci C, Newmark H, Bertagnolli MM. Aspirin prevents tumors in a murine model of familial adenomatous polyposis . 1998;124:225-31
Mahon S (*see* Wheatley et al). 1998;124:171-6
Makuuchi M (*see* Shimada et al). 1998;124:526-35
Malago M (*see* Frilling et al). 1998;124:1000-4
Malchoff C (*see* Teng et al). 1998;124:1123-7
Mallmin H (*see* Lundgren et al). 1998;124:980-6
Malvaux P (*see* Proye et al). 1998;124:1134-44
Mandal AK, Udelsman R. Secondary hyperparathyroidism is an expected consequence of parathyroidectomy for primary hyperparathyroidism: a prospective study. 1998;124:1021-7
Mannick JA (*see* Kavanagh et al). 1998;124:269-77
Mansfield PF (*see* Gershenwald et al). 1998;124:203-10
Mansour EG (*see* Averbook et al). 1998;124:746-56
Marcocci C (*see* Miccoli et al). 1998;124:1077-80
Marcus BC (*see* Ali et al). 1998;124:491-7
Marcus SG (*see* Schwartz et al). 1998;124:232-8
Martin JK (*see* Smith et al). 1998;124:1050-5
Martin M, Vashisht B, Frezza E, Ferone T, Lopez B, Pahuja M, Spence RK. Competency-based instruction in critical invasive skills improves both resident performance and patient safety. 1998;124:313-7
Martin RL (*see* Abbruzzese et al). 1998;124:328-35
Martínez-González MA (*see* Sangro et al). 1998;124:575-83
Martínez-Serna T (*see* Fitzgibbons et al). 1998;124:699-706
Martucci C (*see* Mahmoud et al). 1998;124:225-31
Masa'deh R (*see* Ammari et al). 1998;124:934-7 (Brief clin. rep.)
Matsushita M, Nishikimi N, Sakurai T, Nimura Y. Decrease in prevalence of Buerger's disease in Japan. 1998;124:498-502
Matt C (*see* Johnson et al). 1998;124:729-38
Matthews JB (*see* Farokhzad et al). 1998;124:380-7
Maunoury V (*see* Proye et al). 1998;124:1134-44
Maurer CA (*see* Z'graggen et al). 1998;124:831-8
Mayes JT III (*see* Evans et al). 1998;124:807-15
Mazzeo S (*see* Miccoli et al). 1998;124:1077-80
McCarthy MC (*see* Armstrong et al). 1998;124:763-7
McHenry CR, Slusarczyk SJ, Askari AT, Lange RL, Smith CM, Nekl K, Murphy TA. Refined use of scintigraphy in the evaluation of nodular thyroid disease. 1998;124:656-62
McIntyre RC Jr (*see* Selzman et al). 1998;124:318-27
McKinnon KP (*see* Wheatley et al). 1998;124:171-6
Mechtersheimer G (*see* Willeke et al). 1998;124:484-90
Mehrara B (*see* Fernandez et al). 1998;124:129-36
Meldrum DR, Dinarello CA, Cleveland JC Jr, Cain BS, Shames BD, Meng X,Harken AH. Hydrogen peroxide induces tumor necrosis factor α–mediated cardiac injury by a P38 mitogen-activated protein kinase–dependent mechanism. 1998;124:291-7
Menchaca HJ, Michalek VN, Rohde TD, O'Dea TJ, Buchwald H. Decreased blood oxygen diffusion on hypercholesterolemia. 1998;124:692-8
Meng S (*see* Archer et al). 1998;124:248-53
Meng X (*see* Meldrum et al). 1998;124:291-7
Mercer DW, Cross JM, Castaneda AA, Gunter JA. Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons. 1998;124:864-70
Mesmar M (*see* Ammari et al). 1998;124:934-7 (Brief clin. rep.)
Mestre J (*see* Mahmoud et al). 1998;124:225-31
Metrakos P (*see* West et al). 1998;124:883-93
Miccoli P, Bendinelli C, Vignali E, Mazzeo S, Cecchini GM, Pinchera A, Marcocci C. Endoscopic parathyroidectomy: report of an initial experience. 1998;124:1077-80
Michalek VN (*see* Menchaca et al). 1998;124:692-8
Mignatti P (*see* Fernandez et al). 1998;124:129-36
Mignatti P (*see* Schwartz et al). 1998;124:232-8
Milano G (*see* Chazal et al). 1998;124:536-40
Miller TA (*see* Kokoska et al). 1998;124:429-37
Millil J (*see* Crestanello et al). 1998;124:92-9
Minghini A, Weireter LJ Jr, Perry RR. Specificity of elevated CA 19-9 levels in chronic pancreatitis. 1998;124:103-5 (Brief clin. rep.)
Miraldi F (*see* Rajput et al). 1998;124:793-8
Miyagawa S-i (*see* Shimada et al). 1998;124:526-35
Mizumoto K (*see* Sato et al). 1998;124:871-6
Moldawer LL (*see* Witte et al). 1998;124:464-70
Moldovan S (*see* Fagan et al). 1998;124:254-9
Möller P (*see* Willeke et al). 1998;124:484-90
Monea S (*see* Schwartz et al). 1998;124:232-8
Montariol T, Msika S, Charlier A, Rey C, Bataille N, Hay J-M, Lacaine F, Fingerhut A, French Associations for Surgical Research. Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative cholangiography—a multicenter, prospective controlled study. 1998;124:6-13
Moore EE (*see* Tamura et al). 1998;124:403-8
Morisaki T (*see* Sato et al). 1998;124:871-6
Morrow M, Wong S, Venta L. The evaluation of breast masses in women younger than forty years of age. 1998;124:634-41
Morrow M (*see* Dawes et al). 1998;124:685-91
Msika S (*see* Montariol et al). 1998;124:6-13
Mulliez EAR (*see* Proye et al). 1998;124:1128-33
Mulvihill JJ (*see* Carty et al). 1998;124:1106-14
Mun EC (*see* Farokhzad et al). 1998;124:380-7
Muraoka R (*see* Uchinami et al). 1998;124:49-56
Murphy TA (*see* McHenry et al). 1998;124:656-62
Myers S (*see* Turnage et al). 1998;124:457-63

N

Nackman GB, Fillinger MF, Shafritz R, Wei T, Graham AM. Flow modulates endothelial regulation of smooth muscle cell proliferation: a new model. 1998;124:353-61
Naito Y (*see* Uchinami et al). 1998;124:49-56

Nakamori Y (*see* Yamamura et al). 1998;124:929-31 (Brief clin. rep.)
Nakayama T (*see* Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Neglen P (*see* Jabs et al). 1998;124:65-72
Nekl K (*see* McHenry et al). 1998;124:656-62
Neville DM Jr (*see* Knechtle et al). 1998;124:438-47
Newmark H (*see* Mahmoud et al). 1998;124:225-31
Ney AL (*see* Kalb et al). 1998;124:739-45
Ng B (*see* Picardo et al). 1998;124:57-64
Nguyen H (*see* Turnage et al). 1998;124:457-63
Nimura Y (*see* Matsushita et al). 1998;124:498-502
Nishikimi N (*see* Matsushita et al). 1998;124:498-502
Nishitai R (*see* Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Noike T (*see* Shimada et al). 1998;124:526-35
Nolan B, Sentementes J, Bankey P. Hepatocyte polyunsaturated fatty acid enrichment increases acute phase protein synthesis. 1998;124:471-6
Norman J. Endoscopic versus radioguided parathyroidectomy. 1998;124:118 (Letter)
Norman J, Denham D. Minimally invasive radioguided parathyroidectomy in the reoperative neck. 1998;124:1088-93
Norman J (*see* Denham et al). 1998;124:218-24
Norton JA, Doherty GM, Fraker DL, Alexander HR, Doppman JL, Venzon DJ, Gibril F, Jensen RT. Surgical treatment of localized gastrinoma within the liver: a prospective study. 1998;124:1145-52
Norton JA (*see* Alexander et al). 1998;124:1160-6
Norton JA (*see* Park et al). 1998;124:1056-62
Norton JA (*see* Yim et al). 1998;124:1037-42

O

Oberg K (*see* Hellman et al). 1998;124:993-9
Oberley T (*see* Knechtle et al). 1998;124:438-47
O'Dea TJ (*see* Menchaca et al). 1998;124:692-8
Odorico JS (*see* D'Alessandro et al). 1998;124:604-11
Ohigashi H, Ishikawa O, Tamura S, Imaoka S, Sasaki Y, Kameyama M, Kabuto T, Furukawa H, Hiratsuka M, Fujita M, Hashimoto T, Hosomi N, Kuroda C. Pancreatic invasion as the prognostic indicator of duodenal adenocarcinoma treated by pancreatoduodenectomy plus extended lymphadenectomy. 1998;124:510-5
Ohsumi K (*see* Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Okajima H (*see* Egawa et al). 1998;124:901-10
O'Mahony CA, Albo D, Tuszynski GP, Berger DH. Transforming growth factor–beta1 inhibits generation of angiostatin by human pancreatic cancer cells. 1998;124:388-93
Omari H (*see* Ammari et al). 1998;124:934-7 (Brief clin. rep.)
Onaitis MW (*see* Kirshbom et al). 1998;124:1063-70
Osborne DF (*see* DeMeester et al). 1998;124:362-71
Osler T (*see* Rutledge et al). 1998;124:187-96
Osman MO, Jacobsen NO, Kristensen JU, Deleuran B, Gesser B, Larsen CG, Jensen SL. IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis. 1998;124:584-92
Ota DM (*see* Lieber et al). 1998;124:757-62
Ouriel K, Veith FJ. Acute lower limb ischemia: determinants of outcome. 1998;124:336-42
Oyanagi H (*see* Yonekura et al). 1998;124:109-11 (Brief clin. rep.)

P

Pachter HL. The usefulness of remote CT scanning in blunt splenic injuries. 1998;124:941 (Letter)
Page CP (*see* Schwesinger et al). 1998;124:768-72
Pahuja M (*see* Martin et al). 1998;124:313-7
Palazzo L (*see* Proye et al). 1998;124:1134-44
Papaconstantinou HT, Hwang KO, Rajaraman S, Hellmich MR, Townsend CM Jr, Ko TC. Glutamine deprivation induces apoptosis in intestinal epithelial cells. 1998;124:152-60
Papaconstantinou HT (*see* Litvak et al). 1998;124:1071-6
Parekh D (*see* Hwang et al). 1998;124:143-51
Paris J (*see* Proye et al). 1998;124:1134-44
Parizhskaya M (*see* Dickinson et al). 1998;124:284-90
Park A, Birch DW, Lovrics P. Laparoscopic and open incisional hernia repair: a comparison study. 1998;124:816-22
Park BJ, Alexander HR, Libutti SK, Huang J, Royalty D, Skarulis MC, Jensen RT, Gorden PK, Doppman JL, Shawker TH, Fraker DL, Norton JA, Bartlett DL. Operative management of islet-cell tumors arising in the head of the pancreas. 1998;124:1056-62
Pasgualucci A (*see* Terrosu et al). 1998;124:839-43
Patel AG (*see* Reber et al). 1998;124:561-7
Patel AG (*see* Reber et al). 1998;124:114-5 (Brief clin. rep.)
Patel ST, Kuntz KM, Kent KC. Is routine duplex ultrasound surveillance after carotid endarterectomy cost-effective? 1998;124:343-52
Pattou F (*see* Proye et al). 1998;124:1134-44
Paty PB (*see* Harrison et al). 1998;124:541-50
Pelz C (*see* Johnson et al). 1998;124:729-38
Peoples JB (*see* Armstrong et al). 1998;124:763-7
Perry RR (*see* Minghini et al). 1998;124:103-5 (Brief clin. rep.)
Peterson M (*see* Burney et al). 1998;124:987-92
Picardo A, Karpoff HM, Ng B, Lee J, Brennan MF, Fong Y. Partial hepatectomy accelerates local tumor growth: potential roles of local cytokine activation. 1998;124:57-64
Pierrefite V (*see* Chazal et al). 1998;124:536-40
Pinchera A (*see* Miccoli et al). 1998;124:1077-80
Pinilla JC, Hayes P, Laverty W, Arnold C, Laxdal V. The C-reactive protein to prealbumin ratio correlates with the severity of multiple organ dysfunction. 1998;124:799-806
Pirsch JD (*see* D'Alessandro et al). 1998;124:604-11
Pirsch JD (*see* Kilgo et al). 1998;124:677-84
Pitt HA (*see* Demeure et al). 1998;124:663-9
Platell C (*see* Hall et al). 1998;124:22-7
Poletti L (*see* Connaughton et al). 1998;124:926-8 (Brief clin. rep.)
Powe N (*see* Sosa et al). 1998;124:1028-36
Prieto J (*see* Sangro et al). 1998;124:575-83
Provido H (*see* Alam et al). 1998;124:87-91
Proye C, Malvaux P, Pattou F, Filoche B, Godchaux J, Maunoury V, Palazzo L, Huglo D, Lefebvre J, Paris J. Non invasive imaging of insulinomas and gastrinomas with endoscopic ultrasonography and somatostatin receptor scintigraphy. 1998;124:1134-44
Proye CAG, Mulliez EAR, Carnaille BML, Lecomte-Houcke M, Decoulx M, Wémeau JL, Lefebvre J, Racadot A, Ernst O, Huglo D, Carré A. Essential hypertension: first reason of persistent hypertension after unilateral adrenalectomy for primary aldosteronism? 1998;124:1128-33
Pruett TL (*see* Gleason et al). 1998;124:418-28

Q

Quiroga J (*see* Sangro et al). 1998;124:575-83

R

Racadot A (*see* Proye et al). 1998;124:1128-33
Rajaraman S (*see* Papaconstantinou et al). 1998;124:152-60
Rajput A, Stellato TA, Faulhaber PF, Vesselle HJ, Miraldi F. The role of fluorodeoxyglucose and positron emission tomography in the evaluation of pancreatic disease. 1998;124:793-8
Rastad J (*see* Bjerneroth et al). 1998;124:503-9
Rastad J (*see* Hellman et al). 1998;124:993-9
Rastad J (*see* Lundgren et al). 1998;124:980-6
Rattner DW (*see* So et al). 1998;124:28-32
Ray MK (*see* Fagan et al). 1998;124:254-9
Read RC. Cigarette smoking, herniation, and recurrence. 1998;124:942 (Letter)
Reading CC (*see* Harman et al). 1998;124:1011-20
Reber HA (*see* Reber et al). 1998;124:561-7
Reber PU, Baer HU, Patel AG, Triller J, Büchler MW. Life-threatening upper gastrointestinal tract bleeding caused by ruptured extrahepatic pseudoaneurysm after pancreatoduodenectomy. 1998;124:114-5 (Brief clin. rep.)

Reber PU, Patel AG, Lewis MPN, Ashley SW, Reber HA. Stenting does not decompress the pancreatic duct as effectively as surgery in experimental chronic pancreatitis. 1998;124:561-7
Redlich PN (*see* Demeure et al). 1998;124:663-9
Redmond HP (*see* Da Costa et al). 1998;124:516-25
Rescorla FJ, Breitfeld PP, West KW, Williams D, Engum SA, Grosfeld JL. A case controlled comparison of open and laparoscopic splenectomy in children. 1998;124:670-6
Reuter N (*see* Bode et al). 1998;124:260-8
Rey C (*see* Montariol et al). 1998;124:6-13
Richards C (*see* Frantzides and Richards). 1998;124:651-5
Richter B (*see* Hermann et al). 1998;124:894-900
Ritch PS (*see* Demeure et al). 1998;124:663-9
Ritter MP (*see* Fein et al). 1998;124:707-14
Robbins AW (*see* Rutkow and Robbins). 1998;124:844-7
Robinson PA (*see* AbuRahma et al). 1998;124:721-8
Rockswold GL (*see* Kalb et al). 1998;124:739-45
Rodriguez JL (*see* Kalb et al). 1998;124:739-45
Rohde TD (*see* Menchaca et al). 1998;124:692-8
Roka R (*see* Hermann et al). 1998;124:894-900
Rosemurgy AS (*see* Denham et al). 1998;124:218-24
Ross MI (*see* Gershenwald et al). 1998;124:203-10
Rotondo MF (*see* DiGiacomo et al). 1998;124:941-2 (Letter reply)
Rowe MI (*see* Dickinson et al). 1998;124:284-90
Royalty D (*see* Park et al). 1998;124:1056-62
Roza AM (*see* Johnson et al). 1998;124:729-38
Rubin BG (*see* Freeman and Rubin). 1998;124:112-3 (Brief clin. rep.)
Russo LJ (*see* Averbook et al). 1998;124:746-56
Rusterholz K (*see* Knechtle et al). 1998;124:438-47
Rutkow IM, Robbins AW. The mesh plug technique for recurrent groin herniorrhaphy: a nine-year experience of 407 repairs. 1998;124:844-7
Rutledge R, Osler T, Kromhout-Schiro S. Illness severity adjustment for outcomes analysis: validation of the ICISS methodology in all 821,455 patients hospitalized in North Carolina in 1996. 1998;124:187-96
Rybicki LA (*see* Lopez-Kostner et al). 1998;124:612-8

S

Saeger H-D (*see* Willeke et al). 1998;124:484-90
Saji M (*see* Chun et al). 1998;124:1100-5
Sakurai T (*see* Matsushita et al). 1998;124:498-502
Salem MK (*see* Ammari et al). 1998;124:934-7 (Brief clin. rep.)
Saltzman DA (*see* Johnson et al). 1998;124:911-6
Sandelin K (*see* Farnebo et al). 1998;124:1094-9
Sanders LE, Silverman M. Follicular and Hürthle cell carcinoma: predicting outcome and directing therapy. 1998;124:967-74
Sangro B, Herráiz M, Martínez-González MA, Bilbao I, Herrero I, Beloqui O, Betés M, de-la-Peña A, Cienfuegos JA, Quiroga J, Prieto J. Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution. 1998;124:575-83
Sarkar J (*see* Howard et al). 1998;124:627-33
Sarr MG, Warshaw AL. Causes and management of pseudoaneurysms. 1998;124:116-7 (Editorial)
Sasaki Y (*see* Ohigashi et al). 1998;124:510-5
Sato N, Yamaguchi K, Yokohata K, Shimizu S, Morisaki T, Mizumoto K, Chijiiwa K, Tanaka M. Preoperative exocrine pancreatic function predicts risk of leakage of pancreaticojejunostomy. 1998;124:871-6
Sawyer RG (*see* Gleason et al). 1998;124:418-28
Schackert HK (*see* Willeke et al). 1998;124:484-90
Schiller HJ (*see* Vickers et al). 1998;124:551-60
Schilling M (*see* Friess et al). 1998;124:79-86
Schlidt SA (*see* Ali et al). 1998;124:491-7
Schroeder RA (*see* delaTorre et al). 1998;124:137-42
Schulz GS (*see* Witte et al). 1998;124:464-70
Schwab CW (*see* DiGiacomo et al). 1998;124:941-2 (Letter reply)
Schwartz JD, Shamamian P, Monea S, Whiting D, Marcus SG, Galloway AC, Mignatti P. Activation of tumor cell matrix metalloproteinase-2 by neutrophil proteinases requires expression of membrane-type 1 matrix metalloproteinase. 1998;124:232-8
Schwartz RW, Witzke DB, Donnelly MB, Stratton T, Blue AV, Sloan DA. Assessing residents' clinical performance: cumulative results of a four-year study with the Objective Structured Clinical Examination. 1998;124:307-12
Schwesinger WH, Page CP, Strodel WE, Ghiatis AA, Chipra S, Gross GWW, Sirinek KR. Biliary sludge formation during enteral nutrition: prevalence and natural history. 1998;124:768-72
Sehezzi G (*see* Fernandez et al). 1998;124:129-36
Seigler HF (*see* DeMatos et al). 1998;124:38-48
Selzman CH, Shames BD, Whitehill TA, Harken AH, McIntyre RC Jr. Class II cytokine receptor ligands inhibit human vascular smooth muscle proliferation. 1998;124:318-27
Sentementes J (*see* Nolan et al). 1998;124:471-6
Sepúlveda J (*see* Sierra et al). 1998;124:1005-10
Serleth HJ, Cogbill TH, Gundersen SB III. Ruptured pancreaticoduodenal artery aneurysms and pheochromocytoma in a pregnant patient with neurofibromatosis. 1998;124:100-2 (Brief clin. rep.)
Shafritz R (*see* Nackman et al). 1998;124:353-61
Shamamian P (*see* Schwartz et al). 1998;124:232-8
Shames BD (*see* Meldrum et al). 1998;124:291-7
Shames BD (*see* Selzman et al). 1998;124:318-27
Shapiro AMJ (*see* Egawa et al). 1998;124:901-10
Sharp SM (*see* Birkmeyer et al). 1998;124:917-23
Shawker TH (*see* Park et al). 1998;124:1056-62
Sherman S (*see* Howard et al). 1998;124:627-33
Sherman S (*see* Lee et al). 1998;124:1115-22
Shimada R, Imamura H, Makuuchi M, Soeda J, Kobayashi A, Noike T, Miyagawa S-i, Kawasaki S. Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma. 1998;124:526-35
Shimizu S (*see* Sato et al). 1998;124:871-6
Shin CE (*see* Helmrath et al). 1998;124:848-54
Shiozaki T, Hiraide A. Effects of giving "high-dose" insulin in burn patients. 1998;124:593 (Letter reply)
Shires GT (*see* Greene et al). 1998;124:568-74
Shuto T, Hirohashi K, Kubo S, Tanaka H, Hamba H, Kubota D, Kinoshita H. Delayed hepatic resection for ruptured hepatocellular carcinoma. 1998;124:33-7
Sicklick JK (*see* Farokhzad et al). 1998;124:380-7
Siegel BA (*see* Yim et al). 1998;124:1037-42
Sierra M, Herrera MF, Herrero B, Jiménez F, Sepúlveda J, Lozano RR, Gamino R, González O, Correa-Rotter R. Prospective biochemical and scintigraphic evaluation of autografted normal parathyroid glands in patients undergoing thyroid operation. 1998;124:1005-10
Sigurdsson GH (*see* Jabs et al). 1998;124:65-72
Silen ML (*see* Kokoska et al). 1998;124:619-26
Silliman CC (*see* Tamura et al). 1998;124:403-8
Silverman M (*see* Sanders and Silverman). 1998;124:967-74
Simms HH (*see* Leuenroth et al). 1998;124:409-17
Sirinek KR (*see* Schwesinger et al). 1998;124:768-72
Skarulis MC (*see* Park et al). 1998;124:1056-62
Skogseid B (*see* Hellman et al). 1998;124:993-9
Sloan DA (*see* Schwartz et al). 1998;124:307-12
Slusarczyk SJ (*see* McHenry et al). 1998;124:656-62
Smail N (*see* Angele et al). 1998;124:394-402
Smith CM (*see* McHenry et al). 1998;124:656-62
Smith GS (*see* Kokoska et al). 1998;124:429-37
Smith JA (*see* Farokhzad et al). 1998;124:380-7
Smith SL, Branton SA, Avino AJ, Martin JK, Klingler PJ, Thompson GB, Grant CS, van Heerden JA. Vasoactive intestinal polypeptide secreting islet cell tumors: a 15-year experience and review of the literature. 1998;124:1050-5
So JBY, Zeitels SM, Rattner DW. Outcomes of atypical symptoms attributed to gastroesophageal reflux treated by laparoscopic fundoplication. 1998;124:28-32
Soberg CC (*see* Kavanagh et al). 1998;124:269-77
Soeda J (*see* Shimada et al). 1998;124:526-35
Sollinger HW (*see* D'Alessandro et al). 1998;124:604-11

Solomon MJ (*see* Herald et al). 1998;124:932-3 (Brief clin. rep.)
Song WC (*see* Greene et al). 1998;124:568-74
Sosa J, Powe N, Levine M, Bowman H, Zeiger M, Udelsman R. Costs implications of different surgical management strategies for primary hyperparathyroidism. 1998;124:1028-36
Souba WW (*see* Bode et al). 1998;124:260-8
Soucy DM (*see* Greene et al). 1998;124:568-74
Spain DA (*see* Fruchterman et al). 1998;124:782-92
Spence RK (*see* Martin et al). 1998;124:313-7
Staab C (*see* Fein et al). 1998;124:707-14
Standiford SB (*see* Lieber et al). 1998;124:757-62
Starling JR (*see* Kilgo et al). 1998;124:677-84
Stavrou S (*see* Knechtle et al). 1998;124:438-47
Stellato TA (*see* Rajput et al). 1998;124:793-8
Stonerock CE (*see* Howard et al). 1998;124:627-33
Stratta RJ. Mortality after vascularized pancreas transplantation. 1998;124:823-30
Stratton T (*see* Schwartz et al). 1998;124:307-12
Strodel WE (*see* Schwesinger et al). 1998;124:768-72
Stubbings H (*see* Hudson et al). 1998;124:877-82
Sugerman HJ (*see* Connaughton et al). 1998;124:926-8 (Brief clin. rep.)
Sugihara K (*see* Akasu and Sugihara). 1998;124:938-40 (Brief clin. rep.)
Sugimoto H (*see* Yamamura et al). 1998;124:929-31 (Brief clin. rep.)
Sugiyama M, Atomi Y. Acute biliary pancreatitis: the roles of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography. 1998;124:14-21
Suh G (*see* Johnson et al). 1998;124:911-6
Sutherland DER (*see* West et al). 1998;124:883-93
Svendsen E (*see* Huynh et al). 1998;124:177-86
Swoboda S (*see* Dorman et al). 1998;124:73-8

T

Tabo T (*see* Uchinami et al). 1998;124:49-56
Tamariz-Cruz O. Liver oxygenation in cirrhotic patients. 1998;124:943-4 (Letter)
Tamura DY, Moore EE, Johnson JL, Zallen G, Aiboshi J, Silliman CC. p38 Mitogen-activated protein kinase inhibition attenuates intercellular adhesion molecule–1 up-regulation on human pulmonary microvascular endothelial cells. 1998;124:403-8
Tamura S (*see* Ohigashi et al). 1998;124:510-5
Tanaka H (*see* Shuto et al). 1998;124:33-7
Tanaka K (*see* Egawa et al). 1998;124:901-10
Tanaka M (*see* Sato et al). 1998;124:871-6
Tang R (*see* Archer et al). 1998;124:248-53
Tang W-H (*see* Friess et al). 1998;124:79-86
Tanka T (*see* Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Teng L, Tucker O, Malchoff C, Vaughan ED Jr, Jacobson J, Fahey TJ III. Telomerase activity in the differentiation of benign and malignant adrenal tumors. 1998;124:1123-7
Terrosu G, Donini A, Baccarani U, Vianello V, Anania G, Zala F, Pasgualucci A, Bresadola F. Laparoscopic versus open splenectomy in the management of splenomegaly: our preliminary experience. 1998;124:839-43
Thiede A (*see* Fein et al). 1998;124:707-14
Thompson DA (*see* Carmeci et al). 1998;124:211-7
Thompson GB (*see* Hay et al). 1998;124:958-66
Thompson GB (*see* Smith et al). 1998;124:1050-5
Thompson GB (*see* Harman et al). 1998;124:1011-20
Thompson NW (*see* Burney et al). 1998;124:987-92
Thompson W (*see* Gershenwald et al). 1998;124:203-10
Thornton FJ (*see* Witte et al). 1998;124:464-70
Tinsley KW (*see* DeMeester et al). 1998;124:362-71
Tiollier J (*see* Alam et al). 1998;124:87-91
Tokunaga Y, Hata K, Nishitai R, Kaganoi J, Ohsumi K, Tanka T. Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori*. 1998;124:106-8 (Brief clin. rep.)
Townsend CM Jr (*see* Litvak et al). 1998;124:161-70
Townsend CM Jr (*see* Litvak et al). 1998;124:1071-6
Townsend CM Jr (*see* Papaconstantinou et al). 1998;124:152-60
Tracy TF Jr (*see* Kokoska et al). 1998;124:619-26
Trentler B (*see* Dorman et al). 1998;124:73-8
Triller J (*see* Reber et al). 1998;124:114-5 (Brief clin. rep.)
Troncoso JC (*see* Tseng et al). 1998;124:298-306
Trucco M (*see* Dickinson et al). 1998;124:284-90
Tseng C-h (*see* Gershenwald et al). 1998;124:203-10
Tseng EE, Brock MV, Lange MS, Troncoso JC, Blue ME, Lowenstein CJ, Johnston MV, Baumgartner WA. Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest. 1998;124:298-306
Tsuchida M (*see* Knechtle et al). 1998;124:438-47
Tucker O (*see* Teng et al). 1998;124:1123-7
Tuncer R (*see* Dickinson et al). 1998;124:284-90
Turnage RH, Wright JK, Iglesias J, LaNoue JL, Nguyen H, Kim L, Myers S. Intestinal reperfusion-induced pulmonary edema is related to increased pulmonary inducible nitric oxide synthase activity. 1998;124:457-63
Tuszynski GP (*see* O'Mahony et al). 1998;124:388-93
Tyburski JG (*see* Diebel et al). 1998;124:642-50
Tyler D (*see* DeMatos et al). 1998;124:38-48
Tyler DS (*see* Kirshbom et al). 1998;124:1063-70
Tzeng E, Billiar TR, Williams DL, Li J, Lizonova A, Kovesdi I, Kim Y-M. Adenovirus-mediated inducible nitric oxide synthase gene transfer inhibits hepatocyte apoptosis. 1998;124:278-83

U

Uchinami M, Muraoka R, Horiuchi T, Tabo T, Kimura N, Naito Y, Yoshikawa T. Effect of intermittent hepatic pedicle clamping on free radical generation in the rat liver. 1998;124:49-56
Udelsman R (*see* Mandal and Udelsman). 1998;124:1021-7
Udelsman R (*see* Sosa et al). 1998;124:1028-36
Ueda T (*see* Ho et al). 1998;124:372-9
Uemoto S (*see* Egawa et al). 1998;124:901-10
Ueno S. Liver oxygenation in cirrhotic patients. 1998;124:944-5 (Letter reply)

V

Valagussa P (*see* Edwards et al). 1998;124:197-202
Van Camp JM (*see* Kalb et al). 1998;124:739-45
Van der Werf WJ (*see* D'Alessandro et al). 1998;124:604-11
van Heerden JA (*see* Harman et al). 1998;124:1011-20
van Heerden JA (*see* Hay et al). 1998;124:958-66
van Heerden JA (*see* Smith et al). 1998;124:1050-5
Vargas H (*see* Libutti et al). 1998;124:1153-9
Vashisht B (*see* Martin et al). 1998;124:313-7
Vaughan ED Jr (*see* Teng et al). 1998;124:1123-7
Veith FJ (*see* Ouriel and Veith). 1998;124:336-42
Velanovich V. Staging laparoscopy in the management of intra-abdominal malignancies. 1998;124:773-81
Venta L (*see* Morrow et al). 1998;124:634-41
Venta LA (*see* Dawes et al). 1998;124:685-91
Venzon DJ (*see* Alexander et al). 1998;124:1160-6
Venzon DJ (*see* Norton et al). 1998;124:1145-52
Vesselle HJ (*see* Rajput et al). 1998;124:793-8
Vianello V (*see* Terrosu et al). 1998;124:839-43
Vickers S, Schiller HJ, Hildreth JEK, Bulkley GB. Immunoaffinity localization of the enzyme xanthine oxidase on the outside surface of the endothelial cell plasma membrane. 1998;124:551-60
Vignali E (*see* Miccoli et al). 1998;124:1077-80
Vogt DP (*see* Evans et al). 1998;124:807-15

W

Walsh RM (*see* Evans et al). 1998;124:807-15
Walther M (*see* Libutti et al). 1998;124:1153-9

Wang P (*see* Angele et al). 1998;124:394-402
Wang X (*see* Ehlers et al). 1998;124:239-47
Warner BW (*see* Helmrath et al). 1998;124:848-54
Warner TF (*see* Kilgo et al). 1998;124:677-84
Warshaw AL (*see* Sarr and Warshaw). 1998;124:116-7 (Editorial)
Watkins SC (*see* Dickinson et al). 1998;124:284-90
Watson CG (*see* Carty et al). 1998;124:1106-14
Weber TR (*see* Kokoska et al). 1998;124:619-26
Wehrli H (*see* Z'graggen et al). 1998;124:831-8
Wei T (*see* Nackman et al). 1998;124:353-61
Weigel RJ (*see* Carmeci et al). 1998;124:211-7
Weireter LJ Jr (*see* Minghini et al). 1998;124:103-5 (Brief clin. rep.)
Wémeau JL (*see* Proye et al). 1998;124:1128-33
Wennberg JE (*see* Birkmeyer et al). 1998;124:917-23
West KW (*see* Rescorla et al). 1998;124:670-6
West M, Gruessner AC, Metrakos P, Sutherland DER, Gruessner RWG. Conversion from bladder to enteric drainage after pancreaticoduodenal transplantations. 1998;124:883-93
West MA (*see* Kalb et al). 1998;124:739-45
Wheatley GH III, McKinnon KP, Iacobucci M, Mahon S, Gelber C, Lyerly HK. Dendritic cells improve the generation of Epstein-Barr virus–specific cytotoxic T lymphocytes for the treatment of posttransplantation lymphoma. 1998;124:171-6
White GH (*see* Herald et al). 1998;124:932-3 (Brief clin. rep.)
Whitehill TA (*see* Selzman et al). 1998;124:318-27
Whiting D (*see* Schwartz et al). 1998;124:232-8
Whitman GJ (*see* Crestanello et al). 1998;124:92-9
Wiebke EA (*see* Howard et al). 1998;124:627-33
Willeke F, Hauer MP, Buchcik R, Gebert JF, Hahn M, Fitze G, Mechtersheimer G, Möller P, Saeger H-D, Herfarth C, Schackert HK. Multiple endocrine neoplasia type 2–associated *RET* proto-oncogene mutations do not contribute to the pathogenesis of sporadic parathyroid tumors. 1998;124:484-90
Williams D (*see* Rescorla et al). 1998;124:670-6
Williams DL (*see* Tzeng et al). 1998;124:278-83
Wilson MA (*see* Fruchterman et al). 1998;124:782-92
Wilson SD (*see* Demeure et al). 1998;124:663-9
Witte MB, Thornton FJ, Kiyama T, Efron DT, Schulz GS, Moldawer LL, Barbul A. Metalloproteinase inhibitors and wound healing: a novel enhancer of wound strength. 1998;124:464-70
Witzke DB (*see* Schwartz et al). 1998;124:307-12
Wojciechowicz DC (*see* Harrison et al). 1998;124:541-50
Wolfe RR. Effects of giving "high-dose" insulin in burn patients. 1998;124:593 (Letter)
Wong S (*see* Morrow et al). 1998;124:634-41
Wright JK (*see* Turnage et al). 1998;124:457-63
Wu J (*see* Archer et al). 1998;124:248-53

Y

Yamaguchi K (*see* Sato et al). 1998;124:871-6
Yamamura H, Nakamori Y, Hiraide A, Yoshioka T, Sugimoto H. Surgical treatment for massive gastrointestinal bleeding caused by thrombotic thrombocytopenic purpura: a case report. 1998;124:929-31 (Brief clin. rep.)
Yee C (*see* Abbruzzese et al). 1998;124:328-35
Yim JH, Siegel BA, DeBenedetti MK, Norton JA, Lairmore TC, Doherty GM. Prospective study of the utility of somatostatin-receptor scintigraphy in the evaluation of patients with multiple endocrine neoplasia type 1. 1998;124:1037-42
Yokohata K (*see* Sato et al). 1998;124:871-6
Yonekura T, Kubota A, Hoki M, Asano S, Nakayama T, Kato M, Oyanagi H. Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant. 1998;124:109-11 (Brief clin. rep.)
Yoshikawa T (*see* Uchinami et al). 1998;124:49-56
Yoshioka T (*see* Yamamura et al). 1998;124:929-31 (Brief clin. rep.)
Young CJ (*see* Herald et al). 1998;124:932-3 (Brief clin. rep.)
Yu S (*see* Genden et al). 1998;124:448-56

Z

Zala F (*see* Terrosu et al). 1998;124:839-43
Zallen G (*see* Tamura et al). 1998;124:403-8
Zapas JL, Karakozis S, Kirkpatrick JR. Prophylactic jejunostomy: a reappraisal. 1998;124:715-20
Zarfeshenfard F (*see* Dorman et al). 1998;124:73-8
Zarins CK (*see* Abbruzzese et al). 1998;124:328-35
Zeiger M (*see* Sosa et al). 1998;124:1028-36
Zeiger MA (*see* Chun et al). 1998;124:1100-5
Zeitels SM (*see* So et al). 1998;124:28-32
Zenilman ME, Chen J, Danesh B, Zheng Q-h. Characteristics of rat pancreatic regenerating protein. 1998;124:855-63
Zera RT (*see* Kalb et al). 1998;124:739-45
Zervos EE (*see* Denham et al). 1998;124:218-24
Z'graggen K, Birrer S, Maurer CA, Wehrli H, Klaiber C, Baer HU. Incidence of port site recurrence after laparoscopic cholecystectomy for preoperatively unsuspected gallbladder carcinoma. 1998;124:831-8
Zheng Q-h (*see* Zenilman et al). 1998;124:855-63
Zhu Y-r (*see* Demeure et al). 1998;124:663-9
Zhu Y-r (*see* Johnson et al). 1998;124:729-38
Zimmermann A (*see* Friess et al). 1998;124:79-86

Index to volume 124

SUBJECT INDEX*

A

Abdomen
Bacterially preexposed T cells impair bacterial elimination by non-Th1/Th2 cell mechanisms in a model of intra-abdominal infection (Gleason et al). 1998;124:418-28
Abdomen, acute
Spontaneous perforation of the common bile duct: a rare cause of acute abdomen in adults (Kumar). 1998;124:924-5 (Brief clin. rep.)
Abdominal neoplasms
Staging laparoscopy in the management of intra-abdominal malignancies (Velanovich). 1998;124:773-81
Abnormalities
Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant (Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Abscess
Bacterially preexposed T cells impair bacterial elimination by non-Th1/Th2 cell mechanisms in a model of intra-abdominal infection (Gleason et al). 1998;124:418-28
Rectal duplication cyst with a large perineal hernia presenting as recurrent perineal abscesses (Connaughton et al). 1998;124:926-8 (Brief clin. rep.)
Academic medical centers
Mucosal melanoma of the female genitalia: a clinicopathologic study of forty-three cases at Duke University Medical Center (DeMatos et al). 1998;124:38-48
Acetylation
Butyrate inhibits colon carcinoma cell growth through two distinct pathways (Archer et al). 1998;124:248-53
Acute lung injury; *see* Respiratory distress syndrome, adult
Adenocarcinoma
Application of the new classification for cancer of the cardia (Fein et al). 1998;124:707-14
Molecular metastases in stage I pancreatic cancer: improved survival with adjuvant chemoradiation (Demeure et al). 1998;124:663-9
Pancreatic invasion as the prognostic indicator of duodenal adenocarcinoma treated by pancreatoduodenectomy plus extended lymphadenectomy (Ohigashi et al). 1998;124:510-5
The role of fluorodeoxyglucose and positron emission tomography in the evaluation of pancreatic disease (Rajput et al). 1998;124:793-8
Adenoma
Decreased expression of calcium-sensing receptor messenger ribonucleic acids in parathyroid adenomas (Farnebo et al). 1998;124:1094-9
Tertiary hyperparathyroidism after renal transplantation: surgical strategy (Kilgo et al). 1998;124:677-84
Adenoma, islet cell
Operative management of islet-cell tumors arising in the head of the pancreas (Park et al). 1998;124:1056-62
Pancreatic islet cell tumor metastasis in multiple endocrine neoplasia type 1: correlation with primary tumor size (Lowney et al). 1998;124:1043-9
Vasoactive intestinal polypeptide secreting islet cell tumors: a 15-year experience and review of the literature (Smith et al). 1998;124:1050-5
Adenomatous polyposis coli
Aspirin prevents tumors in a murine model of familial adenomatous polyposis (Mahmoud et al). 1998;124:225-31
Adenosine diphosphate
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Adenosine triphosphate
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Adenoviridae infections
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Adenovirus-mediated inducible nitric oxide synthase gene transfer inhibits hepatocyte apoptosis (Tzeng et al). 1998;124:278-83
Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene transfer (Fernandez et al). 1998;124:129-36
Adipose tissue
Autotransplantation of parathyroid glands into subcutaneous forearm tissue for renal hyperparathyroidism (Chou et al). 1998;124:1-5
Adjuvant chemotherapy; *see* Chemotherapy, adjuvant
Adrenal gland neoplasms
Telomerase activity in the differentiation of benign and malignant adrenal tumors (Teng et al). 1998;124:1123-7
Unknown primary cancer presenting as an adrenal mass: frequency and implications for diagnostic evaluation of adrenal incidentalomas (Lee et al). 1998;124:1115-22
Adrenalectomy
Essential hypertension: first reason of persistent hypertension after unilateral adrenalectomy for primary aldosteronism? (Proye et al). 1998;124:1128-33
Adrenergic beta receptor agonists
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Alcohol, ethyl
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83
Alcohols
Indications, technique, and efficacy of alcohol injection of enlarged parathyroid glands in patients with primary hyperparathyroidism (Harman et al). 1998;124:1011-20
Aldosteronism; *see* Hyperaldosteronism
Alloantigens; *see* Isoantigens
Ambulatory surgery
Local/regional anesthesia for thyroidectomy: evaluation as an outpatient procedure (Lo Gerfo). 1998;124:975-9

*July, pp. 1-120; August, pp. 121-476; September, pp. 477-594; October, pp. 595-830; November, pp. 831-946; December, pp. 947-1202.

American Joint Committee on Cancer
A long-term analysis of 620 patients with malignant melanoma at a major referral center (Averbook et al). 1998;124:746-56
Aminoglycosides
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8
Anastomosis
Preoperative exocrine pancreatic function predicts risk of leakage of pancreaticojejunostomy (Sato et al). 1998;124:871-6
Anesthesia, conduction
Local/regional anesthesia for thyroidectomy: evaluation as an outpatient procedure (Lo Gerfo). 1998;124:975-9
Anesthesia, local
Local/regional anesthesia for thyroidectomy: evaluation as an outpatient procedure (Lo Gerfo). 1998;124:975-9
Aneurysm, ruptured
Life-threatening upper gastrointestinal tract bleeding caused by ruptured extrahepatic pseudoaneurysm after pancreatoduodenectomy (Reber et al). 1998;124:114-5 (Brief clin. rep.)
Ruptured pancreaticoduodenal artery aneurysms and pheochromocytoma in a pregnant patient with neurofibromatosis (Serleth et al). 1998;124:100-2 (Brief clin. rep.)
Angina pectoris
Decreased blood oxygen diffusion on hypercholesterolemia (Menchaca et al). 1998;124:692-8
Angiogenesis; *see* Neovascularization
Angiostatin
Transforming growth factor–beta1 inhibits generation of angiostatin by human pancreatic cancer cells (O'Mahony et al). 1998;124:388-93
Animal models
Aspirin prevents tumors in a murine model of familial adenomatous polyposis (Mahmoud et al). 1998;124:225-31
Bacterially preexposed T cells impair bacterial elimination by non-Th1/Th2 cell mechanisms in a model of intra-abdominal infection (Gleason et al). 1998;124:418-28
Burn injury primes naive CD4+ T cells for an augmented T-helper 1 response (Kavanagh et al). 1998;124:269-77
Characteristics of rat pancreatic regenerating protein (Zenilman et al). 1998;124:855-63
Early isotonic saline resuscitation from uncontrolled hemorrhage in rats (Greene et al). 1998;124:568-74
Effect of intermittent hepatic pedicle clamping on free radical generation in the rat liver (Uchinami et al). 1998;124:49-56
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51
Immunoglobulin A supplementation abrogates bacterial translocation and preserves the architecture of the intestinal epithelium (Dickinson et al). 1998;124:284-90
Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies (Genden et al). 1998;124:448-56
Insulin secretion is inhibited by subtype five somatostatin receptor in the mouse (Fagan et al). 1998;124:254-9
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92
Matrix metalloproteinase inhibition limits arterial enlargement in a rodent arteriovenous fistula model (Abbruzzese et al). 1998;124:328-35
Primate renal transplants using immunotoxin (Knechtle et al). 1998;124:438-47
Treatment of hepatic metastases of colorectal cancer by electrochemotherapy: an experimental study in the rat (Chazal et al). 1998;124:536-40
Anoxia
Prolonged hypoxia alters endothelial barrier function (Ali et al). 1998;124:491-7
Antibiotics, aminoglycoside
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8
Antibodies, monoclonal
Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies (Genden et al). 1998;124:448-56
Antigens, CD
Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori* (Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Antigens, CD4
Burn injury primes naive CD4+ T cells for an augmented T-helper 1 response (Kavanagh et al). 1998;124:269-77
Antigens, immune response; *see* Histocompatibility antigens class II
Antigens, tumor-associated, carbohydrate
Specificity of elevated CA 19-9 levels in chronic pancreatitis (Minghini et al). 1998;124:103-5 (Brief clin. rep.)
Anti-inflammatory agents, non-steroidal
Store-operated calcium influx in human gastric cells: role of endogenous prostaglandins (Kokoska et al). 1998;124:429-37
Antineoplastic agents
Effects of bryostatin 1, a novel anticancer agent, on intestinal transport and barrier function: role of protein kinase C (Farokhzad et al). 1998;124:380-7
Phenylacetate inhibits isoprenoid biosynthesis and suppresses growth of human pancreatic carcinoma (Harrison et al). 1998;124:541-50
Antioxidants
Immunoaffinity localization of the enzyme xanthine oxidase on the outside surface of the endothelial cell plasma membrane (Vickers et al). 1998;124:551-60
Pyruvate improves myocardial tolerance to reperfusion injury by acting as an antioxidant: a chemiluminescence study (Crestanello et al). 1998;124:92-9
Antisense oligonucleotide; *see* Oligonucleotides, antisense
Aortic aneurysm, abdominal
Endosurgical treatment of synchronous rectal cancer and abdominal aortic aneurysm, without laparotomy (Herald et al). 1998;124:932-3 (Brief clin. rep.)
AP-1 transcription factor; *see* Proto-oncogene proteins, c-Fos
Apoptosis
Adenovirus-mediated inducible nitric oxide synthase gene transfer inhibits hepatocyte apoptosis (Tzeng et al). 1998;124:278-83
Butyrate-induced differentiation of Caco-2 cells is associated with apoptosis and early induction of $p21^{Waf1/Cip1}$ and $p27^{Kip1}$ (Litvak et al). 1998;124:161-70
Glutamine deprivation induces apoptosis in intestinal epithelial cells (Papaconstantinou et al). 1998;124:152-60
Interleukin-8–induced suppression of polymorphonuclear leukocyte apoptosis is mediated by suppressing CD95 (Fas/Apo-1) Fas-1 interactions (Leuenroth et al). 1998;124:409-17
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306
Stress-induced fractal rearrangement of the endothelial cell cytoskeleton causes apoptosis (DeMeester et al). 1998;124:362-71
Appendicitis
Perforated appendicitis in children: risk factors for the development of complications (Kokoska et al). 1998;124:619-26
Arginine
L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage (Angele et al). 1998;124:394-402
Arterial occlusive diseases
Acute lower limb ischemia: determinants of outcome (Ouriel and Veith). 1998;124:336-42
Decrease in prevalence of Buerger's disease in Japan (Matsushita et al). 1998;124:498-502
Arteriovenous fistula
Matrix metalloproteinase inhibition limits arterial enlargement in a rodent arteriovenous fistula model (Abbruzzese et al). 1998;124:328-35

Aspartate aminotransferase
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83
Aspiration biopsy; *see* Biopsy, needle
Aspirin
Aspirin prevents tumors in a murine model of familial adenomatous polyposis (Mahmoud et al). 1998;124:225-31
Atherosclerosis
Decreased blood oxygen diffusion on hypercholesterolemia (Menchaca et al). 1998;124:692-8
Autoantibodies
Major histocompatibility complex class II expression and parathyroid autoantibodies in primary hyperparathyroidism (Bjerneroth et al). 1998;124:503-9
Autoimmunity
Major histocompatibility complex class II expression and parathyroid autoantibodies in primary hyperparathyroidism (Bjerneroth et al). 1998;124:503-9
Autonomy; *see* Freedom
Autotransplant; *see* Transplantation, autologous

B

Bacterial translocation
Immunoglobulin A supplementation abrogates bacterial translocation and preserves the architecture of the intestinal epithelium (Dickinson et al). 1998;124:284-90
Bile ducts
Eight years' experience with the use of a transcystic common bile duct duodenal double-lumen catheter for the treatment of choledocholithiasis (Fitzgibbons et al). 1998;124:699-706
Biliary tract
Biliary complications in pediatric living related liver transplantation (Egawa et al). 1998;124:901-10
Biliary sludge formation during enteral nutrition: prevalence and natural history (Schwesinger et al). 1998;124:768-72
Biocompatible materials
A placental-derived tissue matrix as a bowel wall substitute in rats: preliminary study (Alam et al). 1998;124:87-91
Biologic materials; *see* Biocompatible materials
Biopsy, needle
The evaluation of breast masses in women younger than forty years of age (Morrow et al). 1998;124:634-41
Refined use of scintigraphy in the evaluation of nodular thyroid disease (McHenry et al). 1998;124:656-62
Biosynthesis
Phenylacetate inhibits isoprenoid biosynthesis and suppresses growth of human pancreatic carcinoma (Harrison et al). 1998;124:541-50
Bladder
Conversion from bladder to enteric drainage after pancreaticoduodenal transplantations (West et al). 1998;124:883-93
Bleeding; *see* Hemorrhage
Blood bactericidal activity
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8
Blood cells, red; *see* Erythrocytes
Blood circulation
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306
Blood flow velocity
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50
Matrix metalloproteinase inhibition limits arterial enlargement in a rodent arteriovenous fistula model (Abbruzzese et al). 1998;124:328-35
Prognostic value of intraoperative blood flow measurements in vascular access surgery (Johnson et al). 1998;124:729-38
Blood gas analysis
Decreased blood oxygen diffusion on hypercholesterolemia (Menchaca et al). 1998;124:692-8
Blood loss, surgical
Effect of intermittent hepatic pedicle clamping on free radical generation in the rat liver (Uchinami et al). 1998;124:49-56
Blood vessel prosthesis
Bullous pemphigoid after prosthetic vascular graft placement (Freeman and Rubin). 1998;124:112-3 (Brief clin. rep.)
Blood vessels, transplantation
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene transfer (Fernandez et al). 1998;124:129-36
Blunt trauma; *see* Wounds, nonpenetrating
Bombesin
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
Bowel, small; *see* Intestine, small
Brain injuries
Assessment of the relationship between timing of fixation of the fracture and secondary brain injury in patients with multiple trauma (Kalb et al). 1998;124:739-45
Breast feeding
Immunoglobulin A supplementation abrogates bacterial translocation and preserves the architecture of the intestinal epithelium (Dickinson et al). 1998;124:284-90
Breast neoplasms
Ductography for nipple discharge: no replacement for ductal excision (Dawes et al). 1998;124:685-91
End points in the analysis of breast cancer survival: relapse versus death from tumor (Edwards et al). 1998;124:197-202
The evaluation of breast masses in women younger than forty years of age (Morrow et al). 1998;124:634-41
Moesin expression is associated with the estrogen receptor–negative breast cancer phenotype (Carmeci et al). 1998;124:211-7
Breast self-examination
The evaluation of breast masses in women younger than forty years of age (Morrow et al). 1998;124:634-41
Brief clinical reports
Brief clinical reports. 1998;124:100-15
Bryostatin 1
Effects of bryostatin 1, a novel anticancer agent, on intestinal transport and barrier function: role of protein kinase C (Farokhzad et al). 1998;124:380-7
Budd-Chiari syndrome; *see* Hepatic vein thrombosis
Buerger's disease; *see* Thromboangiitis obliterans
Bullous pemphigoid; *see* Pemphigoid, bullous
Burns
Burn injury primes naive CD4+ T cells for an augmented T-helper 1 response (Kavanagh et al). 1998;124:269-77
Butyrates
Butyrate-induced differentiation of Caco-2 cells is associated with apoptosis and early induction of $p21^{Waf1/Cip1}$ and $p27^{Kip1}$ (Litvak et al). 1998;124:161-70
Butyrate inhibits colon carcinoma cell growth through two distinct pathways (Archer et al). 1998;124:248-53

C

c-Fos proteins; *see* Proto-oncogene proteins, c-Fos
c-jun DNA binding; *see* Proto-oncogene proteins c-jun
C-reactive protein
The C-reactive protein to prealbumin ratio correlates with the severity of multiple organ dysfunction (Pinilla et al).

C-reactive protein–cont'd
1998;124:799-806
CA 19-9; *see* Tumor markers, biological
Calcium
Decreased expression of calcium-sensing receptor messenger ribonucleic acids in parathyroid adenomas (Farnebo et al). 1998;124:1094-9
Calcium channels
Store-operated calcium influx in human gastric cells: role of endogenous prostaglandins (Kokoska et al). 1998;124:429-37
Capillary permeability
Prolonged hypoxia alters endothelial barrier function (Ali et al). 1998;124:491-7
Capsaicin
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
Carbohydrate antigens; *see* Antigens, tumor-associated, carbohydrate
Carbon dioxide
Decreased blood oxygen diffusion on hypercholesterolemia (Menchaca et al). 1998;124:692-8
Carcinogenicity tests
Directed antisense therapy confirms the role of protein kinase C-α in the tumorigenicity of pancreatic cancer (Denham et al). 1998;124:218-24
Carcinoid tumor
Carcinoids of unknown origin: comparative analysis with foregut, midgut, and hindgut carcinoids (Kirshbom et al). 1998;124:1063-70
A novel cytotoxic agent for human carcinoid tumors (Litvak et al). 1998;124:1071-6
Carcinoma
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51
Overexpression of TTF-1 and PAX-8 restores thyroglobulin gene promoter activity in ARO and WRO cell lines (Chun et al). 1998;124:1100-5
Carcinoma, hepatocellular
Delayed hepatic resection for ruptured hepatocellular carcinoma (Shuto et al). 1998;124:33-7
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83
Protein kinase C regulates nutrient uptake and growth in hepatoma cells (Bode et al). 1998;124:260-8
Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma (Shimada et al). 1998;124:526-35
Carcinoma, medullary
Multiple endocrine neoplasia type 2–associated *RET* proto-oncogene mutations do not contribute to the pathogenesis of sporadic parathyroid tumors (Willeke et al). 1998;124:484-90
Carcinoma, papillary
Unilateral total lobectomy: Is it sufficient surgical treatment for patients with AMES low-risk papillary thyroid carcinoma? (Hay et al). 1998;124:958-66
Carcinoma, papillary, follicular
Follicular and Hürthle cell carcinoma: predicting outcome and directing therapy (Sanders and Silverman). 1998;124:967-74
Overexpression of TTF-1 and PAX-8 restores thyroglobulin gene promoter activity in ARO and WRO cell lines (Chun et al). 1998;124:1100-5
Cardia
Application of the new classification for cancer of the cardia (Fein et al). 1998;124:707-14
Cardiac injury; *see* Heart injuries
Cardiac output
L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage (Angele et al). 1998;124:394-402
Carotid arteries
The correlation of ultrasonic carotid plaque morphology and carotid plaque hemorrhage: clinical implications (AbuRahma et al). 1998;124:721-8
Catalysis
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86
Catheterization
Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma (Shimada et al). 1998;124:526-35
Catheterization, central venous
Complications and risks of central venous catheter placement in children (Johnson et al). 1998;124:911-6
Catheters
Eight years' experience with the use of a transcystic common bile duct duodenal double-lumen catheter for the treatment of choledocholithiasis (Fitzgibbons et al). 1998;124:699-706
CD4+ T cells; *see* T4 lymphocytes
Cell adhesion molecules
Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies (Genden et al). 1998;124:448-56
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92
p38 Mitogen-activated protein kinase inhibition attenuates intercellular adhesion molecule–1 up-regulation on human pulmonary microvascular endothelial cells (Tamura et al). 1998;124:403-8
Prolonged hypoxia alters endothelial barrier function (Ali et al). 1998;124:491-7
Cell cycle
Butyrate-induced differentiation of Caco-2 cells is associated with apoptosis and early induction of $p21^{Waf1/Cip1}$ and $p27^{Kip1}$ (Litvak et al). 1998;124:161-70
Cell death; *see* Apoptosis
Cell differentiation
Butyrate-induced differentiation of Caco-2 cells is associated with apoptosis and early induction of $p21^{Waf1/Cip1}$ and $p27^{Kip1}$ (Litvak et al). 1998;124:161-70
Cell division
Butyrate inhibits colon carcinoma cell growth through two distinct pathways (Archer et al). 1998;124:248-53
Class II cytokine receptor ligands inhibit human vascular smooth muscle proliferation (Selzman et al). 1998;124:318-27
Protein kinase C regulates nutrient uptake and growth in hepatoma cells (Bode et al). 1998;124:260-8
Cell growth; *see* Cell division
Cell membrane
Immunoaffinity localization of the enzyme xanthine oxidase on the outside surface of the endothelial cell plasma membrane (Vickers et al). 1998;124:551-60
Cell movement
Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene transfer (Fernandez et al). 1998;124:129-36
Central Surgical Association
Presidential address: a clash of cultures—personal autonomy versus corporate bondage (Buchwald). 1998;124:595-603 (Pres. address)
Chemiluminescence
Pyruvate improves myocardial tolerance to reperfusion injury by acting as an antioxidant: a chemiluminescence study (Crestanello et al). 1998;124:92-9
Chemoembolization, therapeutic
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83
Chemotherapy, adjuvant
Molecular metastases in stage I pancreatic cancer: improved

survival with adjuvant chemoradiation (Demeure et al). 1998;124:663-9

Child
Biliary complications in pediatric living related liver transplantation (Egawa et al). 1998;124:901-10
A case controlled comparison of open and laparoscopic splenectomy in children (Rescorla et al). 1998;124:670-6
Complications and risks of central venous catheter placement in children (Johnson et al). 1998;124:911-6
Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant (Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Perforated appendicitis in children: risk factors for the development of complications (Kokoska et al). 1998;124:619-26

Cholangiography
Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative cholangiography—a multicenter, prospective controlled study (Montariol et al). 1998;124:6-13

Cholangiopancreatography, endoscopic retrograde
Acute biliary pancreatitis: the roles of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography (Sugiyama and Atomi). 1998;124:14-21

Cholecystectomy
Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative cholangiography—a multicenter, prospective controlled study (Montariol et al). 1998;124:6-13
Incidence of port site recurrence after laparoscopic cholecystectomy for preoperatively unsuspected gallbladder carcinoma (Z'graggen et al). 1998;124:831-8

Choledocholithiasis; *see* Common bile duct calculi

Cholelithiasis
Acute biliary pancreatitis: the roles of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography (Sugiyama and Atomi). 1998;124:14-21
Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative cholangiography—a multicenter, prospective controlled study (Montariol et al). 1998;124:6-13

Cholesterol
Decreased blood oxygen diffusion on hypercholesterolemia (Menchaca et al). 1998;124:692-8

Circulation; *see* Blood circulation

Clamping
Effect of intermittent hepatic pedicle clamping on free radical generation in the rat liver (Uchinami et al). 1998;124:49-56
Liver resection using total vascular exclusion (Evans et al). 1998;124:807-15

Clinical trials
Surgery on trial: an account of clinical trials evaluating operations (Hall et al). 1998;124:22-7

Collagen
Metalloproteinase inhibitors and wound healing: a novel enhancer of wound strength (Witte et al). 1998;124:464-70
A placental-derived tissue matrix as a bowel wall substitute in rats: preliminary study (Alam et al). 1998;124:87-91

Collagenases
Metalloproteinase inhibitors and wound healing: a novel enhancer of wound strength (Witte et al). 1998;124:464-70

Collateral circulation
Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant (Yonekura et al). 1998;124:109-11 (Brief clin. rep.)

Colloids
Improved sentinel lymph node localization in patients with primary melanoma with the use of radiolabeled colloid (Gershenwald et al). 1998;124:203-10

Colonic neoplasms
Butyrate inhibits colon carcinoma cell growth through two distinct pathways (Archer et al). 1998;124:248-53
Solitary peritoneal metastasis from colon carcinoma (Akasu and Sugihara). 1998;124:938-40 (Brief clin. rep.)
Total mesorectal excision is not necessary for cancers of the upper rectum (Lopez-Kostner et al). 1998;124:612-8

Colorectal neoplasms
Aspirin prevents tumors in a murine model of familial adenomatous polyposis (Mahmoud et al). 1998;124:225-31
Endosurgical treatment of synchronous rectal cancer and abdominal aortic aneurysm, without laparotomy (Herald et al). 1998;124:932-3 (Brief clin. rep.)
Signal transduction mechanisms in neurotensin-mediated cellular regulation (Ehlers et al). 1998;124:239-47
Treatment of hepatic metastases of colorectal cancer by electrochemotherapy: an experimental study in the rat (Chazal et al). 1998;124:536-40

Common bile duct
Eight years' experience with the use of a transcystic common bile duct duodenal double-lumen catheter for the treatment of choledocholithiasis (Fitzgibbons et al). 1998;124:699-706
Spontaneous perforation of the common bile duct: a rare cause of acute abdomen in adults (Kumar). 1998;124:924-5 (Brief clin. rep.)

Common bile duct calculi
Acute biliary pancreatitis: the roles of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography (Sugiyama and Atomi). 1998;124:14-21
Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative cholangiography—a multicenter, prospective controlled study (Montariol et al). 1998;124:6-13
Eight years' experience with the use of a transcystic common bile duct duodenal double-lumen catheter for the treatment of choledocholithiasis (Fitzgibbons et al). 1998;124:699-706

Complement inactivators
Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation (Fruchterman et al). 1998;124:782-92

Computed tomography; *see* Tomography, x-ray computed

Congenital defects; *see* Abnormalities

Connective tissue
A placental-derived tissue matrix as a bowel wall substitute in rats: preliminary study (Alam et al). 1998;124:87-91

Contractile proteins
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86

Contrast material
Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant (Yonekura et al). 1998;124:109-11 (Brief clin. rep.)

Coronary circulation
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50

Coronary disease
Decreased blood oxygen diffusion on hypercholesterolemia (Menchaca et al). 1998;124:692-8
Mortality after vascularized pancreas transplantation (Stratta). 1998;124:823-30

Cost-benefit analysis
Is routine duplex ultrasound surveillance after carotid endarterectomy cost-effective? (Patel et al). 1998;124:343-52
Outcomes research and surgeons (Birkmeyer). 1998;124:477-83

Costs and cost analysis
Costs implications of different surgical management strategies for primary hyperparathyroidism (Sosa et al). 1998;124:1028-36
Reduced use of resources by early tracheostomy in ventilator-dependent patients with blunt trauma (Armstrong et al). 1998;124:763-7

Creatine phosphate; *see* Phosphocreatine

Critical illness
The C-reactive protein to prealbumin ratio correlates with the

Critical illness–cont'd
severity of multiple organ dysfunction (Pinilla et al). 1998;124:799-806
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Cross-sectional studies
Decrease in prevalence of Buerger's disease in Japan (Matsushita et al). 1998;124:498-502
Culture, corporate; *see* Organizational culture
Cysteine
Glutamine deprivation induces apoptosis in intestinal epithelial cells (Papaconstantinou et al). 1998;124:152-60
Cysts
Rectal duplication cyst with a large perineal hernia presenting as recurrent perineal abscesses (Connaughton et al). 1998;124:926-8 (Brief clin. rep.)
Cytokines
Class II cytokine receptor ligands inhibit human vascular smooth muscle proliferation (Selzman et al). 1998;124:318-27
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92
Partial hepatectomy accelerates local tumor growth: potential roles of local cytokine activation (Picardo et al). 1998;124:57-64
Cytological techniques
The evaluation of breast masses in women younger than forty years of age (Morrow et al). 1998;124:634-41
Cytoplasm
Immunoaffinity localization of the enzyme xanthine oxidase on the outside surface of the endothelial cell plasma membrane (Vickers et al). 1998;124:551-60
Cytoskeleton
Stress-induced fractal rearrangement of the endothelial cell cytoskeleton causes apoptosis (DeMeester et al). 1998;124:362-71
Cytostatic agents; *see* Antineoplastic agents
Cytotoxicity, immunologic
The effect of laparotomy and laparoscopy on the establishment of spontaneous tumor metastases (Da Costa et al). 1998;124:516-25
Cytotoxins
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
A novel cytotoxic agent for human carcinoid tumors (Litvak et al). 1998;124:1071-6

D

Death
End points in the analysis of breast cancer survival: relapse versus death from tumor (Edwards et al). 1998;124:197-202
Decision support techniques
Outcomes research and surgeons (Birkmeyer). 1998;124:477-83
Decompression
Stenting does not decompress the pancreatic duct as effectively as surgery in experimental chronic pancreatitis (Reber et al). 1998;124:561-7
Dendritic cells
Dendritic cells improve the generation of Epstein-Barr virus–specific cytotoxic T lymphocytes for the treatment of posttransplantation lymphoma (Wheatley et al). 1998;124:171-6
Dextran sulfate
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50
Diabetes mellitus
Mortality after vascularized pancreas transplantation (Stratta). 1998;124:823-30
Diagnostic imaging
Acute biliary pancreatitis: the roles of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography (Sugiyama and Atomi). 1998;124:14-21
The evaluation of breast masses in women younger than forty years of age (Morrow et al). 1998;124:634-41
Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant (Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Pancreatic neuroendocrine tumors associated with von Hippel Lindau disease: diagnostic and management recommendations (Libutti et al). 1998;124:1153-9
Refined use of scintigraphy in the evaluation of nodular thyroid disease (McHenry et al). 1998;124:656-62
The role of fluorodeoxyglucose and positron emission tomography in the evaluation of pancreatic disease (Rajput et al). 1998;124:793-8
DNA-binding proteins
Differential effects of nitric oxide–mediated S-nitrosylation on p50 and c-jun DNA binding (delaTorre et al). 1998;124:137-42
Donors; *see* Tissue donors
Dopamine
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
Dose-response relationship, drug
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8
Drug therapy
Effects of bryostatin 1, a novel anticancer agent, on intestinal transport and barrier function: role of protein kinase C (Farokhzad et al). 1998;124:380-7
Molecular metastases in stage I pancreatic cancer: improved survival with adjuvant chemoradiation (Demeure et al). 1998;124:663-9
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83
Treatment of hepatic metastases of colorectal cancer by electrochemotherapy: an experimental study in the rat (Chazal et al). 1998;124:536-40
Ductography
Ductography for nipple discharge: no replacement for ductal excision (Dawes et al). 1998;124:685-91
Duke University
Mucosal melanoma of the female genitalia: a clinicopathologic study of forty-three cases at Duke University Medical Center (DeMatos et al). 1998;124:38-48
Duodenal neoplasms
Pancreatic invasion as the prognostic indicator of duodenal adenocarcinoma treated by pancreatoduodenectomy plus extended lymphadenectomy (Ohigashi et al). 1998;124:510-5
Duodenum
Conversion from bladder to enteric drainage after pancreaticoduodenal transplantations (West et al). 1998;124:883-93
Eight years' experience with the use of a transcystic common bile duct duodenal double-lumen catheter for the treatment of choledocholithiasis (Fitzgibbons et al). 1998;124:699-706
Dyes
Improved sentinel lymph node localization in patients with primary melanoma with the use of radiolabeled colloid (Gershenwald et al). 1998;124:203-10

E

Echinococcosis
Hydatid disease of the musculoskeletal system (Ammari et al).

1998;124:934-7 (Brief clin. rep.)

Editorials
Causes and management of pseudoaneurysms (Sarr and Warshaw). 1998;124:116-7

Electrochemotherapy
Treatment of hepatic metastases of colorectal cancer by electrochemotherapy: an experimental study in the rat (Chazal et al). 1998;124:536-40

Embolization, therapeutic
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83
Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma (Shimada et al). 1998;124:526-35

Emergency medical services
Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma (Shimada et al). 1998;124:526-35

Endarterectomy, carotid
The correlation of ultrasonic carotid plaque morphology and carotid plaque hemorrhage: clinical implications (AbuRahma et al). 1998;124:721-8
Is routine duplex ultrasound surveillance after carotid endarterectomy cost-effective? (Patel et al). 1998;124:343-52

Endoscopy
Acute biliary pancreatitis: the roles of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography (Sugiyama and Atomi). 1998;124:14-21
Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative cholangiography—a multicenter, prospective controlled study (Montariol et al). 1998;124:6-13
Endoscopic parathyroidectomy: report of an initial experience (Miccoli et al). 1998;124:1077-80
Noninvasive imaging of insulinomas and gastrinomas with endoscopic ultrasonography and somatostatin receptor scintigraphy (Prove et al). 1998;124:1134-44

Endothelial cells
Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation (Fruchterman et al). 1998;124:782-92
Flow modulates endothelial regulation of smooth muscle cell proliferation: a new model (Nackman et al). 1998;124:353-61
Immunoaffinity localization of the enzyme xanthine oxidase on the outside surface of the endothelial cell plasma membrane (Vickers et al). 1998;124:551-60
L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage (Angele et al). 1998;124:394-402
p38 Mitogen-activated protein kinase inhibition attenuates intercellular adhesion molecule–1 up-regulation on human pulmonary microvascular endothelial cells (Tamura et al). 1998;124:403-8
Stress-induced fractal rearrangement of the endothelial cell cytoskeleton causes apoptosis (DeMeester et al). 1998;124:362-71

Endothelium, vascular
Flow modulates endothelial regulation of smooth muscle cell proliferation: a new model (Nackman et al). 1998;124:353-61
L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage (Angele et al). 1998;124:394-402
p38 Mitogen-activated protein kinase inhibition attenuates intercellular adhesion molecule–1 up-regulation on human pulmonary microvascular endothelial cells (Tamura et al). 1998;124:403-8
Prolonged hypoxia alters endothelial barrier function (Ali et al). 1998;124:491-7

Endotracheal intubation; *see* Intubation, intratracheal

Energy metabolism
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72

Enteral nutrition
Biliary sludge formation during enteral nutrition: prevalence and natural history (Schwesinger et al). 1998;124:768-72

Epidermal growth factor-urogastrone
Adaptation after small bowel resection is attenuated by sialoadenectomy: the role for endogenous epidermal growth factor (Helmrath et al). 1998;124:848-54
Butyrate inhibits colon carcinoma cell growth through two distinct pathways (Archer et al). 1998;124:248-53

Epithelial cells
Glutamine deprivation induces apoptosis in intestinal epithelial cells (Papaconstantinou et al). 1998;124:152-60
Store-operated calcium influx in human gastric cells: role of endogenous prostaglandins (Kokoska et al). 1998;124:429-37

Epithelium
Immunoglobulin A supplementation abrogates bacterial translocation and preserves the architecture of the intestinal epithelium (Dickinson et al). 1998;124:284-90

Epstein-Barr virus; *see* Herpesvirus 4, human

Erythrocytes
Decreased blood oxygen diffusion on hypercholesterolemia (Menchaca et al). 1998;124:692-8

Escherichia coli
Bacterially preexposed T cells impair bacterial elimination by non-Th1/Th2 cell mechanisms in a model of intra-abdominal infection (Gleason et al). 1998;124:418-28

Esophageal neoplasms
Application of the new classification for cancer of the cardia (Fein et al). 1998;124:707-14

Esophagectomy
Application of the new classification for cancer of the cardia (Fein et al). 1998;124:707-14

Estrogens
Moesin expression is associated with the estrogen receptor–negative breast cancer phenotype (Carmeci et al). 1998;124:211-7

Ethanol; *see* Alcohol, ethyl

Europe
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83

Evaluation studies
Surgery on trial: an account of clinical trials evaluating operations (Hall et al). 1998;124:22-7

Experimental model; *see* Models, theoretical

Extracellular matrix proteins
Activation of tumor cell matrix metalloproteinase-2 by neutrophil proteinases requires expression of membrane-type 1 matrix metalloproteinase (Schwartz et al). 1998;124:232-8
Matrix metalloproteinase inhibition limits arterial enlargement in a rodent arteriovenous fistula model (Abbruzzese et al). 1998;124:328-35
Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene transfer (Fernandez et al). 1998;124:129-36
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86

F

Familial adenomatous polyposis; *see* Adenomatous polyposis coli

Fatty acids, unsaturated
Hepatocyte polyunsaturated fatty acid enrichment increases acute phase protein synthesis (Nolan et al). 1998;124:471-6

Feasibility studies
Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative

Feasibility studies–cont'd
cholangiography—a multicenter, prospective controlled study (Montariol et al). 1998;124:6-13
Fibrocystic disease of breast
The evaluation of breast masses in women younger than forty years of age (Morrow et al). 1998;124:634-41
Fibrosis
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86
Fine-needle aspiration; *see* Biopsy, needle
Fistula
Contemporary treatment strategies for external pancreatic fistulas (Howard et al). 1998;124:627-33
Matrix metalloproteinase inhibition limits arterial enlargement in a rodent arteriovenous fistula model (Abbruzzese et al). 1998;124:328-35
A placental-derived tissue matrix as a bowel wall substitute in rats: preliminary study (Alam et al). 1998;124:87-91
Fluid therapy
Early isotonic saline resuscitation from uncontrolled hemorrhage in rats (Greene et al). 1998;124:568-74
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50
L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage (Angele et al). 1998;124:394-402
Fluorodeoxyglucose
The role of fluorodeoxyglucose and positron emission tomography in the evaluation of pancreatic disease (Rajput et al). 1998;124:793-8
Foot
Plantar melanoma: results of treatment in three population groups (Hudson et al). 1998;124:877-82
Forearm
Autotransplantation of parathyroid glands into subcutaneous forearm tissue for renal hyperparathyroidism (Chou et al). 1998;124:1-5
Fractals
Stress-induced fractal rearrangement of the endothelial cell cytoskeleton causes apoptosis (DeMeester et al). 1998;124:362-71
Fracture fixation
Assessment of the relationship between timing of fixation of the fracture and secondary brain injury in patients with multiple trauma (Kalb et al). 1998;124:739-45
Free radicals
Effect of intermittent hepatic pedicle clamping on free radical generation in the rat liver (Uchinami et al). 1998;124:49-56
Pyruvate improves myocardial tolerance to reperfusion injury by acting as an antioxidant: a chemiluminescence study (Crestanello et al). 1998;124:92-9
Freedom
Presidential address: a clash of cultures—personal autonomy versus corporate bondage (Buchwald). 1998;124:595-603 (Pres. address)
Fundoplication
Outcomes of atypical symptoms attributed to gastroesophageal reflux treated by laparoscopic fundoplication (So et al). 1998;124:28-32
A study of 362 consecutive laparoscopic Nissen fundoplications (Frantzides and Richards). 1998;124:651-5

G

Gallbladder neoplasms
Incidence of port site recurrence after laparoscopic cholecystectomy for preoperatively unsuspected gallbladder carcinoma (Z'graggen et al). 1998;124:831-8
Gallstones; *see* Cholelithiasis
Gamma probe; *see* Radioimmunodetection
Gangliosides
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306
Gastric cells
Store-operated calcium influx in human gastric cells: role of endogenous prostaglandins (Kokoska et al). 1998;124:429-37
Gastric fistula
A placental-derived tissue matrix as a bowel wall substitute in rats: preliminary study (Alam et al). 1998;124:87-91
Gastric mucosa
Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori* (Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
Gastrinoma
Non invasive imaging of insulinomas and gastrinomas with endoscopic ultrasonography and somatostatin receptor scintigraphy (Proye et al). 1998;124:1134-44
Surgical treatment of localized gastrinoma within the liver: a prospective study (Norton et al). 1998;124:1145-52
Gastrins
Analysis of factors associated with long-term (five or more years) cure in patients undergoing operation for Zollinger-Ellison syndrome (Alexander et al). 1998;124:1160-6
Gastroesophageal reflux
Outcomes of atypical symptoms attributed to gastroesophageal reflux treated by laparoscopic fundoplication (So et al). 1998;124:28-32
A study of 362 consecutive laparoscopic Nissen fundoplications (Frantzides and Richards). 1998;124:651-5
Gastrointestinal hemorrhage
Life-threatening upper gastrointestinal tract bleeding caused by ruptured extrahepatic pseudoaneurysm after pancreatoduodenectomy (Reber et al). 1998;124:114-5 (Brief clin. rep.)
Surgical treatment for massive gastrointestinal bleeding caused by thrombotic thrombocytopenic purpura: a case report (Yamamura et al). 1998;124:929-31 (Brief clin. rep.)
Gastrointestinal neoplasms
Carcinoids of unknown origin: comparative analysis with foregut, midgut, and hindgut carcinoids (Kirshbom et al). 1998;124:1063-70
Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori* (Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Gastrointestinal system
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
Gene expression
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Butyrate inhibits colon carcinoma cell growth through two distinct pathways (Archer et al). 1998;124:248-53
Moesin expression is associated with the estrogen receptor–negative breast cancer phenotype (Carmeci et al). 1998;124:211-7
Overexpression of TTF-1 and PAX-8 restores thyroglobulin gene promoter activity in ARO and WRO cell lines (Chun et al). 1998;124:1100-5
Gene therapy
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51
Gene transfer
Adenovirus-mediated inducible nitric oxide synthase gene transfer inhibits hepatocyte apoptosis (Tzeng et al). 1998;124:278-83
Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene trans-

fer (Fernandez et al). 1998;124:129-36

Genes, APC
Aspirin prevents tumors in a murine model of familial adenomatous polyposis (Mahmoud et al). 1998;124:225-31

Genes, suppressor, tumor
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51

Genetic engineering
Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene transfer (Fernandez et al). 1998;124:129-36

Genetic vectors
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51

Genital neoplasms, female
Mucosal melanoma of the female genitalia: a clinicopathologic study of forty-three cases at Duke University Medical Center (DeMatos et al). 1998;124:38-48

Gentamicins
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8

Germ-line mutation
Multiple endocrine neoplasia type 2–associated *RET* proto-oncogene mutations do not contribute to the pathogenesis of sporadic parathyroid tumors (Willeke et al). 1998;124:484-90

Glutamate
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306

Glutamine
Glutamine deprivation induces apoptosis in intestinal epithelial cells (Papaconstantinou et al). 1998;124:152-60
Protein kinase C regulates nutrient uptake and growth in hepatoma cells (Bode et al). 1998;124:260-8

G(M1) ganglioside
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306

Graft rejection
Conversion from bladder to enteric drainage after pancreatico-duodenal transplantations (West et al). 1998;124:883-93

Graft survival
Conversion from bladder to enteric drainage after pancreatico-duodenal transplantations (West et al). 1998;124:883-93
Primate renal transplants using immunotoxin (Knechtle et al). 1998;124:438-47

Graft vs host reaction
Bullous pemphigoid after prosthetic vascular graft placement (Freeman and Rubin). 1998;124:112-3 (Brief clin. rep.)

Gram-negative bacteria
Bacterially preexposed T cells impair bacterial elimination by non-Th1/Th2 cell mechanisms in a model of intra-abdominal infection (Gleason et al). 1998;124:418-28

Granulation tissue
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86

Graves' disease
Early relapse after operation for Graves' disease: postoperative hormone kinetics and outcome after subtotal, near-total, and total thyroidectomy (Hermann et al). 1998;124:894-900

Groin
The mesh plug technique for recurrent groin herniorrhaphy: a nine-year experience of 407 repairs (Rutkow and Robbins). 1998;124:844-7

Growth substances
Partial hepatectomy accelerates local tumor growth: potential roles of local cytokine activation (Picardo et al). 1998;124:57-64

Gut ischemia
Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation (Fruchterman et al). 1998;124:782-92

H

Head injuries
Assessment of the relationship between timing of fixation of the fracture and secondary brain injury in patients with multiple trauma (Kalb et al). 1998;124:739-45

Heart injuries
Hydrogen peroxide induces tumor necrosis factor α–mediated cardiac injury by a P38 mitogen-activated protein kinase–dependent mechanism (Meldrum et al). 1998;124:291-7

Heartburn
Outcomes of atypical symptoms attributed to gastroesophageal reflux treated by laparoscopic fundoplication (So et al). 1998;124:28-32

Helicobacter pylori
Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori* (Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)

Hematologic disorders
A case controlled comparison of open and laparoscopic splenectomy in children (Rescorla et al). 1998;124:670-6

Hemodialysis
Prognostic value of intraoperative blood flow measurements in vascular access surgery (Johnson et al). 1998;124:729-38

Hemodynamics
Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation (Fruchterman et al). 1998;124:782-92
Flow modulates endothelial regulation of smooth muscle cell proliferation: a new model (Nackman et al). 1998;124:353-61

Hemorrhage
Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation (Fruchterman et al). 1998;124:782-92
The correlation of ultrasonic carotid plaque morphology and carotid plaque hemorrhage: clinical implications (AbuRahma et al). 1998;124:721-8
Early isotonic saline resuscitation from uncontrolled hemorrhage in rats (Greene et al). 1998;124:568-74
L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage (Angele et al). 1998;124:394-402
Life-threatening upper gastrointestinal tract bleeding caused by ruptured extrahepatic pseudoaneurysm after pancreato-duodenectomy (Reber et al). 1998;124:114-5 (Brief clin. rep.)
Surgical treatment for massive gastrointestinal bleeding caused by thrombotic thrombocytopenic purpura: a case report (Yamamura et al). 1998;124:929-31 (Brief clin. rep.)

Hemorrhagic shock; *see* Shock, hemorrhagic

Hemostasis
Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma (Shimada et al). 1998;124:526-35

Hepatectomy
Delayed hepatic resection for ruptured hepatocellular carcinoma (Shuto et al). 1998;124:33-7
Liver resection using total vascular exclusion (Evans et al). 1998;124:807-15
Partial hepatectomy accelerates local tumor growth: potential roles of local cytokine activation (Picardo et al). 1998;124:57-64
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83
Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma (Shimada et al). 1998;124:526-35

Hepatic artery
Life-threatening upper gastrointestinal tract bleeding

Hepatic artery–cont'd
caused by ruptured extrahepatic pseudoaneurysm after pancreatoduodenectomy (Reber et al). 1998;124:114-5 (Brief clin. rep.)
Hepatic vein thrombosis
Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant (Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Hepatic veins
Liver resection using total vascular exclusion (Evans et al). 1998;124:807-15
Hepatoma; *see* Carcinoma, hepatocellular
Hereditary neoplasms; *see* Neoplastic syndromes, hereditary
Hernia
Laparoscopic and open incisional hernia repair: a comparison study (Park et al). 1998;124:816-22
Rectal duplication cyst with a large perineal hernia presenting as recurrent perineal abscesses (Connaughton et al). 1998;124:926-8 (Brief clin. rep.)
Hernia, diaphragmatic
Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant (Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Hernia, inguinal
The mesh plug technique for recurrent groin herniorrhaphy: a nine-year experience of 407 repairs (Rutkow and Robbins). 1998;124:844-7
Herniorrhaphy
The mesh plug technique for recurrent groin herniorrhaphy: a nine-year experience of 407 repairs (Rutkow and Robbins). 1998;124:844-7
Herpesvirus 4, human
Dendritic cells improve the generation of Epstein-Barr virus–specific cytotoxic T lymphocytes for the treatment of posttransplantation lymphoma (Wheatley et al). 1998;124:171-6
High-energy compounds
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Hippel Lindau disease
Pancreatic neuroendocrine tumors associated with von Hippel Lindau disease: diagnostic and management recommendations (Libutti et al). 1998;124:1153-9
Histocompatibility antigens class II
Major histocompatibility complex class II expression and parathyroid autoantibodies in primary hyperparathyroidism (Bjerneroth et al). 1998;124:503-9
Histones
Butyrate inhibits colon carcinoma cell growth through two distinct pathways (Archer et al). 1998;124:248-53
Homeostasis
Hepatocyte polyunsaturated fatty acid enrichment increases acute phase protein synthesis (Nolan et al). 1998;124:471-6
The impacts of experimental necrotizing pancreatitis on hepatocellular ion homeostasis and energetics: an in vivo nuclear magnetic resonance study (Ho et al). 1998;124:372-9
Hospital referral; *see* Referral and consultation
Hospitalization
Illness severity adjustment for outcomes analysis: validation of the ICISS methodology in all 821,455 patients hospitalized in North Carolina in 1996 (Rutledge et al). 1998;124:187-96
Hydatidosis; *see* Echinococcosis
Hydrogen peroxide
Hydrogen peroxide induces tumor necrosis factor α–mediated cardiac injury by a P38 mitogen-activated protein kinase–dependent mechanism (Meldrum et al). 1998;124:291-7
Hyperaldosteronism
Essential hypertension: first reason of persistent hypertension after unilateral adrenalectomy for primary aldosteronism? (Proye et al). 1998;124:1128-33
Hypercholesterolemia
Decreased blood oxygen diffusion on hypercholesterolemia (Menchaca et al). 1998;124:692-8
Hyperparathyroidism
Autotransplantation of parathyroid glands into subcutaneous forearm tissue for renal hyperparathyroidism (Chou et al). 1998;124:1-5
Case-control study on symptoms and signs of "asymptomatic" primary hyperparathyroidism (Lundgren et al). 1998;124:980-6
Costs implications of different surgical management strategies for primary hyperparathyroidism (Sosa et al). 1998;124:1028-36
Endoscopic parathyroidectomy: report of an initial experience (Miccoli et al). 1998;124:1077-80
Indications, technique, and efficacy of alcohol injection of enlarged parathyroid glands in patients with primary hyperparathyroidism (Harman et al). 1998;124:1011-20
Major histocompatibility complex class II expression and parathyroid autoantibodies in primary hyperparathyroidism (Bjerneroth et al). 1998;124:503-9
Minimally invasive radioguided parathyroidectomy in the reoperative neck (Norman and Denham). 1998;124:1088-93
Multiple endocrine neoplasia type 2–associated *RET* proto-oncogene mutations do not contribute to the pathogenesis of sporadic parathyroid tumors (Willeke et al). 1998;124:484-90
Primary and reoperative parathyroid operations in hyperparathyroidism of multiple endocrine neoplasia type 1 (Hellman et al). 1998;124:993-9
Secondary hyperparathyroidism is an expected consequence of parathyroidectomy for primary hyperparathyroidism: a prospective study (Mandal and Udelsman). 1998;124:1021-7
Surgical correction of primary hyperparathyroidism improves quality of life (Burney et al). 1998;124:987-92
Tertiary hyperparathyroidism after renal transplantation: surgical strategy (Kilgo et al). 1998;124:677-84
Hyperparathyroidism, secondary
Secondary hyperparathyroidism is an expected consequence of parathyroidectomy for primary hyperparathyroidism: a prospective study (Mandal and Udelsman). 1998;124:1021-7
Hyperplasia
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Flow modulates endothelial regulation of smooth muscle cell proliferation: a new model (Nackman et al). 1998;124:353-61
Tertiary hyperparathyroidism after renal transplantation: surgical strategy (Kilgo et al). 1998;124:677-84
Hypertension
Essential hypertension: first reason of persistent hypertension after unilateral adrenalectomy for primary aldosteronism? (Proye et al). 1998;124:1128-33
Ruptured pancreaticoduodenal artery aneurysms and pheochromocytoma in a pregnant patient with neurofibromatosis (Serleth et al). 1998;124:100-2 (Brief clin. rep.)
Hyperthyroidism
Early relapse after operation for Graves' disease: postoperative hormone kinetics and outcome after subtotal, near-total, and total thyroidectomy (Hermann et al). 1998;124:894-900
Hypertonic solutions
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50
Hypothermia
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306
Hypoxanthines
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Hypoxia; *see* Anoxia

I

Illness severity score; *see* Severity of illness index
Immunity
Major histocompatibility complex class II expression and parathyroid autoantibodies in primary hyperparathyroidism (Bjerneroth et al). 1998;124:503-9
Immunoglobulins
Immunoglobulin A supplementation abrogates bacterial translocation and preserves the architecture of the intestinal epithelium (Dickinson et al). 1998;124:284-90
Immunohistochemistry
Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori* (Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Immunosuppression
Dendritic cells improve the generation of Epstein-Barr virus–specific cytotoxic T lymphocytes for the treatment of posttransplantation lymphoma (Wheatley et al). 1998;124:171-6
Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies (Genden et al). 1998;124:448-56
Immunotoxins
Primate renal transplants using immunotoxin (Knechtle et al). 1998;124:438-47
Infant
Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant (Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Infection
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Bacterially preexposed T cells impair bacterial elimination by non-Th1/Th2 cell mechanisms in a model of intra-abdominal infection (Gleason et al). 1998;124:418-28
Bullous pemphigoid after prosthetic vascular graft placement (Freeman and Rubin). 1998;124:112-3 (Brief clin. rep.)
Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori* (Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8
Inflammation
Immunoaffinity localization of the enzyme xanthine oxidase on the outside surface of the endothelial cell plasma membrane (Vickers et al). 1998;124:551-60
Interleukin-8–induced suppression of polymorphonuclear leukocyte apoptosis is mediated by suppressing CD95 (Fas/Apo-1) Fas-1 interactions (Leuenroth et al). 1998;124:409-17
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92
Inosine
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Insulin
Insulin secretion is inhibited by subtype five somatostatin receptor in the mouse (Fagan et al). 1998;124:254-9
Insulinoma
Non invasive imaging of insulinomas and gastrinomas with endoscopic ultrasonography and somatostatin receptor scintigraphy (Proye et al). 1998;124:1134-44
Intensive care
The C-reactive protein to prealbumin ratio correlates with the severity of multiple organ dysfunction (Pinilla et al). 1998;124:799-806
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Intercellular adhesion molecules; *see* Cell adhesion molecules
Interferons
Bacterially preexposed T cells impair bacterial elimination by non-Th1/Th2 cell mechanisms in a model of intra-abdominal infection (Gleason et al). 1998;124:418-28
Class II cytokine receptor ligands inhibit human vascular smooth muscle proliferation (Selzman et al). 1998;124:318-27
Interleukins
Class II cytokine receptor ligands inhibit human vascular smooth muscle proliferation (Selzman et al). 1998;124:318-27
Interleukin-8–induced suppression of polymorphonuclear leukocyte apoptosis is mediated by suppressing CD95 (Fas/Apo-1) Fas-1 interactions (Leuenroth et al). 1998;124:409-17
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92
International Classification of Diseases 9th Revision Based Illness Severity Score; *see* Severity of illness index
Internship and residency
Assessing residents' clinical performance: cumulative results of a four-year study with the Objective Structured Clinical Examination (Schwartz et al). 1998;124:307-12
Competency-based instruction in critical invasive skills improves both resident performance and patient safety (Martin et al). 1998;124:313-7
Intestinal fistula
A placental-derived tissue matrix as a bowel wall substitute in rats: preliminary study (Alam et al). 1998;124:87-91
Intestinal mucosa
Butyrate-induced differentiation of Caco-2 cells is associated with apoptosis and early induction of $p21^{Waf1/Cip1}$ and $p27^{Kip1}$ (Litvak et al). 1998;124:161-70
Glutamine deprivation induces apoptosis in intestinal epithelial cells (Papaconstantinou et al). 1998;124:152-60
Immunoglobulin A supplementation abrogates bacterial translocation and preserves the architecture of the intestinal epithelium (Dickinson et al). 1998;124:284-90
Intestinal neoplasms
Aspirin prevents tumors in a murine model of familial adenomatous polyposis (Mahmoud et al). 1998;124:225-31
Carcinoids of unknown origin: comparative analysis with foregut, midgut, and hindgut carcinoids (Kirshbom et al). 1998;124:1063-70
Intestine, small
Adaptation after small bowel resection is attenuated by sialoadenectomy: the role for endogenous epidermal growth factor (Helmrath et al). 1998;124:848-54
Intestines
Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation (Fruchterman et al). 1998;124:782-92
Effects of bryostatin 1, a novel anticancer agent, on intestinal transport and barrier function: role of protein kinase C (Farokhzad et al). 1998;124:380-7
Intestinal reperfusion-induced pulmonary edema is related to increased pulmonary inducible nitric oxide synthase activity (Turnage et al). 1998;124:457-63
Intima; *see* Tunica intima
Intra-abdominal malignancies; *see* Abdominal neoplasms
Intracranial pressure
Assessment of the relationship between timing of fixation of the fracture and secondary brain injury in patients with multiple trauma (Kalb et al). 1998;124:739-45
Intraoperative care
Biliary sludge formation during enteral nutrition: prevalence and natural history (Schwesinger et al). 1998;124:768-72
Diagnosis of asymptomatic common bile duct stones: preoper-

Intraoperative care–cont'd
ative endoscopic ultrasonography versus intraoperative cholangiography—a multicenter, prospective controlled study (Montariol et al). 1998;124:6-13
Effect of intermittent hepatic pedicle clamping on free radical generation in the rat liver (Uchinami et al). 1998;124:49-56
Liver resection using total vascular exclusion (Evans et al). 1998;124:807-15
Intraoperative monitoring
Prognostic value of intraoperative blood flow measurements in vascular access surgery (Johnson et al). 1998;124:729-38
Intubation, intratracheal
Reduced use of resources by early tracheostomy in ventilator-dependent patients with blunt trauma (Armstrong et al). 1998;124:763-7
Irritants
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
Ischemia
Acute lower limb ischemia: determinants of outcome (Ouriel and Veith). 1998;124:336-42
Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation (Fruchterman et al). 1998;124:782-92
Effect of intermittent hepatic pedicle clamping on free radical generation in the rat liver (Uchinami et al). 1998;124:49-56
Ischemia-reperfusion injury; *see* Reperfusion injury
Islet cell tumor; *see* Adenoma, islet cell
Isoantigens
Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies (Genden et al). 1998;124:448-56
Isoprenoids; *see* Polyisoprenyl phosphates
Isotonic solutions
Early isotonic saline resuscitation from uncontrolled hemorrhage in rats (Greene et al). 1998;124:568-74
IT 9302; *see* Interleukins

J

Japan
Decrease in prevalence of Buerger's disease in Japan (Matsushita et al). 1998;124:498-502
Jejunostomy
Biliary sludge formation during enteral nutrition: prevalence and natural history (Schwesinger et al). 1998;124:768-72
Life-threatening upper gastrointestinal tract bleeding caused by ruptured extrahepatic pseudoaneurysm after pancreatoduodenectomy (Reber et al). 1998;124:114-5 (Brief clin. rep.)
Prophylactic jejunostomy: a reappraisal (Zapas et al). 1998;124:715-20

K

Kidney diseases
Autotransplantation of parathyroid glands into subcutaneous forearm tissue for renal hyperparathyroidism (Chou et al). 1998;124:1-5
Kidney transplantation
Living unrelated kidney donation: the University of Wisconsin experience (D'Alessandro et al). 1998;124:604-11
Primate renal transplants using immunotoxin (Knechtle et al). 1998;124:438-47
Tertiary hyperparathyroidism after renal transplantation: surgical strategy (Kilgo et al). 1998;124:677-84
Killer cells, natural
The effect of laparotomy and laparoscopy on the establishment of spontaneous tumor metastases (Da Costa et al). 1998;124:516-25
Kinetics
Early relapse after operation for Graves' disease: postoperative hormone kinetics and outcome after subtotal, near-total, and total thyroidectomy (Hermann et al). 1998;124:894-900

L

L-DOPA; *see* Levodopa
Lactates
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Lactoferrin
Immunoglobulin A supplementation abrogates bacterial translocation and preserves the architecture of the intestinal epithelium (Dickinson et al). 1998;124:284-90
Laparoscopy
A case controlled comparison of open and laparoscopic splenectomy in children (Rescorla et al). 1998;124:670-6
The effect of laparotomy and laparoscopy on the establishment of spontaneous tumor metastases (Da Costa et al). 1998;124:516-25
Incidence of port site recurrence after laparoscopic cholecystectomy for preoperatively unsuspected gallbladder carcinoma (Z'graggen et al). 1998;124:831-8
Laparoscopic and open incisional hernia repair: a comparison study (Park et al). 1998;124:816-22
Laparoscopic versus open splenectomy in the management of splenomegaly: our preliminary experience (Terrosu et al). 1998;124:839-43
Outcomes of atypical symptoms attributed to gastroesophageal reflux treated by laparoscopic fundoplication (So et al). 1998;124:28-32
Staging laparoscopy in the management of intra-abdominal malignancies (Velanovich). 1998;124:773-81
A study of 362 consecutive laparoscopic Nissen fundoplications (Frantzides and Richards). 1998;124:651-5
Laparotomy
The effect of laparotomy and laparoscopy on the establishment of spontaneous tumor metastases (Da Costa et al). 1998;124:516-25
Endosurgical treatment of synchronous rectal cancer and abdominal aortic aneurysm, without laparotomy (Herald et al). 1998;124:932-3 (Brief clin. rep.)
Staging laparoscopy in the management of intra-abdominal malignancies (Velanovich). 1998;124:773-81
Lectins
Characteristics of rat pancreatic regenerating protein (Zenilman et al). 1998;124:855-63
Leg
Acute lower limb ischemia: determinants of outcome (Ouriel and Veith). 1998;124:336-42
Length of stay
Illness severity adjustment for outcomes analysis: validation of the ICISS methodology in all 821,455 patients hospitalized in North Carolina in 1996 (Rutledge et al). 1998;124:187-96
Staging laparoscopy in the management of intra-abdominal malignancies (Velanovich). 1998;124:773-81
Letters
Cigarette smoking, herniation, and recurrence (Read) (Letter); (Jorgensen) (Reply). 1998;124:942-3
Effects of giving "high-dose" insulin in burn patients (Wolfe) (Letter); (Shiozaki and Hiraide) (Reply). 1998;124:593
Endoscopic versus radioguided parathyroidectomy (Norman) (Letter); (Brunt) (Reply). 1998;124:118-20
Kinked carotid arteries and everted cervical veins (Dardik)

(Letter); (Gates) (Reply). 1998;124:943
Liver oxygenation in cirrhotic patients (Tamariz-Cruz) (Letter); (Ueno) (Reply). 1998;124:943-5
The usefulness of remote CT scanning in blunt splenic injuries (Pachter) (Letter); (DiGiacomo et al) (Reply). 1998;124:941-2

Levodopa
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70

Ligands
Class II cytokine receptor ligands inhibit human vascular smooth muscle proliferation (Selzman et al). 1998;124:318-27

Literature
Vasoactive intestinal polypeptide secreting islet cell tumors: a 15-year experience and review of the literature (Smith et al). 1998;124:1050-5

Liver
Adenovirus-mediated inducible nitric oxide synthase gene transfer inhibits hepatocyte apoptosis (Tzeng et al). 1998;124:278-83
Delayed hepatic resection for ruptured hepatocellular carcinoma (Shuto et al). 1998;124:33-7
Effect of intermittent hepatic pedicle clamping on free radical generation in the rat liver (Uchinami et al). 1998;124:49-56
Hepatocyte polyunsaturated fatty acid enrichment increases acute phase protein synthesis (Nolan et al). 1998;124:471-6
Liver resection using total vascular exclusion (Evans et al). 1998;124:807-15

Liver failure
The impacts of experimental necrotizing pancreatitis on hepatocellular ion homeostasis and energetics: an in vivo nuclear magnetic resonance study (Ho et al). 1998;124:372-9

Liver neoplasms
Delayed hepatic resection for ruptured hepatocellular carcinoma (Shuto et al). 1998;124:33-7
Pancreatic neuroendocrine tumors associated with von Hippel Lindau disease: diagnostic and management recommendations (Libutti et al). 1998;124:1153-9
Partial hepatectomy accelerates local tumor growth: potential roles of local cytokine activation (Picardo et al). 1998;124:57-64
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83
Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma (Shimada et al). 1998;124:526-35
Surgical treatment of localized gastrinoma within the liver: a prospective study (Norton et al). 1998;124:1145-52
Treatment of hepatic metastases of colorectal cancer by electrochemotherapy: an experimental study in the rat (Chazal et al). 1998;124:536-40

Liver transplantation
Biliary complications in pediatric living related liver transplantation (Egawa et al). 1998;124:901-10
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83

Living unrelated donors; *see* Tissue donors

Loading dose
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8

Lobectomy
Unilateral total lobectomy: Is it sufficient surgical treatment for patients with AMES low-risk papillary thyroid carcinoma? (Hay et al). 1998;124:958-66

Local anesthesia; *see* Anesthesia, local

Local recurrence; *see* Neoplasm recurrence, local

Lower limb; *see* Leg

Lucigenin
Pyruvate improves myocardial tolerance to reperfusion injury by acting as an antioxidant: a chemiluminescence study (Crestanello et al). 1998;124:92-9

Lung neoplasms
The effect of laparotomy and laparoscopy on the establishment of spontaneous tumor metastases (Da Costa et al). 1998;124:516-25

Lymph node excision
Causes and management of pseudoaneurysms (Sarr and Warshaw). 1998;124:116-7 (Editorial)
Pancreatic invasion as the prognostic indicator of duodenal adenocarcinoma treated by pancreatoduodenectomy plus extended lymphadenectomy (Ohigashi et al). 1998;124:510-5

Lymph nodes
Improved sentinel lymph node localization in patients with primary melanoma with the use of radiolabeled colloid (Gershenwald et al). 1998;124:203-10
Surgical management of aberrant sentinel lymph node drainage in cutaneous melanoma (Lieber et al). 1998;124:757-62

Lymphadenectomy; *see* Lymph node excision

Lymphatic metastasis
Molecular metastases in stage I pancreatic cancer: improved survival with adjuvant chemoradiation (Demeure et al). 1998;124:663-9
Surgical management of aberrant sentinel lymph node drainage in cutaneous melanoma (Lieber et al). 1998;124:757-62

Lymphocyte function-associated antigen-1
Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies (Genden et al). 1998;124:448-56

Lymphoma
Dendritic cells improve the generation of Epstein-Barr virus–specific cytotoxic T lymphocytes for the treatment of posttransplantation lymphoma (Wheatley et al). 1998;124:171-6

Lymphoproliferative disorders
Dendritic cells improve the generation of Epstein-Barr virus–specific cytotoxic T lymphocytes for the treatment of posttransplantation lymphoma (Wheatley et al). 1998;124:171-6

M

Magnetic resonance imaging
The impacts of experimental necrotizing pancreatitis on hepatocellular ion homeostasis and energetics: an in vivo nuclear magnetic resonance study (Ho et al). 1998;124:372-9

Major histocompatibility complex
Major histocompatibility complex class II expression and parathyroid autoantibodies in primary hyperparathyroidism (Bjerneroth et al). 1998;124:503-9

Malignant melanoma; *see* Melanoma

Mechanical ventilation; *see* Respiration, artificial

Melanoma
Improved sentinel lymph node localization in patients with primary melanoma with the use of radiolabeled colloid (Gershenwald et al). 1998;124:203-10
A long-term analysis of 620 patients with malignant melanoma at a major referral center (Averbook et al). 1998;124:746-56
Mucosal melanoma of the female genitalia: a clinicopathologic study of forty-three cases at Duke University Medical Center (DeMatos et al). 1998;124:38-48
Plantar melanoma: results of treatment in three population groups (Hudson et al). 1998;124:877-82
Surgical management of aberrant sentinel lymph node drainage in cutaneous melanoma (Lieber et al). 1998;124:757-62

Mesh plug technique
The mesh plug technique for recurrent groin herniorrhaphy: a nine-year experience of 407 repairs (Rutkow and Robbins).

Mesh plug technique–cont'd
1998;124:844-7
Mesoderm
Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori* (Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Meta-analysis
Outcomes research and surgeons (Birkmeyer). 1998;124:477-83
Metabolism
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Metalloproteinases
Activation of tumor cell matrix metalloproteinase-2 by neutrophil proteinases requires expression of membrane-type 1 matrix metalloproteinase (Schwartz et al). 1998;124:232-8
Matrix metalloproteinase inhibition limits arterial enlargement in a rodent arteriovenous fistula model (Abbruzzese et al). 1998;124:328-35
Metalloproteinase inhibitors and wound healing: a novel enhancer of wound strength (Witte et al). 1998;124:464-70
Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene transfer (Fernandez et al). 1998;124:129-36
Metastasis; *see* Neoplasm metastasis
Methionine
Glutamine deprivation induces apoptosis in intestinal epithelial cells (Papaconstantinou et al). 1998;124:152-60
Methodology, research; *see* Research
Mice
Aspirin prevents tumors in a murine model of familial adenomatous polyposis (Mahmoud et al). 1998;124:225-31
Bacterially preexposed T cells impair bacterial elimination by non-Th1/Th2 cell mechanisms in a model of intra-abdominal infection (Gleason et al). 1998;124:418-28
Burn injury primes naive CD4+ T cells for an augmented T-helper 1 response (Kavanagh et al). 1998;124:269-77
Insulin secretion is inhibited by subtype five somatostatin receptor in the mouse (Fagan et al). 1998;124:254-9
Mice, nude
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51
Mitogens
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Hydrogen peroxide induces tumor necrosis factor α–mediated cardiac injury by a P38 mitogen-activated protein kinase–dependent mechanism (Meldrum et al). 1998;124:291-7
p38 Mitogen-activated protein kinase inhibition attenuates intercellular adhesion molecule–1 up-regulation on human pulmonary microvascular endothelial cells (Tamura et al). 1998;124:403-8
Models, theoretical
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92
Stenting does not decompress the pancreatic duct as effectively as surgery in experimental chronic pancreatitis (Reber et al). 1998;124:561-7
Moesin
Moesin expression is associated with the estrogen receptor–negative breast cancer phenotype (Carmeci et al). 1998;124:211-7
Monoclonal antibodies; *see* Antibodies, monoclonal
Monosialoganglioside GM_1; *see* G(M1) ganglioside
Mortality
Mortality after vascularized pancreas transplantation (Stratta). 1998;124:823-30
Mucous membrane
Butyrate-induced differentiation of Caco-2 cells is associated with apoptosis and early induction of $p21^{Waf1/Cip1}$ and $p27^{Kip1}$ (Litvak et al). 1998;124:161-70
Glutamine deprivation induces apoptosis in intestinal epithelial cells (Papaconstantinou et al). 1998;124:152-60
Mucosal melanoma of the female genitalia: a clinicopathologic study of forty-three cases at Duke University Medical Center (DeMatos et al). 1998;124:38-48
Mucous membranes
Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori* (Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Immunoglobulin A supplementation abrogates bacterial translocation and preserves the architecture of the intestinal epithelium (Dickinson et al). 1998;124:284-90
Multiple endocrine neoplasia; *see* Neoplasms, multiple endocrine
Multiple organ failure
The C-reactive protein to prealbumin ratio correlates with the severity of multiple organ dysfunction (Pinilla et al). 1998;124:799-806
The impacts of experimental necrotizing pancreatitis on hepatocellular ion homeostasis and energetics: an in vivo nuclear magnetic resonance study (Ho et al). 1998;124:372-9
Multiple trauma
Assessment of the relationship between timing of fixation of the fracture and secondary brain injury in patients with multiple trauma (Kalb et al). 1998;124:739-45
Muscle, smooth, vascular
Class II cytokine receptor ligands inhibit human vascular smooth muscle proliferation (Selzman et al). 1998;124:318-27
Flow modulates endothelial regulation of smooth muscle cell proliferation: a new model (Nackman et al). 1998;124:353-61
Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene transfer (Fernandez et al). 1998;124:129-36
Musculoskeletal diseases
Hydatid disease of the musculoskeletal system (Ammari et al). 1998;124:934-7 (Brief clin. rep.)
Mutation
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51
Multiple endocrine neoplasia type 2–associated *RET* proto-oncogene mutations do not contribute to the pathogenesis of sporadic parathyroid tumors (Willeke et al). 1998;124:484-90
Myocardial reperfusion
Pyruvate improves myocardial tolerance to reperfusion injury by acting as an antioxidant: a chemiluminescence study (Crestanello et al). 1998;124:92-9
Myocardium
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50

N

Neck
Minimally invasive radioguided parathyroidectomy in the reoperative neck (Norman and Denham). 1998;124:1088-93
Necrosis
The impacts of experimental necrotizing pancreatitis on hepatocellular ion homeostasis and energetics: an in vivo nuclear magnetic resonance study (Ho et al). 1998;124:372-9
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86

Neoplasm invasiveness
Activation of tumor cell matrix metalloproteinase-2 by neutrophil proteinases requires expression of membrane-type 1 matrix metalloproteinase (Schwartz et al). 1998;124:232-8
Pancreatic invasion as the prognostic indicator of duodenal adenocarcinoma treated by pancreatoduodenectomy plus extended lymphadenectomy (Ohigashi et al). 1998;124:510-5
Neoplasm metastasis
The effect of laparotomy and laparoscopy on the establishment of spontaneous tumor metastases (Da Costa et al). 1998;124:516-25
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51
Improved sentinel lymph node localization in patients with primary melanoma with the use of radiolabeled colloid (Gershenwald et al). 1998;124:203-10
Molecular metastases in stage I pancreatic cancer: improved survival with adjuvant chemoradiation (Demeure et al). 1998;124:663-9
Pancreatic islet cell tumor metastasis in multiple endocrine neoplasia type 1: correlation with primary tumor size (Lowney et al). 1998;124:1043-9
Pancreatic neuroendocrine tumors associated with von Hippel Lindau disease: diagnostic and management recommendations (Libutti et al). 1998;124:1153-9
Solitary peritoneal metastasis from colon carcinoma (Akasu and Sugihara). 1998;124:938-40 (Brief clin. rep.)
Surgical management of aberrant sentinel lymph node drainage in cutaneous melanoma (Lieber et al). 1998;124:757-62
Treatment of hepatic metastases of colorectal cancer by electrochemotherapy: an experimental study in the rat (Chazal et al). 1998;124:536-40
Use of somatostatin receptor scintigraphy to image extrahepatic metastases of neuroendocrine tumors (Frilling et al). 1998;124:1000-4
Neoplasm recurrence, local
End points in the analysis of breast cancer survival: relapse versus death from tumor (Edwards et al). 1998;124:197-202
Incidence of port site recurrence after laparoscopic cholecystectomy for preoperatively unsuspected gallbladder carcinoma (Z'graggen et al). 1998;124:831-8
Partial hepatectomy accelerates local tumor growth: potential roles of local cytokine activation (Picardo et al). 1998;124:57-64
Primary and reoperative parathyroid operations in hyperparathyroidism of multiple endocrine neoplasia type 1 (Hellman et al). 1998;124:993-9
Total mesorectal excision is not necessary for cancers of the upper rectum (Lopez-Kostner et al). 1998;124:612-8
Neoplasm staging
Improved sentinel lymph node localization in patients with primary melanoma with the use of radiolabeled colloid (Gershenwald et al). 1998;124:203-10
A long-term analysis of 620 patients with malignant melanoma at a major referral center (Averbook et al). 1998;124:746-56
Staging laparoscopy in the management of intra-abdominal malignancies (Velanovich). 1998;124:773-81
Neoplasms, multiple endocrine
Analysis of factors associated with long-term (five or more years) cure in patients undergoing operation for Zollinger-Ellison syndrome (Alexander et al). 1998;124:1160-6
Multiple endocrine neoplasia type 2–associated *RET* proto-oncogene mutations do not contribute to the pathogenesis of sporadic parathyroid tumors (Willeke et al). 1998;124:484-90
Pancreatic islet cell tumor metastasis in multiple endocrine neoplasia type 1: correlation with primary tumor size (Lowney et al). 1998;124:1043-9
Primary and reoperative parathyroid operations in hyperparathyroidism of multiple endocrine neoplasia type 1 (Hellman et al). 1998;124:993-9
Prospective study of the utility of somatostatin-receptor scintigraphy in the evaluation of patients with multiple endocrine neoplasia type 1 (Yim et al). 1998;124:1037-42
The variable penetrance and spectrum of manifestations of multiple endocrine neoplasia type 1 (Carty et al). 1998;124:1106-14
Neoplastic syndromes, hereditary
Multiple endocrine neoplasia type 2–associated *RET* proto-oncogene mutations do not contribute to the pathogenesis of sporadic parathyroid tumors (Willeke et al). 1998;124:484-90
Neovascularization
Transforming growth factor–beta1 inhibits generation of angiostatin by human pancreatic cancer cells (O'Mahony et al). 1998;124:388-93
Nerve regeneration
Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies (Genden et al). 1998;124:448-56
Nerve transfer
Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies (Genden et al). 1998;124:448-56
Nervous system
Assessment of the relationship between timing of fixation of the fracture and secondary brain injury in patients with multiple trauma (Kalb et al). 1998;124:739-45
Neuroendocrine tumors
Carcinoids of unknown origin: comparative analysis with foregut, midgut, and hindgut carcinoids (Kirshbom et al). 1998;124:1063-70
Pancreatic neuroendocrine tumors associated with von Hippel Lindau disease: diagnostic and management recommendations (Libutti et al). 1998;124:1153-9
Prospective study of the utility of somatostatin-receptor scintigraphy in the evaluation of patients with multiple endocrine neoplasia type 1 (Yim et al). 1998;124:1037-42
Use of somatostatin receptor scintigraphy to image extrahepatic metastases of neuroendocrine tumors (Frilling et al). 1998;124:1000-4
Neurofibromatosis 1
Ruptured pancreaticoduodenal artery aneurysms and pheochromocytoma in a pregnant patient with neurofibromatosis (Serleth et al). 1998;124:100-2 (Brief clin. rep.)
Neurons
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306
Neurons, afferent
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
Neurotensin
Signal transduction mechanisms in neurotensin-mediated cellular regulation (Ehlers et al). 1998;124:239-47
Neurotoxins
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306
Neutrophils
Activation of tumor cell matrix metalloproteinase-2 by neutrophil proteinases requires expression of membrane-type 1 matrix metalloproteinase (Schwartz et al). 1998;124:232-8
Interleukin-8–induced suppression of polymorphonuclear leukocyte apoptosis is mediated by suppressing CD95 (Fas/Apo-1) Fas-1 interactions (Leuenroth et al). 1998;124:409-17
Nipple discharge
Ductography for nipple discharge: no replacement for ductal excision (Dawes et al). 1998;124:685-91
Nissen fundoplication; *see* Fundoplication
Nitric oxide
Adenovirus-mediated inducible nitric oxide synthase gene transfer inhibits hepatocyte apoptosis (Tzeng et al). 1998;124:278-83
Differential effects of nitric oxide–mediated S-nitrosylation on p50 and c-jun DNA binding (delaTorre et al). 1998;124:137-42
Intestinal reperfusion-induced pulmonary edema is related to increased pulmonary inducible nitric oxide synthase activity

Nitric oxide–cont'd
(Turnage et al). 1998;124:457-63
L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage (Angele et al). 1998;124:394-402
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306
Nodular thyroid disease; *see* Thyroid nodule
North Carolina
Illness severity adjustment for outcomes analysis: validation of the ICISS methodology in all 821,455 patients hospitalized in North Carolina in 1996 (Rutledge et al). 1998;124:187-96
Nuclear magnetic resonance
The impacts of experimental necrotizing pancreatitis on hepatocellular ion homeostasis and energetics: an in vivo nuclear magnetic resonance study (Ho et al). 1998;124:372-9
Nuclear proteins
Differential effects of nitric oxide–mediated S-nitrosylation on p50 and c-jun DNA binding (delaTorre et al). 1998;124:137-42
Nutrition
Biliary sludge formation during enteral nutrition: prevalence and natural history (Schwesinger et al). 1998;124:768-72
Prophylactic jejunostomy: a reappraisal (Zapas et al). 1998;124:715-20
Nutrition assessment
The C-reactive protein to prealbumin ratio correlates with the severity of multiple organ dysfunction (Pinilla et al). 1998;124:799-806

O

Objective Structured Clinical Examination
Assessing residents' clinical performance: cumulative results of a four-year study with the Objective Structured Clinical Examination (Schwartz et al). 1998;124:307-12
Oligonucleotides, antisense
Directed antisense therapy confirms the role of protein kinase C–α in the tumorigenicity of pancreatic cancer (Denham et al). 1998;124:218-24
Organ donors; *see* Tissue donors
Organ transplantation
Dendritic cells improve the generation of Epstein-Barr virus–specific cytotoxic T lymphocytes for the treatment of posttransplantation lymphoma (Wheatley et al). 1998;124:171-6
Postoperative hypocalcemia in patients who did or did not undergo parathyroid autotransplantation during thyroidectomy: a comparative study (Lo and Lam). 1998;124:1081-7
Prospective biochemical and scintigraphic evaluation of autografted normal parathyroid glands in patients undergoing thyroid operation (Sierra et al). 1998;124:1005-10
Organizational culture
Presidential address: a clash of cultures—personal autonomy versus corporate bondage (Buchwald). 1998;124:595-603 (Pres. address)
Outcome assessment
Acute lower limb ischemia: determinants of outcome (Ouriel and Veith). 1998;124:336-42
A case controlled comparison of open and laparoscopic splenectomy in children (Rescorla et al). 1998;124:670-6
Follicular and Hürthle cell carcinoma: predicting outcome and directing therapy (Sanders and Silverman). 1998;124:967-74
Illness severity adjustment for outcomes analysis: validation of the ICISS methodology in all 821,455 patients hospitalized in North Carolina in 1996 (Rutledge et al). 1998;124:187-96
Living unrelated kidney donation: the University of Wisconsin experience (D'Alessandro et al). 1998;124:604-11
Outcomes of atypical symptoms attributed to gastroesophageal reflux treated by laparoscopic fundoplication (So et al). 1998;124:28-32
Outcomes research and surgeons (Birkmeyer). 1998;124:477-83
Variation profiles of common surgical procedures (Birkmeyer et al). 1998;124:917-23
Outpatient surgery; *see* Ambulatory surgery
Oxygen
Decreased blood oxygen diffusion on hypercholesterolemia (Menchaca et al). 1998;124:692-8
Oxygen radicals
Pyruvate improves myocardial tolerance to reperfusion injury by acting as an antioxidant: a chemiluminescence study (Crestanello et al). 1998;124:92-9

P

p21; *see* Proto-oncogene proteins
p53 gene; *see* Genes, suppressor, tumor
Pancreas
Characteristics of rat pancreatic regenerating protein (Zenilman et al). 1998;124:855-63
Preoperative exocrine pancreatic function predicts risk of leakage of pancreaticojejunostomy (Sato et al). 1998;124:871-6
Ruptured pancreaticoduodenal artery aneurysms and pheochromocytoma in a pregnant patient with neurofibromatosis (Serleth et al). 1998;124:100-2 (Brief clin. rep.)
Pancreas transplantation
Conversion from bladder to enteric drainage after pancreaticoduodenal transplantations (West et al). 1998;124:883-93
Mortality after vascularized pancreas transplantation (Stratta). 1998;124:823-30
Pancreatectomy
Causes and management of pseudoaneurysms (Sarr and Warshaw). 1998;124:116-7 (Editorial)
Pancreatic diseases
The role of fluorodeoxyglucose and positron emission tomography in the evaluation of pancreatic disease (Rajput et al). 1998;124:793-8
Pancreatic ducts
Stenting does not decompress the pancreatic duct as effectively as surgery in experimental chronic pancreatitis (Reber et al). 1998;124:561-7
Pancreatic fistula
Contemporary treatment strategies for external pancreatic fistulas (Howard et al). 1998;124:627-33
Pancreatic neoplasms
Directed antisense therapy confirms the role of protein kinase C–α in the tumorigenicity of pancreatic cancer (Denham et al). 1998;124:218-24
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51
Molecular metastases in stage I pancreatic cancer: improved survival with adjuvant chemoradiation (Demeure et al). 1998;124:663-9
Operative management of islet-cell tumors arising in the head of the pancreas (Park et al). 1998;124:1056-62
Pancreatic islet cell tumor metastasis in multiple endocrine neoplasia type 1: correlation with primary tumor size (Lowney et al). 1998;124:1043-9
Pancreatic neuroendocrine tumors associated with von Hippel Lindau disease: diagnostic and management recommendations (Libutti et al). 1998;124:1153-9
Phenylacetate inhibits isoprenoid biosynthesis and suppresses growth of human pancreatic carcinoma (Harrison et al). 1998;124:541-50
The role of fluorodeoxyglucose and positron emission tomography in the evaluation of pancreatic disease (Rajput et al). 1998;124:793-8
Specificity of elevated CA 19-9 levels in chronic pancreatitis (Minghini et al). 1998;124:103-5 (Brief clin. rep.)
Transforming growth factor–beta1 inhibits generation of angiostatin by human pancreatic cancer cells (O'Mahony et al). 1998;124:388-93

Vasoactive intestinal polypeptide secreting islet cell tumors: a 15-year experience and review of the literature (Smith et al). 1998;124:1050-5

Pancreaticojejunostomy
Causes and management of pseudoaneurysms (Sarr and Warshaw). 1998;124:116-7 (Editorial)
Life-threatening upper gastrointestinal tract bleeding caused by ruptured extrahepatic pseudoaneurysm after pancreatoduodenectomy (Reber et al). 1998;124:114-5 (Brief clin. rep.)
Preoperative exocrine pancreatic function predicts risk of leakage of pancreaticojejunostomy (Sato et al). 1998;124:871-6
Stenting does not decompress the pancreatic duct as effectively as surgery in experimental chronic pancreatitis (Reber et al). 1998;124:561-7

Pancreatitis
Acute biliary pancreatitis: the roles of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography (Sugiyama and Atomi). 1998;124:14-21
The impacts of experimental necrotizing pancreatitis on hepatocellular ion homeostasis and energetics: an in vivo nuclear magnetic resonance study (Ho et al). 1998;124:372-9
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86
The role of fluorodeoxyglucose and positron emission tomography in the evaluation of pancreatic disease (Rajput et al). 1998;124:793-8
Specificity of elevated CA 19-9 levels in chronic pancreatitis (Minghini et al). 1998;124:103-5 (Brief clin. rep.)
Stenting does not decompress the pancreatic duct as effectively as surgery in experimental chronic pancreatitis (Reber et al). 1998;124:561-7

Pancreatoduodenectomy
Causes and management of pseudoaneurysms (Sarr and Warshaw). 1998;124:116-7 (Editorial)
Life-threatening upper gastrointestinal tract bleeding caused by ruptured extrahepatic pseudoaneurysm after pancreatoduodenectomy (Reber et al). 1998;124:114-5 (Brief clin. rep.)
Pancreatic invasion as the prognostic indicator of duodenal adenocarcinoma treated by pancreatoduodenectomy plus extended lymphadenectomy (Ohigashi et al). 1998;124:510-5

Papillary carcinoma; *see* Carcinoma, papillary

Parathyroid glands
Autotransplantation of parathyroid glands into subcutaneous forearm tissue for renal hyperparathyroidism (Chou et al). 1998;124:1-5
Indications, technique, and efficacy of alcohol injection of enlarged parathyroid glands in patients with primary hyperparathyroidism (Harman et al). 1998;124:1011-20
Postoperative hypocalcemia in patients who did or did not undergo parathyroid autotransplantation during thyroidectomy: a comparative study (Lo and Lam). 1998;124:1081-7
Prospective biochemical and scintigraphic evaluation of autografted normal parathyroid glands in patients undergoing thyroid operations (Sierra et al). 1998;124:1005-10
Tertiary hyperparathyroidism after renal transplantation: surgical strategy (Kilgo et al). 1998;124:677-84

Parathyroid hormones
Decreased expression of calcium-sensing receptor messenger ribonucleic acids in parathyroid adenomas (Farnebo et al). 1998;124:1094-9
Endoscopic parathyroidectomy: report of an initial experience (Miccoli et al). 1998;124:1077-80
Major histocompatibility complex class II expression and parathyroid autoantibodies in primary hyperparathyroidism (Bjerneroth et al). 1998;124:503-9
Secondary hyperparathyroidism is an expected consequence of parathyroidectomy for primary hyperparathyroidism: a prospective study (Mandal and Udelsman). 1998;124:1021-7

Parathyroid neoplasms
Decreased expression of calcium-sensing receptor messenger ribonucleic acids in parathyroid adenomas (Farnebo et al). 1998;124:1094-9
Multiple endocrine neoplasia type 2–associated *RET* proto-oncogene mutations do not contribute to the pathogenesis of sporadic parathyroid tumors (Willeke et al). 1998;124:484-90
Tertiary hyperparathyroidism after renal transplantation: surgical strategy (Kilgo et al). 1998;124:677-84

Parathyroidectomy
Endoscopic parathyroidectomy: report of an initial experience (Miccoli et al). 1998;124:1077-80
Minimally invasive radioguided parathyroidectomy in the reoperative neck (Norman and Denham). 1998;124:1088-93
Secondary hyperparathyroidism is an expected consequence of parathyroidectomy for primary hyperparathyroidism: a prospective study (Mandal and Udelsman). 1998;124:1021-7

Parenteral nutrition, total
Biliary sludge formation during enteral nutrition: prevalence and natural history (Schwesinger et al). 1998;124:768-72

Partial pressure
Decreased blood oxygen diffusion on hypercholesterolemia (Menchaca et al). 1998;124:692-8

Patient safety; *see* Safety

Pemphigoid, bullous
Bullous pemphigoid after prosthetic vascular graft placement (Freeman and Rubin). 1998;124:112-3 (Brief clin. rep.)

Peptide hydrolases
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86

Peptide peptidohydrolases
Activation of tumor cell matrix metalloproteinase-2 by neutrophil proteinases requires expression of membrane-type 1 matrix metalloproteinase (Schwartz et al). 1998;124:232-8

Perforation
Spontaneous perforation of the common bile duct: a rare cause of acute abdomen in adults (Kumar). 1998;124:924-5 (Brief clin. rep.)

Perfusion
Assessment of the relationship between timing of fixation of the fracture and secondary brain injury in patients with multiple trauma (Kalb et al). 1998;124:739-45
Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation (Fruchterman et al). 1998;124:782-92

Perfusion, regional
L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage (Angele et al). 1998;124:394-402

Peripheral artery diseases
Decrease in prevalence of Buerger's disease in Japan (Matsushita et al). 1998;124:498-502

Peripheral vascular diseases
Acute lower limb ischemia: determinants of outcome (Ouriel and Veith). 1998;124:336-42

Peritoneal neoplasms
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51
Solitary peritoneal metastasis from colon carcinoma (Akasu and Sugihara). 1998;124:938-40 (Brief clin. rep.)

Pharmacokinetics
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8

Phenotype
Moesin expression is associated with the estrogen receptor–negative breast cancer phenotype (Carmeci et al). 1998;124:211-7

Phenylacetates
Phenylacetate inhibits isoprenoid biosynthesis and suppresses growth of human pancreatic carcinoma (Harrison et al). 1998;124:541-50

Pheochromocytoma
Ruptured pancreaticoduodenal artery aneurysms and pheochromocytoma in a pregnant patient with neurofibromatosis (Serleth et al). 1998;124:100-2 (Brief clin. rep.)
Phorbol esters
Effects of bryostatin 1, a novel anticancer agent, on intestinal transport and barrier function: role of protein kinase C (Farokhzad et al). 1998;124:380-7
Phosphocreatine
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Plasma
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Plasma membrane; *see* Cell membrane
Plasmin
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86
Plasminogen activators
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86
Plasminogen inactivators
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86
Polyisoprenyl phosphates
Phenylacetate inhibits isoprenoid biosynthesis and suppresses growth of human pancreatic carcinoma (Harrison et al). 1998;124:541-50
Polymorphonuclear neutrophils; *see* Neutrophils
Polytetrafluoroethylene
Bullous pemphigoid after prosthetic vascular graft placement (Freeman and Rubin). 1998;124:112-3 (Brief clin. rep.)
Polyunsaturated fatty acids; *see* Fatty acids, unsaturated
Positron emission tomography; *see* Tomography, emission-computed
Postoperative care
Biliary sludge formation during enteral nutrition: prevalence and natural history (Schwesinger et al). 1998;124:768-72
Early relapse after operation for Graves' disease: postoperative hormone kinetics and outcome after subtotal, near-total, and total thyroidectomy (Hermann et al). 1998;124:894-900
Is routine duplex ultrasound surveillance after carotid endarterectomy cost-effective? (Patel et al). 1998;124:343-52
Postoperative complications
Biliary complications in pediatric living related liver transplantation (Egawa et al). 1998;124:901-10
Bullous pemphigoid after prosthetic vascular graft placement (Freeman and Rubin). 1998;124:112-3 (Brief clin. rep.)
Causes and management of pseudoaneurysms (Sarr and Warshaw). 1998;124:116-7 (Editorial)
Complications and risks of central venous catheter placement in children (Johnson et al). 1998;124:911-6
Dendritic cells improve the generation of Epstein-Barr virus–specific cytotoxic T lymphocytes for the treatment of posttransplantation lymphoma (Wheatley et al). 1998;124:171-6
Essential hypertension: first reason of persistent hypertension after unilateral adrenalectomy for primary aldosteronism? (Proye et al). 1998;124:1128-33
Life-threatening upper gastrointestinal tract bleeding caused by ruptured extrahepatic pseudoaneurysm after pancreatoduodenectomy (Reber et al). 1998;124:114-5 (Brief clin. rep.)
The mesh plug technique for recurrent groin herniorrhaphy: a nine-year experience of 407 repairs (Rutkow and Robbins). 1998;124:844-7
Perforated appendicitis in children: risk factors for the development of complications (Kokoska et al). 1998;124:619-26
Postoperative hypocalcemia in patients who did or did not undergo parathyroid autotransplantation during thyroidectomy: a comparative study (Lo and Lam). 1998;124:1081-7
Preoperative exocrine pancreatic function predicts risk of leakage of pancreaticojejunostomy (Sato et al). 1998;124:871-6
Secondary hyperparathyroidism is an expected consequence of parathyroidectomy for primary hyperparathyroidism: a prospective study (Mandal and Udelsman). 1998;124:1021-7
Prealbumin
The C-reactive protein to prealbumin ratio correlates with the severity of multiple organ dysfunction (Pinilla et al). 1998;124:799-806
Pregnancy
Ruptured pancreaticoduodenal artery aneurysms and pheochromocytoma in a pregnant patient with neurofibromatosis (Serleth et al). 1998;124:100-2 (Brief clin. rep.)
Preoperative care
Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative cholangiography—a multicenter, prospective controlled study (Montariol et al). 1998;124:6-13
Preoperative exocrine pancreatic function predicts risk of leakage of pancreaticojejunostomy (Sato et al). 1998;124:871-6
Presidential address
Presidential address: a clash of cultures—personal autonomy versus corporate bondage (Buchwald). 1998;124:595-603 (Pres. address)
Presidential address: SUS—SOS? (Lillemoe). 1998;124:121-8 (Pres. address)
Prevalence studies; *see* Cross-sectional studies
Primates
Primate renal transplants using immunotoxin (Knechtle et al). 1998;124:438-47
Professional corporations
Presidential address: a clash of cultures—personal autonomy versus corporate bondage (Buchwald). 1998;124:595-603 (Pres. address)
Prognosis
Plasma levels of high-energy compounds compared with severity of illness in critically ill patients in the intensive care unit (Jabs et al). 1998;124:65-72
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83
Prognostic value of intraoperative blood flow measurements in vascular access surgery (Johnson et al). 1998;124:729-38
Prophylaxis
Prophylactic jejunostomy: a reappraisal (Zapas et al). 1998;124:715-20
Prostaglandins
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
Store-operated calcium influx in human gastric cells: role of endogenous prostaglandins (Kokoska et al). 1998;124:429-37
Prosthetic vascular graft; *see* Blood vessel prosthesis
Protein binding
Differential effects of nitric oxide–mediated S-nitrosylation on p50 and c-jun DNA binding (delaTorre et al). 1998;124:137-42
Protein kinase C
Directed antisense therapy confirms the role of protein kinase C–α in the tumorigenicity of pancreatic cancer (Denham et al). 1998;124:218-24
Effects of bryostatin 1, a novel anticancer agent, on intestinal transport and barrier function: role of protein kinase C (Farokhzad et al). 1998;124:380-7
Protein kinase C regulates nutrient uptake and growth in hepatoma cells (Bode et al). 1998;124:260-8
Protein kinases
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Hydrogen peroxide induces tumor necrosis factor α–mediated cardiac injury by a P38 mitogen-activated protein kinase–dependent mechanism (Meldrum et al). 1998;124:291-7

p38 Mitogen-activated protein kinase inhibition attenuates intercellular adhesion molecule–1 up-regulation on human pulmonary microvascular endothelial cells (Tamura et al). 1998;124:403-8
Signal transduction mechanisms in neurotensin-mediated cellular regulation (Ehlers et al). 1998;124:239-47

Protein synthesis
Hepatocyte polyunsaturated fatty acid enrichment increases acute phase protein synthesis (Nolan et al). 1998;124:471-6

Proteinases; *see* Peptide peptidohydrolases

Proteins
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Characteristics of rat pancreatic regenerating protein (Zenilman et al). 1998;124:855-63

Proteolytic enzymes; *see* Peptide hydrolases

Proto-oncogene proteins
Butyrate inhibits colon carcinoma cell growth through two distinct pathways (Archer et al). 1998;124:248-53

Proto-oncogene proteins, c-Fos
Signal transduction mechanisms in neurotensin-mediated cellular regulation (Ehlers et al). 1998;124:239-47

Proto-oncogene proteins c-jun
Differential effects of nitric oxide–mediated S-nitrosylation on p50 and c-jun DNA binding (delaTorre et al). 1998;124:137-42

Proto-oncogenes
Multiple endocrine neoplasia type 2–associated *RET* proto-oncogene mutations do not contribute to the pathogenesis of sporadic parathyroid tumors (Willeke et al). 1998;124:484-90

Pseudoaneurysm
Causes and management of pseudoaneurysms (Sarr and Warshaw). 1998;124:116-7 (Editorial)
Life-threatening upper gastrointestinal tract bleeding caused by ruptured extrahepatic pseudoaneurysm after pancreatoduodenectomy (Reber et al). 1998;124:114-5 (Brief clin. rep.)

Pulmonary edema
Intestinal reperfusion-induced pulmonary edema is related to increased pulmonary inducible nitric oxide synthase activity (Turnage et al). 1998;124:457-63

Purpura, thrombotic thrombocytopenic
Surgical treatment for massive gastrointestinal bleeding caused by thrombotic thrombocytopenic purpura: a case report (Yamamura et al). 1998;124:929-31 (Brief clin. rep.)

Pyruvates
Pyruvate improves myocardial tolerance to reperfusion injury by acting as an antioxidant: a chemiluminescence study (Crestanello et al). 1998;124:92-9

Q

Quality of life
Outcomes research and surgeons (Birkmeyer). 1998;124:477-83
Surgical correction of primary hyperparathyroidism improves quality of life (Burney et al). 1998;124:987-92

R

Rabbits
Immunoglobulin A supplementation abrogates bacterial translocation and preserves the architecture of the intestinal epithelium (Dickinson et al). 1998;124:284-90
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92

Radioguided surgery
Minimally invasive radioguided parathyroidectomy in the reoperative neck (Norman and Denham). 1998;124:1088-93

Radioimmunodetection
Improved sentinel lymph node localization in patients with primary melanoma with the use of radiolabeled colloid (Gershenwald et al). 1998;124:203-10

Radionuclide imaging
Non invasive imaging of insulinomas and gastrinomas with endoscopic ultrasonography and somatostatin receptor scintigraphy (Proye et al). 1998;124:1134-44
Prospective biochemical and scintigraphic evaluation of autografted normal parathyroid glands in patients undergoing thyroid operation (Sierra et al). 1998;124:1005-10
Prospective study of the utility of somatostatin-receptor scintigraphy in the evaluation of patients with multiple endocrine neoplasia type 1 (Yim et al). 1998;124:1037-42
Refined use of scintigraphy in the evaluation of nodular thyroid disease (McHenry et al). 1998;124:656-62
Surgical management of aberrant sentinel lymph node drainage in cutaneous melanoma (Lieber et al). 1998;124:757-62
Use of somatostatin receptor scintigraphy to image extrahepatic metastases of neuroendocrine tumors (Frilling et al). 1998;124:1000-4

Radiotherapy
Molecular metastases in stage I pancreatic cancer: improved survival with adjuvant chemoradiation (Demeure et al). 1998;124:663-9
Prognosis of hepatocellular carcinoma in relation to treatment: a multivariate analysis of 178 patients from a single European institution (Sangro et al). 1998;124:575-83

Rats
Characteristics of rat pancreatic regenerating protein (Zenilman et al). 1998;124:855-63
Early isotonic saline resuscitation from uncontrolled hemorrhage in rats (Greene et al). 1998;124:568-74
Effect of intermittent hepatic pedicle clamping on free radical generation in the rat liver (Uchinami et al). 1998;124:49-56
Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies (Genden et al). 1998;124:448-56
Matrix metalloproteinase inhibition limits arterial enlargement in a rodent arteriovenous fistula model (Abbruzzese et al). 1998;124:328-35
Treatment of hepatic metastases of colorectal cancer by electrochemotherapy: an experimental study in the rat (Chazal et al). 1998;124:536-40

Receptors, antigen, T-cell
Burn injury primes naive CD4+ T cells for an augmented T-helper 1 response (Kavanagh et al). 1998;124:269-77

Receptors, cytokine
Class II cytokine receptor ligands inhibit human vascular smooth muscle proliferation (Selzman et al). 1998;124:318-27

Receptors, epidermal growth factor-urogastrone
Butyrate inhibits colon carcinoma cell growth through two distinct pathways (Archer et al). 1998;124:248-53

Receptors, estrogen
Moesin expression is associated with the estrogen receptor–negative breast cancer phenotype (Carmeci et al). 1998;124:211-7

Receptors, neurotensin
Signal transduction mechanisms in neurotensin-mediated cellular regulation (Ehlers et al). 1998;124:239-47

Receptors, somatostatin
Insulin secretion is inhibited by subtype five somatostatin receptor in the mouse (Fagan et al). 1998;124:254-9
Non invasive imaging of insulinomas and gastrinomas with endoscopic ultrasonography and somatostatin receptor scintigraphy (Proye et al). 1998;124:1134-44
Prospective study of the utility of somatostatin-receptor scintigraphy in the evaluation of patients with multiple endocrine neoplasia type 1 (Yim et al). 1998;124:1037-42
Use of somatostatin receptor scintigraphy to image extrahepatic metastases of neuroendocrine tumors (Frilling et al). 1998;124:1000-4

Rectal neoplasms
Endosurgical treatment of synchronous rectal cancer and abdominal aortic aneurysm, without laparotomy (Herald et

Rectal neoplasms–cont'd
al). 1998;124:932-3 (Brief clin. rep.)
Total mesorectal excision is not necessary for cancers of the upper rectum (Lopez-Kostner et al). 1998;124:612-8
Rectum
Rectal duplication cyst with a large perineal hernia presenting as recurrent perineal abscesses (Connaughton et al). 1998;124:926-8 (Brief clin. rep.)
Recurrence
Early relapse after operation for Graves' disease: postoperative hormone kinetics and outcome after subtotal, near-total, and total thyroidectomy (Hermann et al). 1998;124:894-900
End points in the analysis of breast cancer survival: relapse versus death from tumor (Edwards et al). 1998;124:197-202
Incidence of port site recurrence after laparoscopic cholecystectomy for preoperatively unsuspected gallbladder carcinoma (Z'graggen et al). 1998;124:831-8
Partial hepatectomy accelerates local tumor growth: potential roles of local cytokine activation (Picardo et al). 1998;124:57-64
Primary and reoperative parathyroid operations in hyperparathyroidism of multiple endocrine neoplasia type 1 (Hellman et al). 1998;124:993-9
Rectal duplication cyst with a large perineal hernia presenting as recurrent perineal abscesses (Connaughton et al). 1998;124:926-8 (Brief clin. rep.)
Total mesorectal excision is not necessary for cancers of the upper rectum (Lopez-Kostner et al). 1998;124:612-8
Red blood cells; *see* Erythrocytes
Referral and consultation
A long-term analysis of 620 patients with malignant melanoma at a major referral center (Averbook et al). 1998;124:746-56
Regional anesthesia; *see* Anesthesia, conduction
Regurgitation, gastric; *see* Gastroesophageal reflux
Relapse; *see* Recurrence
Reoperation
Minimally invasive radioguided parathyroidectomy in the reoperative neck (Norman and Denham). 1998;124:1088-93
Primary and reoperative parathyroid operations in hyperparathyroidism of multiple endocrine neoplasia type 1 (Hellman et al). 1998;124:993-9
Reperfusion injury
Effect of intermittent hepatic pedicle clamping on free radical generation in the rat liver (Uchinami et al). 1998;124:49-56
Immunoaffinity localization of the enzyme xanthine oxidase on the outside surface of the endothelial cell plasma membrane (Vickers et al). 1998;124:551-60
Intestinal reperfusion-induced pulmonary edema is related to increased pulmonary inducible nitric oxide synthase activity (Turnage et al). 1998;124:457-63
Pyruvate improves myocardial tolerance to reperfusion injury by acting as an antioxidant: a chemiluminescence study (Crestanello et al). 1998;124:92-9
Research
Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative cholangiography—a multicenter, prospective controlled study (Montariol et al). 1998;124:6-13
Outcomes research and surgeons (Birkmeyer). 1998;124:477-83
Treatment of hepatic metastases of colorectal cancer by electrochemotherapy: an experimental study in the rat (Chazal et al). 1998;124:536-40
Variation profiles of common surgical procedures (Birkmeyer et al). 1998;124:917-23
Respiration, artificial
Reduced use of resources by early tracheostomy in ventilator-dependent patients with blunt trauma (Armstrong et al). 1998;124:763-7
Respiratory distress syndrome, adult
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92
p38 Mitogen-activated protein kinase inhibition attenuates intercellular adhesion molecule–1 up-regulation on human pulmonary microvascular endothelial cells (Tamura et al). 1998;124:403-8
Resuscitation
Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation (Fruchterman et al). 1998;124:782-92
Early isotonic saline resuscitation from uncontrolled hemorrhage in rats (Greene et al). 1998;124:568-74
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50
L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage (Angele et al). 1998;124:394-402
***RET* proto-oncogene; *see* Proto-oncogenes**
Retroviridae proteins
Gene therapy for primary and metastatic pancreatic cancer with intraperitoneal retroviral vector bearing the wild-type p53 gene (Hwang et al). 1998;124:143-51
Review literature
Vasoactive intestinal polypeptide secreting islet cell tumors: a 15-year experience and review of the literature (Smith et al). 1998;124:1050-5
Ribonucleic acid; *see* RNA
Risk factors
Mortality after vascularized pancreas transplantation (Stratta). 1998;124:823-30
Perforated appendicitis in children: risk factors for the development of complications (Kokoska et al). 1998;124:619-26
RNA, messenger
Decreased expression of calcium-sensing receptor messenger ribonucleic acids in parathyroid adenomas (Farnebo et al). 1998;124:1094-9
Rupture
Perforated appendicitis in children: risk factors for the development of complications (Kokoska et al). 1998;124:619-26
Rupture, spontaneous
Delayed hepatic resection for ruptured hepatocellular carcinoma (Shuto et al). 1998;124:33-7
Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma (Shimada et al). 1998;124:526-35

S

Safety
Competency-based instruction in critical invasive skills improves both resident performance and patient safety (Martin et al). 1998;124:313-7
Saline; *see* Sodium chloride
Saline solution, hypertonic
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50
Saphenous veins
Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene transfer (Fernandez et al). 1998;124:129-36
Scintigraphy; *see* Radionuclide imaging
Secretin
Stenting does not decompress the pancreatic duct as effectively as surgery in experimental chronic pancreatitis (Reber et al). 1998;124:561-7
Self-examination
The evaluation of breast masses in women younger than forty years of age (Morrow et al). 1998;124:634-41
Sensory neurons; *see* Neurons, afferent
Sentinel lymph node; *see* Lymph nodes
Sepsis
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose

(Dorman et al). 1998;124:73-8
Severity of illness index
Illness severity adjustment for outcomes analysis: validation of the ICISS methodology in all 821,455 patients hospitalized in North Carolina in 1996 (Rutledge et al). 1998;124:187-96
Shear stress; *see* Stress, mechanical
Shock, hemorrhagic
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50
Sialoadenectomy
Adaptation after small bowel resection is attenuated by sialoadenectomy: the role for endogenous epidermal growth factor (Helmrath et al). 1998;124:848-54
Sigmoid neoplasms
Total mesorectal excision is not necessary for cancers of the upper rectum (Lopez-Kostner et al). 1998;124:612-8
Signal transduction
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Signal transduction mechanisms in neurotensin-mediated cellular regulation (Ehlers et al). 1998;124:239-47
Skin diseases, vesiculobullous
Bullous pemphigoid after prosthetic vascular graft placement (Freeman and Rubin). 1998;124:112-3 (Brief clin. rep.)
Skin neoplasms
Surgical management of aberrant sentinel lymph node drainage in cutaneous melanoma (Lieber et al). 1998;124:757-62
Small-area analysis
Outcomes research and surgeons (Birkmeyer). 1998;124:477-83
Small bowel; *see* Intestine, small
Society of University Surgeons
Presidential address: SUS—SOS? (Lillemoe). 1998;124:121-8 (Pres. address)
Sodium chloride
Early isotonic saline resuscitation from uncontrolled hemorrhage in rats (Greene et al). 1998;124:568-74
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50
Somatostatin
Analysis of factors associated with long-term (five or more years) cure in patients undergoing operation for Zollinger-Ellison syndrome (Alexander et al). 1998;124:1160-6
Insulin secretion is inhibited by subtype five somatostatin receptor in the mouse (Fagan et al). 1998;124:254-9
Non invasive imaging of insulinomas and gastrinomas with endoscopic ultrasonography and somatostatin receptor scintigraphy (Proye et al). 1998;124:1134-44
Prospective study of the utility of somatostatin-receptor scintigraphy in the evaluation of patients with multiple endocrine neoplasia type I (Yim et al). 1998;124:1037-42
Use of somatostatin receptor scintigraphy to image extrahepatic metastases of neuroendocrine tumors (Frilling et al). 1998;124:1000-4
Spinal cord injuries
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306
Splenectomy
A case controlled comparison of open and laparoscopic splenectomy in children (Rescorla et al). 1998;124:670-6
Laparoscopic versus open splenectomy in the management of splenomegaly: our preliminary experience (Terrosu et al). 1998;124:839-43
Splenomegaly
Laparoscopic versus open splenectomy in the management of splenomegaly: our preliminary experience (Terrosu et al). 1998;124:839-43
Stains and staining
Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori* (Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Stents
Stenting does not decompress the pancreatic duct as effectively as surgery in experimental chronic pancreatitis (Reber et al). 1998;124:561-7
Stomach
Gastroprotective actions of bombesin, L-DOPA, and mild irritants: roles of prostaglandins and sensory neurons (Mercer et al). 1998;124:864-70
Stress, mechanical
Flow modulates endothelial regulation of smooth muscle cell proliferation: a new model (Nackman et al). 1998;124:353-61
Stress-induced fractal rearrangement of the endothelial cell cytoskeleton causes apoptosis (DeMeester et al). 1998;124:362-71
Stromal tumor
Gastric stromal tumor stained with CD34 and infected with *Helicobacter pylori* (Tokunaga et al). 1998;124:106-8 (Brief clin. rep.)
Sulfhydryl compounds
Differential effects of nitric oxide–mediated S-nitrosylation on p50 and c-jun DNA binding (delaTorre et al). 1998;124:137-42
Superoxide dismutase
Immunoaffinity localization of the enzyme xanthine oxidase on the outside surface of the endothelial cell plasma membrane (Vickers et al). 1998;124:551-60
Suppressor cells; *see* T-lymphocytes, suppressor-effector
Surgical intensive care; *see* Intensive care
Surgical mesh
The mesh plug technique for recurrent groin herniorrhaphy: a nine-year experience of 407 repairs (Rutkow and Robbins). 1998;124:844-7
Survival
Directed antisense therapy confirms the role of protein kinase C–α in the tumorigenicity of pancreatic cancer (Denham et al). 1998;124:218-24
End points in the analysis of breast cancer survival: relapse versus death from tumor (Edwards et al). 1998;124:197-202
Illness severity adjustment for outcomes analysis: validation of the ICISS methodology in all 821,455 patients hospitalized in North Carolina in 1996 (Rutledge et al). 1998;124:187-96
A long-term analysis of 620 patients with malignant melanoma at a major referral center (Averbook et al). 1998;124:746-56
Molecular metastases in stage I pancreatic cancer: improved survival with adjuvant chemoradiation (Demeure et al). 1998;124:663-9
Pancreatic invasion as the prognostic indicator of duodenal adenocarcinoma treated by pancreatoduodenectomy plus extended lymphadenectomy (Ohigashi et al). 1998;124:510-5
Staged hepatectomy after emergency transcatheter arterial embolization for ruptured hepatocellular carcinoma (Shimada et al). 1998;124:526-35

T

T4 lymphocytes
Bacterially preexposed T cells impair bacterial elimination by non-Th1/Th2 cell mechanisms in a model of intra-abdominal infection (Gleason et al). 1998;124:418-28
Burn injury primes naive CD4+ T cells for an augmented T-helper 1 response (Kavanagh et al). 1998;124:269-77
T-lymphocytes, cytotoxic
Dendritic cells improve the generation of Epstein-Barr virus–specific cytotoxic T lymphocytes for the treatment of posttransplantation lymphoma (Wheatley et al). 1998;124:171-6
T-lymphocytes, helper-inducer
Burn injury primes naive CD4+ T cells for an augmented T-helper 1 response (Kavanagh et al). 1998;124:269-77
T-lymphocytes, suppressor-effector
The effect of laparotomy and laparoscopy on the establishment of spontaneous tumor metastases (Da Costa et al).

T-lymphocytes, suppressor-effector–cont'd
1998;124:516-25
Technetium Tc 99m sulfur colloid
Improved sentinel lymph node localization in patients with primary melanoma with the use of radiolabeled colloid (Gershenwald et al). 1998;124:203-10
Telomerase
Telomerase activity in the differentiation of benign and malignant adrenal tumors (Teng et al). 1998;124:1123-7
Thiols; *see* Sulfhydryl compounds
Thromboangiitis obliterans
Decrease in prevalence of Buerger's disease in Japan (Matsushita et al). 1998;124:498-502
Thyroglobulin
Overexpression of TTF-1 and PAX-8 restores thyroglobulin gene promoter activity in ARO and WRO cell lines (Chun et al). 1998;124:1100-5
Thyroid gland
Prospective biochemical and scintigraphic evaluation of autografted normal parathyroid glands in patients undergoing thyroid operation (Sierra et al). 1998;124:1005-10
Thyroid hormones
Early relapse after operation for Graves' disease: postoperative hormone kinetics and outcome after subtotal, near-total, and total thyroidectomy (Hermann et al). 1998;124:894-900
Thyroid neoplasms
Beyond risk groups: a new look at differentiated thyroid cancer (Cady). 1998;124:947-57
Multiple endocrine neoplasia type 2–associated *RET* proto-oncogene mutations do not contribute to the pathogenesis of sporadic parathyroid tumors (Willeke et al). 1998;124:484-90
Overexpression of TTF-1 and PAX-8 restores thyroglobulin gene promoter activity in ARO and WRO cell lines (Chun et al). 1998;124:1100-5
Unilateral total lobectomy: Is it sufficient surgical treatment for patients with AMES low-risk papillary thyroid carcinoma? (Hay et al). 1998;124:958-66
Thyroid nodule
Refined use of scintigraphy in the evaluation of nodular thyroid disease (McHenry et al). 1998;124:656-62
Thyroid-specific transcription factor; *see* Transcription factors
Thyroid stimulating hormone; *see* Thyrotropin
Thyroidectomy
Early relapse after operation for Graves' disease: postoperative hormone kinetics and outcome after subtotal, near-total, and total thyroidectomy (Hermann et al). 1998;124:894-900
Local/regional anesthesia for thyroidectomy: evaluation as an outpatient procedure (Lo Gerfo). 1998;124:975-9
Postoperative hypocalcemia in patients who did or did not undergo parathyroid autotransplantation during thyroidectomy: a comparative study (Lo and Lam). 1998;124:1081-7
Thyrotropin
Refined use of scintigraphy in the evaluation of nodular thyroid disease (McHenry et al). 1998;124:656-62
Tissue donors
Biliary complications in pediatric living related liver transplantation (Egawa et al). 1998;124:901-10
Living unrelated kidney donation: the University of Wisconsin experience (D'Alessandro et al). 1998;124:604-11
Tissue remodeling
A placental-derived tissue matrix as a bowel wall substitute in rats: preliminary study (Alam et al). 1998;124:87-91
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86
Tobramycin
Impact of altered aminoglycoside volume of distribution on the adequacy of a three milligram per kilogram loading dose (Dorman et al). 1998;124:73-8
Tomography, emission-computed
The role of fluorodeoxyglucose and positron emission tomography in the evaluation of pancreatic disease (Rajput et al). 1998;124:793-8
Tomography, x-ray computed
Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant (Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Total parenteral nutrition; *see* Parenteral nutrition, total
Total vascular exclusion
Liver resection using total vascular exclusion (Evans et al). 1998;124:807-15
Tracheostomy
Reduced use of resources by early tracheostomy in ventilator-dependent patients with blunt trauma (Armstrong et al). 1998;124:763-7
Transcription factors
Differential effects of nitric oxide–mediated S-nitrosylation on p50 and c-jun DNA binding (delaTorre et al). 1998;124:137-42
Overexpression of TTF-1 and PAX-8 restores thyroglobulin gene promoter activity in ARO and WRO cell lines (Chun et al). 1998;124:1100-5
Signal transduction mechanisms in neurotensin-mediated cellular regulation (Ehlers et al). 1998;124:239-47
Transforming growth factor beta
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86
Transforming growth factor–beta1 inhibits generation of angiostatin by human pancreatic cancer cells (O'Mahony et al). 1998;124:388-93
Transplantation, autologous
Autotransplantation of parathyroid glands into subcutaneous forearm tissue for renal hyperparathyroidism (Chou et al). 1998;124:1-5
Dendritic cells improve the generation of Epstein-Barr virus–specific cytotoxic T lymphocytes for the treatment of posttransplantation lymphoma (Wheatley et al). 1998;124:171-6
Postoperative hypocalcemia in patients who did or did not undergo parathyroid autotransplantation during thyroidectomy: a comparative study (Lo and Lam). 1998;124:1081-7
Prospective biochemical and scintigraphic evaluation of autografted normal parathyroid glands in patients undergoing thyroid operation (Sierra et al). 1998;124:1005-10
Transplantation, homologous
Induction of donor-specific tolerance to rat nerve allografts with portal venous donor alloantigen and anti-ICAM-1/LFA-1 monoclonal antibodies (Genden et al). 1998;124:448-56
Primate renal transplants using immunotoxin (Knechtle et al). 1998;124:438-47
Treatment outcome
Acute lower limb ischemia: determinants of outcome (Ouriel and Veith). 1998;124:336-42
Early relapse after operation for Graves' disease: postoperative hormone kinetics and outcome after subtotal, near-total, and total thyroidectomy (Hermann et al). 1998;124:894-900
Follicular and Hürthle cell carcinoma: predicting outcome and directing therapy (Sanders and Silverman). 1998;124:967-74
Laparoscopic versus open splenectomy in the management of splenomegaly: our preliminary experience (Terrosu et al). 1998;124:839-43
Living unrelated kidney donation: the University of Wisconsin experience (D'Alessandro et al). 1998;124:604-11
Outcomes of atypical symptoms attributed to gastroesophageal reflux treated by laparoscopic fundoplication (So et al). 1998;124:28-32
Outcomes research and surgeons (Birkmeyer). 1998;124:477-83
Pancreatic invasion as the prognostic indicator of duodenal adenocarcinoma treated by pancreatoduodenectomy plus extended lymphadenectomy (Ohigashi et al). 1998;124:510-5
Plantar melanoma: results of treatment in three population groups (Hudson et al). 1998;124:877-82
Secondary hyperparathyroidism is an expected consequence of

parathyroidectomy for primary hyperparathyroidism: a prospective study (Mandal and Udelsman). 1998;124:1021-7
Total mesorectal excision is not necessary for cancers of the upper rectum (Lopez-Kostner et al). 1998;124:612-8
Variation profiles of common surgical procedures (Birkmeyer et al). 1998;124:917-23

TSH; *see* Thyrotropin

Tumor markers, biological
Specificity of elevated CA 19-9 levels in chronic pancreatitis (Minghini et al). 1998;124:103-5 (Brief clin. rep.)

Tumor necrosis factor
IT 9302, a synthetic interleukin-10 agonist, diminishes acute lung injury in rabbits with necrotizing pancreatitis (Osman et al). 1998;124:584-92

Tumor necrosis factor alpha
Adenovirus-mediated inducible nitric oxide synthase gene transfer inhibits hepatocyte apoptosis (Tzeng et al). 1998;124:278-83
Class II cytokine receptor ligands inhibit human vascular smooth muscle proliferation (Selzman et al). 1998;124:318-27
Hydrogen peroxide induces tumor necrosis factor α–mediated cardiac injury by a P38 mitogen-activated protein kinase–dependent mechanism (Meldrum et al). 1998;124:291-7

Tumor suppressor genes; *see* Genes, suppressor, tumor

Tumor viruses, murine
Aspirin prevents tumors in a murine model of familial adenomatous polyposis (Mahmoud et al). 1998;124:225-31

Tumorigenicity tests; *see* Carcinogenicity tests

Tunica intima
Adenoviral-mediated inhibition of Gβγ signaling limits the hyperplastic response in experimental vein grafts (Huynh et al). 1998;124:177-86
Flow modulates endothelial regulation of smooth muscle cell proliferation: a new model (Nackman et al). 1998;124:353-61
Modulation of matrix metalloproteinase activity in human saphenous vein grafts using adenovirus-mediated gene transfer (Fernandez et al). 1998;124:129-36

U

Ultrasonography
Acute biliary pancreatitis: the roles of endoscopic ultrasonography and endoscopic retrograde cholangiopancreatography (Sugiyama and Atomi). 1998;124:14-21
The correlation of ultrasonic carotid plaque morphology and carotid plaque hemorrhage: clinical implications (AbuRahma et al). 1998;124:721-8
Diagnosis of asymptomatic common bile duct stones: preoperative endoscopic ultrasonography versus intraoperative cholangiography—a multicenter, prospective controlled study (Montariol et al). 1998;124:6-13
The evaluation of breast masses in women younger than forty years of age (Morrow et al). 1998;124:634-41
Is routine duplex ultrasound surveillance after carotid endarterectomy cost-effective? (Patel et al). 1998;124:343-52
Non invasive imaging of insulinomas and gastrinomas with endoscopic ultrasonography and somatostatin receptor scintigraphy (Proye et al). 1998;124:1134-44

University of Wisconsin
Living unrelated kidney donation: the University of Wisconsin experience (D'Alessandro et al). 1998;124:604-11

Up-regulation
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86
Prolonged hypoxia alters endothelial barrier function (Ali et al). 1998;124:491-7

Urokinase
The plasminogen activator/plasmin system is up-regulated after acute necrotizing pancreatitis in human beings (Friess et al). 1998;124:79-86

Utilization review
Outcomes research and surgeons (Birkmeyer). 1998;124:477-83

V

Vaginal neoplasms
Mucosal melanoma of the female genitalia: a clinicopathologic study of forty-three cases at Duke University Medical Center (DeMatos et al). 1998;124:38-48

Vascular intima; *see* Tunica intima

Vascular permeability; *see* Capillary permeability

Vascular prosthesis; *see* Blood vessel prosthesis

Vascular resistance
Stenting does not decompress the pancreatic duct as effectively as surgery in experimental chronic pancreatitis (Reber et al). 1998;124:561-7

Vascular surgery
Prognostic value of intraoperative blood flow measurements in vascular access surgery (Johnson et al). 1998;124:729-38

Vasoactive intestinal peptide
Vasoactive intestinal polypeptide secreting islet cell tumors: a 15-year experience and review of the literature (Smith et al). 1998;124:1050-5

Vasoconstriction
Complement inhibition prevents gut ischemia and endothelial cell dysfunction after hemorrhage/resuscitation (Fruchterman et al). 1998;124:782-92

Vein grafts; *see* Blood vessels, transplantation

Vena cava, inferior
Intermittent obstruction of the inferior vena cava by congenital anteromedial diaphragmatic hernia: an extremely rare case of Budd-Chiari syndrome in an infant (Yonekura et al). 1998;124:109-11 (Brief clin. rep.)
Liver resection using total vascular exclusion (Evans et al). 1998;124:807-15

Ventilator weaning
Reduced use of resources by early tracheostomy in ventilator-dependent patients with blunt trauma (Armstrong et al). 1998;124:763-7

Ventricular function
Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock (Diebel et al). 1998;124:642-50

Vimentin
Moesin expression is associated with the estrogen receptor–negative breast cancer phenotype (Carmeci et al). 1998;124:211-7

von Hippel-Lindau disease; *see* Hippel-Lindau disease

Vulvar neoplasms
Mucosal melanoma of the female genitalia: a clinicopathologic study of forty-three cases at Duke University Medical Center (DeMatos et al). 1998;124:38-48

W

Whipple's procedure
Life-threatening upper gastrointestinal tract bleeding caused by ruptured extrahepatic pseudoaneurysm after pancreatoduodenectomy (Reber et al). 1998;124:114-5 (Brief clin. rep.)

Women
Mucosal melanoma of the female genitalia: a clinicopathologic study of forty-three cases at Duke University Medical Center (DeMatos et al). 1998;124:38-48

Wound healing
Metalloproteinase inhibitors and wound healing: a novel enhancer of wound strength (Witte et al). 1998;124:464-70

Wounds, nonpenetrating
Reduced use of resources by early tracheostomy in ventilator-

Wounds, nonpenetrating–cont'd
dependent patients with blunt trauma (Armstrong et al). 1998;124:763-7

Wounds and injuries
Assessment of the relationship between timing of fixation of the fracture and secondary brain injury in patients with multiple trauma (Kalb et al). 1998;124:739-45
Burn injury primes naive CD4+ T cells for an augmented T-helper 1 response (Kavanagh et al). 1998;124:269-77
Class II cytokine receptor ligands inhibit human vascular smooth muscle proliferation (Selzman et al). 1998;124:318-27
Hydrogen peroxide induces tumor necrosis factor α–mediated cardiac injury by a P38 mitogen-activated protein kinase–dependent mechanism (Meldrum et al). 1998;124:291-7
L-Arginine restores the depressed cardiac output and regional perfusion after trauma-hemorrhage (Angele et al). 1998;124:394-402
Monosialoganglioside GM_1 inhibits neurotoxicity after hypothermic circulatory arrest (Tseng et al). 1998;124:298-306

X

Xanthine oxidase
Immunoaffinity localization of the enzyme xanthine oxidase on the outside surface of the endothelial cell plasma membrane (Vickers et al). 1998;124:551-60

Z

Zollinger-Ellison syndrome
Analysis of factors associated with long-term (five or more years) cure in patients undergoing operation for Zollinger-Ellison syndrome (Alexander et al). 1998;124:1160-6